



U.S. Department of Health and Human Services
Assistant Secretary for Planning and Evaluation
Office of Disability, Aging and Long-Term Care Policy



**THE SIZE AND
CHARACTERISTICS OF THE
RESIDENTIAL CARE
POPULATION:
EVIDENCE FROM THREE NATIONAL
SURVEYS**

January 2006

Office of the Assistant Secretary for Planning and Evaluation

The Office of the Assistant Secretary for Planning and Evaluation (ASPE) is the principal advisor to the Secretary of the Department of Health and Human Services (HHS) on policy development issues, and is responsible for major activities in the areas of legislative and budget development, strategic planning, policy research and evaluation, and economic analysis.

ASPE develops or reviews issues from the viewpoint of the Secretary, providing a perspective that is broader in scope than the specific focus of the various operating agencies. ASPE also works closely with the HHS operating divisions. It assists these agencies in developing policies, and planning policy research, evaluation and data collection within broad HHS and administration initiatives. ASPE often serves a coordinating role for crosscutting policy and administrative activities.

ASPE plans and conducts evaluations and research--both in-house and through support of projects by external researchers--of current and proposed programs and topics of particular interest to the Secretary, the Administration and the Congress.

Office of Disability, Aging and Long-Term Care Policy

The Office of Disability, Aging and Long-Term Care Policy (DALTCP), within ASPE, is responsible for the development, coordination, analysis, research and evaluation of HHS policies and programs which support the independence, health and long-term care of persons with disabilities--children, working aging adults, and older persons. DALTCP is also responsible for policy coordination and research to promote the economic and social well-being of the elderly.

In particular, DALTCP addresses policies concerning: nursing home and community-based services, informal caregiving, the integration of acute and long-term care, Medicare post-acute services and home care, managed care for people with disabilities, long-term rehabilitation services, children's disability, and linkages between employment and health policies. These activities are carried out through policy planning, policy and program analysis, regulatory reviews, formulation of legislative proposals, policy research, evaluation and data planning.

This report was prepared under contract #HHS-100-97-0010 between HHS's ASPE/DALTCP and the Urban Institute. For additional information about this subject, you can visit the DALTCP home page at http://aspe.hhs.gov/_/office_specific/daltcp.cfm or contact the ASPE Project Officer, John Drabek, at HHS/ASPE/DALTCP, Room 424E, H.H. Humphrey Building, 200 Independence Avenue, S.W., Washington, D.C. 20201. His e-mail address is: John.Drabek@hhs.gov.

THE SIZE AND CHARACTERISTICS OF THE RESIDENTIAL CARE POPULATION: Evidence from Three National Surveys

Brenda C. Spillman
Kirsten J. Black

The Urban Institute
Health Policy Center

January 4, 2006

Prepared for
Office of Disability, Aging and Long-Term Care Policy
Office of the Assistant Secretary for Planning and Evaluation
U.S. Department of Health and Human Services
Contract #HHS-100-97-0010

The opinions and views expressed in this report are those of the authors. They do not necessarily reflect the views of the Department of Health and Human Services, the contractor or any other funding organization.

TABLE OF CONTENTS

EXECUTIVE SUMMARY	iii
INTRODUCTION AND BACKGROUND	1
METHODS AND DATA.....	3
Health and Retirement Survey	3
Medicare Current Beneficiary Survey	4
National Long-Term Care Survey	5
Sample Representation and Weighting.....	6
Identification of Residential Care	8
Other Key Variables.....	10
SIZE OF THE RESIDENTIAL CARE POPULATION.....	13
Type of Residential Care	14
Services in Residential Care and Other Nontraditional Settings	14
CHARACTERISTICS OF THE RESIDENTIAL CARE POPULATION.....	17
Health Characteristics.....	17
Demographic Characteristics	19
SUMMARY AND CONCLUSIONS.....	21
REFERENCES.....	24
APPENDIX A: SPECIFICATIONS FOR CONSTRUCTION OF RESIDENTIAL SETTINGS	

LIST OF TABLES

TABLE 1.	Comparison of Surveys for Analysis	26
TABLE 2.	Estimates of the Residential Care Population	28
TABLE 3.	Access to Services in Residential Care Settings and Nontraditional Housing	29
TABLE 4.	Health Characteristics of Persons in Traditional Homes, Alternative Residential Care and Nursing Homes	30
TABLE 5.	Demographic Characteristics of Persons in Traditional Private Housing, Alternative Residential Care, and Nursing Homes	31
TABLE A.1.a.	Community Residential Setting Coding, HRS 2002	A-9
TABLE A.2.a.	Community Sample Residential Setting Coding, MCBS Cost and Use 2002.....	A-10
TABLE A.2.b.	Facility Sample Residential Setting Coding, MCBS Cost and Use 2002.....	A-11
TABLE A.3.a.	Community Sample Residential Setting Coding, NLTCS 1999	A-12
TABLE A.3.b.	Institutional Sample Residential Setting Coding, NLTCS 1999	A-15

EXECUTIVE SUMMARY

National data collections have only recently begun to respond to the need for data on growth in residential care alternatives to both traditional nursing homes and care at home for older persons with disability. This information is critical to understanding the evolving long-term care delivery system and to the ability to monitor care arrangements and quality for public policy and for consumer information.

This report is the second of two prepared as part of a project to better understand the size and characteristics of the long-term care population in all settings. The first report reviewed existing estimates of the older population in residential care, generally divided into nursing homes and alternative residential care settings. Substantial variation was found across different types of data and even across studies using the same data, and differences in estimates generally were larger for residential alternatives than for nursing homes (Spillman and Black 2005). As part of that report, we identified a set of key methodological issues contributing to observed differences in existing estimates that could be investigated using available national surveys.

They are:

- age of the population examined,
- sample representation and weighting,
- methods for assigning individuals to the “facility” or “institutional” population (and conversely, the “community” or “noninstitutional” population),
- methods of identifying nursing homes,
- methods of identifying alternative residential care settings.

We also identified three recent federally supported surveys--the 2002 Health and Retirement Survey (HRS), the 2002 Medicare Current Beneficiary Survey (MCBS) Cost and Use file, and the National Long Term Care Survey (NLTCS)--as being best suited for the purpose because of their focus on the older population and data elements that allow identification of residential care alternatives by name, services, or both. In this study, we report on our analysis of these surveys and discuss the implications of our findings for improving collection of data on residential settings.

Methods and Data

Our analytic strategy was first to identify relevant residential care samples as consistently as possible across the three surveys analyzed and then to compare the characteristics of the populations identified. We defined the following residential categories that could be measured across surveys, excluding persons living in facilities for the mentally ill or mentally retarded, rehabilitation facilities, and other facilities not identified as nursing homes or alternative residential long-term care:

- Traditional private residences.
- Nontraditional residences, including retirement or senior housing or other such community settings not meeting criteria for residential care.
- Residential care settings:
 - Nursing homes;
 - Alternative community residential care;
 - Alternative facility residential care.

We drew on existing sources of guidance, including definitions developed by the Assisted Living Workgroup (ALW) formed by the U.S. Senate Special Committee on Aging in 2001, and a survey of state licensing practices (Han, Sirrocco, and Remsburg 2003) to develop feasible criteria for defining residential care settings using data elements on the three surveys. Alternative residential care settings encompass a variety of places and care arrangements that provide both housing and services outside of a nursing facility for those who are unable or unwilling to live independently. They include such diverse settings as small foster care homes, board and care or personal care homes, congregate housing, or assisted living facilities. Hallmark services generally include assistance with instrumental activities of daily living, such as meals and housekeeping, and activities of daily living (ADLs), such as bathing and dressing.

Our aim was to identify all residential care settings, rather than a subset qualifying as assisted living, *per se*. Therefore we followed a general strategy similar to one used by Hawes et al. (1998) in an earlier project to develop a survey of assisted living, which relied on either facility self-identification or services. To identify all settings, however, we used a broader array of place types and a less restrictive set of services, constrained by the type of data available on each survey. (Detailed specifications of our constructions for each survey are in Appendix A.)

Key Findings on the Size and Characteristics of the Residential Care Population

Estimates from the three major national surveys of the older population examined are in substantial agreement that about 6.5 percent of persons age 65 or older--about 2.2 million persons--live in some type of residential care other than settings for special populations such as the mentally ill or mentally retarded. The estimates indicate that most--about 1.45 million--live in nursing homes, but more than 750,000 live in alternative residential care settings.

The three surveys also provide a consistent picture of the characteristics of the residential care population. Relative to older persons remaining in traditional private housing, the residential care population was far more likely to receive help with ADLs and to suffer from Alzheimer's disease or other dementias. Estimates from the two

surveys that include the facility or institutional population, indicate that the prevalence of disability and dementias is dramatically higher in facility residential care than in community care settings, and higher yet in nursing homes.

Persons living in residential care facilities are more likely to be over age 85, more likely to be female, and more likely to be widowed, than are persons residing in traditional housing. Residential care facilities serve a broad income range. Persons living in those facilities are more likely to have incomes below \$10,000, roughly approximating the federal poverty level for older couples. In both the MCBS and the NLTCS the proportion who are nonWhite was lower than in either traditional private housing or nursing homes.

Discussion and Conclusions

The consistency of estimates across three major national surveys, after reducing methodological differences to the extent possible, provides confidence in the existing data on the size and characteristics of the residential care population. Two different methods are used to obtain data on the characteristics of the person's residence. Individuals are asked to describe their type of residence. The responses yield a set of place types (e.g., retirement community, assisted living, etc.). The other method is to ask individuals whether or not the place they live offers specific services, usually by asking about each service on the interviewer's list of potential services. However, accurately identifying a residential care facility as the place of residence through the use of survey questions is difficult. Neither named place type, as in the NLTCS, nor services alone, as in the HRS, appears to be sufficient to draw firm conclusions about the nature of the setting.

For example, the NLTCS, allows identification only by named setting type, and makes special effort to identify "assisted living." The NLTCS reports a larger proportion of community residents in generic types of "senior" or "retirement" housing than do the other two surveys. However, no information is gathered on services available, regardless of whether the respondent uses them. Consequently, it is difficult to determine whether these generic settings meet the criteria for alternative residential care, such as those proposed by the ALW or used in state licensing.

Among the MCBS community residential care population, which we identified using a combination of named place type and services offered, only about 30 percent identified their residence by name as assisted living or any other place type clearly associated with residential care. About 8 percent of the group reporting that their residence was assisted living reported that *none* of the services included in the survey were available, and only about three-quarters reported the availability of medication supervision, considered to be a hallmark service for higher quality residential care settings.

Finally, although the estimates of the characteristics of the residential care population from the three surveys show reasonable consistency, comparisons were complicated both by differences in measurement and availability of data across community and facility settings and by small sample sizes.

If, as widely believed, the older population in alternative residential care is growing rapidly, either as a substitute for or a precursor to traditional nursing homes, it is important to have reliable national data to document both the growth and the implications for the welfare of older persons with disability. The three major surveys of the older population we examined have made a first step in that direction. In fact, such data offer the only opportunity for an integrated understanding of the entire long-term care delivery system and those who use it, rather than piecemeal examination of sometimes artificially defined segments.

Nevertheless, improvements are needed if national surveys are to support studies that improve understanding of the residential care “missing link.” This analysis indicated several key areas for improvement:

- A hybrid approach to identifying settings would seem to be ideal, in which a broad screen for nontraditional settings is applied, as in the HRS, and then information on both services available and named place type is gathered. Ideally information similar to that in the HRS and MCBS on whether services are included in housing costs or cost extra and whether services are actually used also would be collected.
- More consistency is needed across all community and facility settings in the information collected on characteristics of settings and services offered, as well as the characteristics of residents, so that analyses can identify factors associated with choice of setting, transitions between settings, and outcomes.
- Existing sources of guidance, such as those cited here, can provide a foundation for survey organizations to identify the minimal array of key setting characteristics and services needed to identify and discriminate between residential care settings.
- Although growth over time eventually will increase sample sizes, a sound methodology for oversampling the population in alternative residential care is needed if national population-based surveys are to provide the data to support reliable estimates.

INTRODUCTION AND BACKGROUND

National data collections have only recently begun to respond to the need for data on growth in residential care alternatives to both traditional nursing homes and care at home for older persons with disability. There are a number of reasons. There is as yet no agreement on the full range of names that designate such settings or the characteristics by which they may be identified. And, although a federally funded project is underway, there is at present no national sampling frame of long-term care places other than nursing homes to guide survey efforts. The Decennial Census considers many of these settings "housing units" that are to date indistinguishable in Census data from traditional private residences, and similar places may appear in either the institutional or noninstitutional population under current Census definitions. As a result, considerable uncertainty exists about the types of accommodative settings providing care to older persons and the number and characteristics of persons living in them. This information is critical to understanding the evolving long-term care delivery system and to the ability to monitor care arrangements and quality for public policy and for consumer information.

Several trends continue to fuel growth in alternative residential care settings. Nursing homes have been the most common institutional setting for persons with disability since the advent of Medicaid funding in 1965, but states increasingly are looking for alternatives to contain costs and in response to beneficiary preferences for noninstitutional care. The 1999 Olmstead Decision, which mandates that reasonable alternative accommodations be available for persons preferring noninstitutional settings, added impetus to state efforts (Fox-Grage, Folkemer, and Lewis 2003; Rosenbaum 2000). More recent federal Medicaid initiatives such as "Money Follows the Person" and "Systems Change Grants for Community Living" seek to increase noninstitutional infrastructure and incentives for persons with disability to remain in or return to the community (Crisp et al. 2003). In addition, there has been independent growth of residential care alternatives--often labeled assistive living--to serve primarily an older private pay clientele no longer able or willing to perform activities needed for independent living at home.

Simultaneously, the rate of nursing home use among the older population has leveled off or even declined slightly in some surveys even in the face of an aging population. This has led one researcher to ask, "Where are the missing elders?" (Bishop 1999). At least part of the answer lies in measurement issues in national data collections. For example, Rhoades (2000) argued that as states have added licensing categories for alternative residential care, facilities--and particularly small facilities--formerly licensed as nursing homes have not disappeared, but simply moved to new licensing categories so that they no longer appear in nursing home estimates (Rhoades 2000). Between 1977 and 1999, a stable proportion of the population in facilities identified as nursing homes by the National Nursing Home Survey (NNHS) were long stayers, but the size of nursing homes increased, along with both the age and disability level of residents and the number of short, post-acute stays (Decker 2005). These

trends may suggest that a so far poorly understood array of alternative settings may be functioning as a way station that, for some persons, delays or obviates long-term placement in nursing homes. Thus, it is imperative that national surveys develop the capacity to provide information about the new generation of care settings and their residents.

This report is the second of two prepared as part of a project to better understand the size and characteristics of the long-term care population in all settings. The first report reviewed existing estimates of the older population in residential care, generally divided into nursing homes and alternative residential care settings. Substantial variation was found across different types of data and even across studies using the same data, and differences in estimates generally were larger for residential alternatives than for nursing homes (Spillman and Black 2005). As part of that report, we identified a set of key methodological issues contributing to observed differences in existing estimates that could be investigated using available national surveys. They are:

- Age of the population examined,
- Sample representation and weighting,
- Methods for assigning individuals to the “facility” or “institutional” population (and conversely, the “community” or “noninstitutional” population),
- Methods of identifying nursing homes,
- Methods of identifying alternative residential care settings.

We also identified three recent federally supported surveys--the 2002 Health and Retirement Survey (HRS), the 2002 Medicare Current Beneficiary Survey (MCBS) Cost and Use file, and the National Long Term Care Survey (NLTCS)--as being best suited for the purpose because of their focus on the older population and data elements that allow identification of residential care alternatives by name, services available, or both. In this study, we report on our analysis of these surveys and discuss the implications of our findings for improving collection of data on residential settings.

METHODS AND DATA

In this section, we describe the methodology used to construct our estimates of the older population in alternative residential care and nursing homes. Our strategy was to identify the relevant samples as consistently as possible across the three surveys analyzed and then to compare the characteristics of the populations identified. We defined the following basic residential categories that could be measured across surveys, excluding persons living in facilities for the mentally ill or mentally retarded, rehabilitation facilities, and other facilities not identified as nursing homes or alternative residential long-term care:

- Traditional private residences.
- Nontraditional residences, including retirement or senior housing or other such community settings not meeting criteria for residential care.
- Residential care settings:
 - Nursing homes;
 - Alternative community residential care;
 - Alternative facility residential care.

We first describe the three surveys analyzed and then describe our methodology for identifying residential setting and for measuring population characteristics as consistently as possible across the three surveys. Survey characteristics relevant to identifying residential setting are summarized in Table 1.

Health and Retirement Survey (HRS)

The 2002 HRS is a household survey representing only the community, or noninstitutional, population ages 51 or older, based on Census definitions of the noninstitutional population. The HRS originated as a survey of community residents age 51-61 in 1992, and the companion Assets and Health of the Oldest Old (AHEAD) survey began in 1993 with a sample of community residing persons age 70 or older. In 1998, the two surveys merged and expanded to represent the noninstitutional population ages 51 or older. The survey is repeated every two years and employs a dual frame sample consisting of an area probability sample and a supplementary probability sample of persons age 80 or older drawn from Medicare enrollment files. Weights adjust for complex sample design and are post-stratified using population control totals for the noninstitutional population from the Current Population Survey March Supplement.

Individuals originally sampled in the community are followed if they are institutionalized, but have a zero cross-sectional weight for any wave in which they are

in an institution as defined by the survey. We construct estimates only for the noninstitutional cross-section in 2002. The excluded institutional population includes persons in nursing homes or other facilities, which the HRS defines as places that dispense medication and provide 24-hour nursing assistance and supervision, personal assistance, and room and meals.

The HRS methodology for identifying persons in noninstitutional residential care is distinct from methods used in the other two surveys in that the HRS does not use a list of place names or types associated with alternative residential care. Rather, it screens respondents broadly for residence in a retirement community, senior housing, or other housing providing services. All respondents reporting that they live in any of these generic residence types are asked whether specified services are available, whether they are included in housing costs, whether the respondent actually uses the services, and whether the respondent could remain in the residence if they needed “substantial care.” Included services are group meals; housekeeping; transportation; help with bathing, dressing, or eating; emergency call button or checks on residents; and nursing or a special resident facility for those who need nursing care.

Medicare Current Beneficiary Survey (MCBS)

The MCBS is a probability sample drawn from all Medicare beneficiaries, regardless of their place of residence and thus includes both the noninstitutional and institutional populations. The survey began in 1992 and is conducted annually. Participants are interviewed over a four-year period. The annual sample includes an over-sample of persons age 85 or older (Adler 1994; Laschober and Olin 1996; Liu and Sharma 2002). A supplemental sample is drawn and interviewed in each fall round (September through December) to replace respondents being retired from the sample, replenish cells depleted by refusals and death, and correct for coverage errors in the initial frame (Liu and Sharma 2002). Since 1994, the supplemental sample has been representative of persons alive and eligible on January 1 of the survey year.

Two files are released each year. The first released is the Access to Care file, which represents only persons continuously enrolled in Medicare during the year, and the second is the Cost and Use file, which represents all persons ever enrolled in Medicare during the year, including persons who die or enroll during the year. The Cost and Use file also includes a residential timeline identifying where sample members were living at each point during the calendar year. In this study we use the 2002 Cost and Use file, which contains information on about 13,000 enrollees.¹ Sample weights are based on Medicare enrollment data.

Respondents are interviewed wherever they are on the interview date, using either a community or a facility questionnaire, depending on whether the respondent is in a

¹ We originally intended to provide estimates from both the Access to Care and Cost and Use files, but found that estimates were very similar, and the Cost and Use file provides the ability to approximate a cross-section of enrollees more comparable to samples in the other surveys.

facility as identified by MCBS criteria. They are followed as they make residential changes. Through 2000, the MCBS collected information on residential care only in long-term care “facilities,” which the MCBS defines more broadly than either of the other two surveys, as places offering long-term care services or supervision, as well as places offering nursing care and other licensed facilities. Specifically, the MCBS defines a facility as a place with three or more beds and

- Medicare or Medicaid certified or state licensed as a nursing home or other long term care facility, *or*
- providing supervision of medications or help with activities of daily living (ADLs) or instrumental activities of daily living (IADLs), *or*
- providing 24-hour caregiver supervision.

Facility type, including nursing home, assisted living, and various other types of residential care, is determined from the facility’s self-designation in a facility screening questionnaire. The facility respondent also is asked whether the facility provides medication supervision or help with bathing, dressing, shopping, walking, eating, or communication.

Since 2001, the survey also has collected information about residential setting from all persons in the community. Respondents are asked whether their residence is in a retirement community, senior citizens housing, assisted living facility, continuing care retirement community (CCRC), staged living community, retirement apartments, or a personal or residential care home and can specify another type. Community residents reporting any such special setting are asked whether services are available, whether services cost extra, and whether they would have to move out or to another part of the community if they needed “substantial care.” Specific service questions for community respondents are more limited than in the HRS/AHEAD. An important distinction is that the MCBS services include no ADL items, presumably because places identified as providing these services would be classified as facilities on the MCBS. On its face, this would imply that the HRS residential care population would include an unknown proportion of persons who would be appear in the MCBS facility, rather than community, population. MCBS community service questions ask about the availability of assistance with meals, housekeeping, transportation, medication assistance, and recreational activities.

National Long Term Care Survey (NLTCS)

The NLTCS is a national sample of Medicare beneficiaries aged 65 or older weighted to represent the complete elderly population using Census data on the noninstitutional and institutional populations. It is designed to identify persons who are chronically disabled in a screening interview, and then to collect detailed data on a wide range of characteristics. When the survey began in 1982, only community residents who had “screened in” as disabled were eligible to receive a detailed interview. The survey was repeated in 1984 and 1989, adding detailed interviews of residents of

“institutions” as defined by NLTCS. In 1994 and 1999, samples of nondisabled community residents also received the detailed interview, so that complete information is available in those two years for the full Medicare population age 65 or older in all settings.

The samples are drawn from Medicare enrollment files and refreshed in each wave with a new sample of persons who turned 65 since the previous survey, so that both longitudinal and cross-sectional estimates can be made. In 1994 and 1999, supplemental samples of persons aged 95 or older were added to increase precision of estimates for the very old. The 1999 sample, including all persons screened for the survey, is about 17,000, about 6,000 of whom were eligible for and responded to the detailed interview.

Information on residential setting is elicited on an instrument called the Control Card. This instrument is administered just prior to the detailed interview and determines whether an individual receives a community or institutional interview. In 1999 “assisted living” was added as a separate residential category on the Control Card. Historically, an institution in the NLTCS has been any institutional setting as defined by the Decennial Census or any other setting with three or more unrelated residents, provided that a health professional of some type is on duty every day. When the assisted living category was added in 1999, persons identified as being in assisted living were asked whether their residence provided a list of services *to the sampled person* rather than whether services are offered, as in the HRS and MCBS. The services are meals, housekeeping, eating assistance, mobility assistance, and “substantial nursing of any kind.” The screen for institutional residence among person identified as being in assisted living is that they report receiving substantial nursing. All others in assisted living receive the community interview. In the institutional interview, facilities identify themselves by named type only. No information on services provided is collected from facilities.

Respondents to the community interview are also asked whether their residence is in a building or community for older or disabled persons or is another type of residential care setting, including retirement home, boarding home, group home or community residential facility. No information about services is collected from additional community respondents who identify their residence as any of these types but were not identified as being in assisted living on the Control Card.

Sample Representation and Weighting

For all three surveys we started by selecting samples of persons age 65 or older. We also made further adjustments to the sample and weights for the MCBS and to weights for the NLTCS to improve comparability.

The MCBS Cost and Use file is designed to represent all persons ever enrolled in Medicare during the year, whereas the HRS and the NLTCS are designed to represent

cross-sections. To approximate a cross-section using the MCBS data, we selected persons alive and enrolled on September 1 and used the residential timeline to identify place of residence on that date, so that our approximated cross-section and associated residential information is for a date near the data of the fall interview in which health characteristics are collected. Because this sample somewhat under-represents a cross-section of enrollees that could be drawn on September 1, we obtained control totals for Medicare enrollees by age and adjusted sample weights to those totals.² We did not attempt to adjust the weights to the full elderly population including the 3-5 percent of the older population not enrolled in Medicare.

Although the NLTCS is drawn from Medicare enrollment files and represents the Medicare population age 65 or older, survey weights historically have been constructed to represent the full elderly population, using control totals for the noninstitutional and institutional populations from Census population projections. A different methodology was used in 1999, in which only the community sample was post-stratified to these external control totals. Estimates of the nursing home population using the survey provided weights are far below estimates from other sources, such as the NNHS produced by the National Center for Health Statistics (Spillman and Black 2005). To improve comparability with the HRS and MCBS, we post-stratified the survey weights so that both the community and institutional samples were consistent with appropriate Census population estimates (Spillman 2004). Because the residential setting information is provided only for persons selected for detailed interview--including the subset reporting no disability--we further adjusted the weights so that the sample receiving a detailed interview represents the total population age 65 or older.

We made no adjustment to the weights provided with the HRS, which are post-stratified to totals from the March Current Population Survey. However, we wanted to compare the implied size of the excluded institutional population for comparison with the facility and institutional populations defined on the MCBS and NLTCS, respectively. In order to estimate the excluded population, we constructed a denominator representing the resident population age 65 or older. The difference between this denominator and the noninstitutional population estimate from the HRS weights for persons age 65 or older is our estimate of the excluded institutional population.³

² Frank Eppig, of the Center for Medicare and Medicaid Services' Office of Research, Development, and Information suggested this approach for approximating a cross-section of enrollees and provided the enrollment control totals.

³ To construct this denominator, we examined Census estimates of the noninstitutional population and found that the sum of the HRS weights for persons age 65 or older most closely matched the noninstitutional population estimate for April 1, 2003 (found at http://www.census.gov/popest/national/asrh/2003_nat_ni.html). Because Census resident population estimates were available only for July 1, we calculated the average monthly change between estimates for July 1, 2002, and July 1, 2003 (found at <http://www.census.gov/popest/national/asrh/NC-EST2003-as.html>), and increased the July 1, 2002 resident population to reflect the 9 months between July 1, 2002, and April 1, 2003.

Identification of Residential Care

Our ability to identify settings is, of course, limited by the data available on each survey. We drew on existing sources of guidance to develop feasible criteria using data elements on the three surveys. Alternative residential care settings encompass a variety of places and care arrangements that provide both housing and services outside of a nursing facility for those who are unable or unwilling to live independently. They include such diverse settings as small foster care homes, board and care or personal care homes, congregate housing, or assisted living facilities. Hallmark services generally include assistance with IADLs, such as meals and housekeeping, and ADLs, such as bathing and dressing.

Although “assisted living” appears to have replaced older designations, such as board and care, as the generic name for alternative residential care, some argue that the name should be reserved for settings adhering to a specific model. In 2001, the U.S. Senate Special Committee on Aging formed the Assisted Living Workgroup (ALW), to consider specific criteria for facilities representing this model. The ALW definition was settings that provide 24-hour supervision, provision and oversight of personal and supportive services, health related services, social services, recreational activities, meals, housekeeping and laundry, and transportation services (Han, Sirrocco, and Remsburg 2003).

The only survey to date focusing solely on alternative residential care (Hawes, Rose, and Phillips 1999) used a combination of facility self-designation or services offered to identify eligible facilities. Specifically, the survey included facilities that *either* identified themselves by name as assisted living *or* offered 24-hour oversight, housekeeping, at least two meals per day, and help with at least two activities, such as medications, bathing, or dressing. Evidence from a survey of state licensing practices suggests, however, that neither name nor service package is necessarily a reliable way to identify either assisted living specifically or other alternative residential care settings. The Inventory of Long-Term Care Residential Places project, funded jointly by several federal agencies in an effort to build a comprehensive provider frame, used state regulations to develop a typology of names and characteristics of licensed residential settings that house older adults (Han, Sirrocco, and Remsburg 2003). They found that in 22 states, small boarding homes would be included in the same licensing category as places offering the range of services, privacy, and autonomy associated with assisted living by the ALW. Further, although 42 states licensed facilities meeting the assisted living criteria, only about half of the 42 states actually used the term assisted living.

Our aim is to identify all residential care settings, rather than a subset qualifying as assisted living, *per se*. Therefore we followed a general hybrid strategy similar to Hawes’ reliance on either facility self-identification or services, but used a broader set of place types and a less restrictive set of services, constrained by the type of data available on each survey. (Detailed specifications of our constructions for each survey are in the Technical Appendix.)

HRS Community Residential Care

For the HRS/AHEAD, we relied entirely on information about services offered because only generic place types are identified. We included in our residential care population all persons who reported that their residence offered assistance with ADLs (bathing, dressing, or eating), or who reported that their residence did not offer ADL assistance but offered either oversight (an emergency call button or checks on residents) or nursing, housekeeping, and group meals. Persons living in these generically identified places but not reporting this combination of services were considered to be in other nontraditional settings. The remainder of the sample was considered to be in traditional private residences.

MCBS Community and Facility Settings

For the MCBS, where information about both setting name and services is available, we first included all places with any place type associated with alternative residential care and then considered services in identifying additional, more ambiguously named community settings as residential care. In the 2002 MCBS, assisted living was the only explicit residential care type actually occurring in the community data. In addition, we included as being in community residential care persons who identified a more ambiguous residence type (i.e., retirement community, senior citizens housing, CCRC, staged living community, and retirement apartments) but reported that the place offered meals, housekeeping or laundry, and medication assistance. All settings identified as facilities on the MCBS met at least one of the criteria for residential care by definition.

We included as nursing homes all facilities self-identified as nursing homes, and a few additional facilities with names otherwise associated with alternative residential care (i.e., CCRC, retirement community, or assisted living facility) but reporting that all beds were certified for Medicaid or Medicare. Alternative facility residential care included residents in all other places identified as CCRCs, retirement communities, assisted living facilities, board and care homes, domiciliary homes, personal care homes, rest or retirement homes, or adult group homes and not reporting that all beds were certified.

NLTCS Community and Institutional Settings

For the NLTCS, because no information was collected on services *offered*, and services received were reported only by the subset identified on the Control Card as being in an assisted living community, we used only named type of setting to identify residential care, using a combination of information from the Control Card and the community and institutional interviews (see Appendix A for details). Bed totals and number of certified and uncertified beds could not be reconciled for facilities in the NLTCS institutional sample. We therefore did not use certification in identifying *whether* a setting was a nursing home, but rather only to identify the subset of nursing homes reporting any certified beds.

Other Key Variables

To compare characteristics of residents across settings we selected health and demographic characteristics that could be measured relatively comparably across surveys. Health characteristics are disability, measured by the number of IADLs and ADLs, self-reported health status, and self-reported or facility reported health conditions or events associated with disability. Demographic characteristics are age, gender, race, marital status, and income.

In this section, we focus on clarifying construction of measures where we had to make analytic decisions about measurement. Given different question wording and content even for these characteristics, we still would expect to observe differences in measures across the three surveys. We would also expect, however, that health and other characteristics would vary in similar ways across settings. For example, we generally would expect movement from the least to the most health care oriented setting to be associated with greater proportions of residents with disability or poor health on each survey.

Disability Measures

Differences in the way surveys measure disability sometimes results in large differences in estimates (Freedman et al. 2005; Wiener et al. 1990). To make measures as comparable as possible, we settled on receiving active help (excluding supervision or “standby help”) with ADLs or IADLs because of health or disability as the measure we could operationalize in all three surveys. We included only the disability items that were available on all three surveys. The included ADLs for the community population are bathing, dressing, transferring (to or from bed or chair), getting around inside or walking, toileting, and eating. Only the NLTCS ties help to a reference period, asking if help was received with each ADL in the last week. The common IADLs across the three surveys are preparing meals, shopping, telephoning, and managing money. Because neither the HRS/AHEAD nor the MCBS asks about the duration of the difficulty or help, we do not consider duration in our estimates, although it is typical to do so in the NLTCS because the NLTCS screening instrument considers duration.

The same six ADLs are collected for the facility population on the MCBS and the institutional population on the NLTCS and are included in our estimates. We also included three IADLs (telephoning, shopping for personal items, money management) collected on the MCBS facility questionnaire. No IADL information is collected for the institutional population on the NLTCS.

Remaining differences that may affect our estimates primarily relate to screening. The HRS/AHEAD asks about help with each ADL only if a respondent has reported both physical limitation (e.g., difficulty walking short distances or climbing stairs) and difficulty with the specific ADL item. The MCBS does not screen on physical limitations but does limit questions about active help with each ADL to persons who have reported difficulty

performing the activity. Both surveys limit IADL questions to persons reporting difficulty.⁴ The 1999 NLTCS has no universal screen for difficulty. Rather the survey screened only the minority of respondents who were newly selected for the sample or were continuing sample members who had not previously been selected for the detailed interview. The screen asks if the respondent has “problems” performing ADLs or inability to perform IADLs and whether the problems or incapacities have lasted or are expected to last at least 3 months. NLTCS estimates of IADL help are limited to persons who report that help is received with included IADLs because of health or disability, with the exception of help taking medicine, which has no such qualifier.

Health Conditions

We selected as disability-related conditions cognitive difficulties, diabetes, hip fracture, chronic lung disease, and stroke. These conditions are measured for community residents on all three surveys, but for all settings only on the MCBS. We also included mental disorders for the HRS and MCBS. Mental illness is not included as a condition on the NLTCS. For community residents, both the HRS and the MCBS ask whether a doctor has said the person has the included conditions. The NLTCS asks only if the sampled person currently has diabetes or cognitive problems, and whether the sampled person had lung disease, a broken hip, or stroke in the previous 12 months. The MCBS facility questionnaire uses information from Minimum Data Set assessments.

The content of the measures we were able to construct for specific conditions also differs across surveys. For cognitive problems, the HRS and MCBS ask about Alzheimer’s disease or other dementia. For the NLTCS we combined individual questions about Alzheimer’s disease and senility. Mental disorders are measured on the HRS as “emotional, nervous, or psychiatric problems” and on the MCBS community interview as “a mental or psychiatric disorder, including depression.” Our mental disorders measure for the MCBS facility population includes anxiety disorder, depression, bipolar disease, and schizophrenia. Chronic lung disease is also measured differently on the three surveys. The HRS asks about “chronic lung disease, such as chronic bronchitis or emphysema,” specifically excluding asthma in interviewer instructions. The MCBS community interview asks a question combining emphysema, asthma, or chronic obstructive pulmonary disease (COPD). For the MCBS facility interview we combined separate questions about asthma and emphysema or COPD. The NLTCS asks separately about emphysema, asthma, and bronchitis in the last 12 months. We included only emphysema and asthma in our NLTCS chronic lung disease measure because bronchitis may not be chronic. About one-third of persons reporting bronchitis also reported one or the other of the chronic lung problems we included.

⁴ An additional IADL, help with housework, also appears on all three surveys, but was not included in our disability measure because the HRS item refers to help with housework or yard work and, unlike the remaining IADL items, is not conditioned on difficulty or otherwise linked with need for help.

Income

Income presented the greatest problems of comparability. Continuous income data is reported on the MCBS and HRS for individuals or individual and spouse, if married. The MCBS income variable is edited using information from other rounds if missing or imputed and had no missing values. For the HRS, we used the imputed total income variable from a file produced by the RAND Corporation (St. Clair et al. 2005).

The NLTCS income measures are categorical, measuring categorical income in the last *year* for the sampled person or sampled person and spouse for community respondents and categorical income in the last *month* for person or person and spouse for institutional respondents. We used a hot deck procedure to impute categorical income for 28.5 percent of community residents and 30.3 percent of institutional residents missing the information (Iannachone 1982).⁵

To construct relatively comparable estimates across surveys, we created annual income categories of less than \$10,000, which loosely corresponds to the federal poverty level for persons and couples age 65 or older, \$10,000 to less than \$20,000, \$20,000-\$40,000, and \$40,000 or more, which could be measured for the HRS, MCBS, and the NLTCS community population. We constructed roughly corresponding categories from the monthly categorical income data for the NLTCS institutional population (less than \$10,788, \$10,788 to less than \$17,988, \$17,988-\$41,988, and \$41,988 or more).

⁵ For the community sample we used marital status, age, gender, education, and race as classification variables, collapsing when necessary because of small cells. For about 12 percent of the community sample, we were also able to use information on broad income categories collected through “unfolding” questions designed to bracket missing values. For the institutional sample, where sample sizes were smaller, we used whether Medicaid was reported as a payment source, marital status, and age as classification variables.

SIZE OF THE RESIDENTIAL CARE POPULATION

The three surveys yield remarkably similar estimates of the distribution of the population age 65 or older by residential setting, considering differences in methodology (Table 2). Remaining differences appear to trace primarily to the different ways the samples are sorted into noninstitutional and institutional or community and facility settings.

Looking across all three surveys, about 95 percent of the older population lives outside of explicitly institutional settings (top panel of Table 2). The HRS and the NLTCS, both of which rely more closely than the MCBS on Census definitions of the institutional population, yield similar estimates of the total institutional population in all settings--about 1.6 million persons or just under 5 percent of the older population. The larger MCBS estimate of nearly 2 million persons, or 5.7 percent of the population, in facilities is consistent with the broader definition of the "facility" population used in that survey.

The middle panel of Table 2 focuses on traditional private housing and all other types of settings. Here again, the three surveys provide reasonably similar estimates of persons in traditional residences, excluding all types of retirement, group or facility settings, ranging from the NLTCS estimate of 85.6 percent of the older population to the MCBS estimate of 88.8 percent. A larger proportion of NLTCS respondents (8 percent) report that they live in some type of community retirement setting that is not identified as residential care, with the majority reporting that their residence was in a building or community for older, retired, or disabled persons. With no information on either services or place type for this group, there is no way to refine this category. The MCBS estimate of persons in these nontraditional settings may be lower in part because the survey uses a list of place types to identify these settings, rather than more general language, such as that used on the HRS and the NLTCS.

In fact, excluding the tiny proportion of the population in settings for special populations such as the mentally retarded, our MCBS and NLTCS estimates of the total residential care population are nearly identical--2.2 million persons, or about 6.5 percent of the older population. (The HRS, of course, cannot measure the entire residential care population because of its noninstitutional sample.) The numerical similarity of the MCBS Medicare enrollee population estimates for 2002 to the 1999 estimates from the NLTCS may be explained by the roughly 3-5 percent of the older population not enrolled in Medicare. There is no *a priori* reason to believe that this "missing" population in the MCBS estimates is large enough or different enough in characteristics to affect the distribution of the population by setting.

Population by Type of Residential Care

Finally, considering how the residential care population is distributed across settings as defined by our criteria (last panel of Table 2), estimates from both the NLTCS and the MCBS indicate that 1.45 million persons, or about 4.2 percent of the older population, reside in nursing homes, about 1.3 million of them in facilities with beds certified by either Medicare or Medicaid. Both estimates are below, but reasonably similar to estimates of 1.47 million nursing home residents age 65 or older and 1.44 million in certified facilities from the 1999 NNHS (Spillman and Black 2005).

The MCBS and NLTCS estimates of the total population in alternative residential long-term care also are very similar, at 2.2-2.3 percent of the older population. They differ, however, in the proportions in “community” and “facility” settings. The MCBS alternative residential care population is about evenly divided between community (1.1 percent) and facility settings (1.2 percent), as defined by the survey. The NLTCS estimate of “community” residential care is higher, about 1.7 percent, and its “institutional” residential care estimate of 0.5 percent is correspondingly, perhaps owing to the more restrictive NLTCS requirement that “institutional” settings have a health professional on duty daily or provide substantial nursing to respondents in settings identified as assisted living. It seems reasonable to assume that some NLTCS community residents would be considered facility residents by MCBS definitions.

The HRS “community” residential care estimate is larger--nearly 2 percent of the older population--approaching the MCBS and NLTCS estimates for community and facility residential care combined. The larger HRS estimate also presumably includes some persons who would be considered facility residents under the broader MCBS facility definition, including all places that have at least three residents and offer ADL or IADL assistance or supervision. It also may be that some proportion of the larger NLTCS population in nontraditional settings would have been classified as residential care under our criteria if information on services similar to that in the HRS had been available on the NLTCS.

Services in Residential Care and Other Nontraditional Settings

Table 3 compares information on available services reported on the HRS and MCBS by persons we classified as being in residential care with available services reported by persons who reported living in a more ambiguous retirement setting but did not report a combination of services consistent with residential care. We also discuss in this section but do not report in Table 3 services provided to the subset of NLTCS respondents in residential care who received service questions.

Considering the HRS first, because we defined community residential care settings in part by the availability of ADL help, no respondents in nontraditional housing but about 62 percent of persons living in community residential care reported the availability of help with bathing, dressing or eating. About 96 percent of persons in

settings we identified as residential care reported availability of group meals and housekeeping. More than 90 percent reported that their residence provided an emergency call button or checked on residents, and a majority (56.1 percent) reported availability of nursing care or an onsite nurse. About half reported their residence would allow them to remain if they needed more care.

In contrast, of HRS respondents living in other nontraditional settings, about 60 percent reported none of the services (not shown), 27.3 percent had an emergency call button or oversight, 16.3 percent had access to group meals, only 4.1 percent had access to housekeeping, and 7.2 percent reported nursing or a nurse on site. Nearly three-quarters reported that they would be allowed to stay in their residence if they needed more care.

For the MCBS, only a little over 30 percent of our residential care population identified their residence as assisted living, which was the only explicit residential care category appearing in the data. The remaining almost 70 percent identified their residence ambiguously (e.g. retirement community, senior citizen housing), but met our criteria that prepared meals, housekeeping or laundry, and supervision of medications were available. Thus, it is not surprising that most of our MCBS residential care population reported the availability of meals (96.9 percent), housekeeping (96.1 percent), and medication supervision (92.6 percent). It is worth emphasizing, however, that even though we used service criteria to identify residential care that were less restrictive than the criteria proposed by the ALW to identify assisted living, *all* persons in our residential care population who did not report availability of the identifying services had characterized their residence as assisted living. Of these, about 8 percent reported no services, and nearly one-quarter reported no supervision of medications (not shown). As on the HRS, about half (47.1 percent) of our MCBS residential care population reported that they could remain if they needed “a much greater” level of care.

Only about 42 percent of MCBS respondents in nontraditional housing reported the availability of *any* services (not shown), the most common being prepared meals (19.5 percent). Only 2.6 percent reported medication supervision. Less than half of this group were asked whether they would be allowed to remain if needs increased, primarily persons who had reported the availability of at least one service. Of persons receiving the question, 51.6 percent reported that they could remain, similar to the proportion than for our MCBS residential care population.

Service responses are not reported in Table 3 for the NLTCS because the questions are asked only of the 58 percent of our NLTCS residential care sample who were identified on the control card as being in assisted living and refer to whether services actually are provided *to the sampled person* rather than whether they are available or offered. Despite the identification of their residence specifically as *assisted living* 12.6 percent of community respondents who received the questions reported receiving none of the listed services, and most of the remainder reported receiving only meals, housekeeping, or both. Only 6.3 percent reported receiving help with eating, and 12.1 percent reported help with mobility, the two ADLs included in the NLTCS

service list. In contrast, all persons in the NLTCS facility residential care population who were identified as being in *assisted living* and received the service questions, reported that their facility provided receiving meals and housekeeping to them. Two-thirds reported that they received mobility help from their facility, and 58.1 percent reported receiving help with eating.

CHARACTERISTICS OF THE RESIDENTIAL CARE POPULATION

Using available data to construct estimates of the residential care population that are as comparable as possible supports similar conclusions about the size of this population across the three surveys, despite important differences in survey methodology. In this section, we compare health and other characteristics of the population across settings to examine the characteristics associated with each setting, but also to examine whether the criteria used to identify residential care appear to be capturing similar populations. Because of remaining differences in measures of characteristics, we are less concerned with differences in the characteristics across the surveys than with whether characteristics change in similar and expected ways when moving from one residential situation to another.

An issue we highlight is that, like the population estimates, comparisons of the characteristics of subpopulations across the surveys are complicated not only by differences in the way characteristics are measured, but also by differences in the way the surveys define the community and facility populations. To make distinctions as clear as possible, we use the population in traditional private residences as the base and compare their characteristics with those of persons in “community” residential care, “facility” residential care, combined community and facility alternative residential care, and nursing homes.

Because of the differences in how surveys define “facility” residential care, the combined population may provide a more reliable picture of alternative residential care in cases where similar measures are available for both community and facility populations. Combining the samples also provides greater sample size and more precision. As will be seen, although most estimates meet a reasonable standard for precision, in some cases small alternative residential care sample sizes result in imprecise estimates.⁶ Unweighted residential care sample sizes range from 111 (NLTCS facility residential care) to 228 (NLTCS community residential care). (See Appendix for details.)

Health Characteristics

All three surveys indicate the expected increase in the prevalence of disability and poorer health moving from traditional private housing to residential care to nursing homes (Table 4). The pattern is clearest for disability in IADLs and ADLs, general health, Alzheimer’s disease and other dementias, mental disorders, and recent stroke. Patterns are mixed for other conditions. The lack of information about IADLs and about

⁶ Estimates with a relative standard error (the ratio of the standard error to its associated estimate) of 30 percent or greater are indicated in the tables by the “#” sign.

conditions other than Alzheimer's or other dementia for NLTCS institutional residents is a limitation.

Disability Composition

The MCBS and the HRS estimates suggest that about two-thirds to 70 percent of persons living in community residential care receive no help with ADL or IADL disability compared with more than 80 percent of persons living in traditional private homes.⁷ The NLTCS provides a fairly similar profile of disability in traditional housing, but finds a lower rate of IADL disability in both traditional housing and community residential care, and a higher rate of ADL disability in community residential care. Only 55 percent of the NLTCS community residential care population receive no help with any of the included ADLs or IADLs. The HRS and the MCBS indicate that only 14-15 percent of the community residential care population are receiving ADL help, compared with the NLTCS estimate of about one-third.

The disability distributions within the MCBS and NLTCS community and facility residential care populations appear to support the importance of community and facility definitions in observed population composition. As expected, both surveys indicate higher disability levels moving from community to facility residential care settings and from alternative residential care to nursing homes, with the NLTCS finding far higher prevalence of three or more ADLs in all settings. When the community and facility residential care populations are combined, however, estimates from the two surveys are far more similar, with about 40-45 percent reporting at least one ADL disability, compared with 84-97 percent of nursing home residents. It should be recalled that no IADL information is collected for institutional residents on the NLTCS. As a result, we do not report NLTCS estimates of either the proportion with no disabilities or the proportion with IADL only disabilities.

Self-Reported Health

The general pattern of poorer self-reported health for persons living in community residential care settings relative to persons in traditional housing is evident in both the HRS and the NLTCS. The MCBS does not show significantly poorer self-reported health among persons in community residential care. Again, this finding is consistent with our speculation that the broader MCBS facility definition captures some persons who would be in community residential care, according to HRS and NLTCS definitions. Because the NLTCS does not collect self-reported health for its institutional population, the progression from community to facility care can be observed only in the MCBS, but estimates support the expectation of poorer health in facility settings and in nursing homes relative to alternative residential care. Most strikingly, only 30.7 percent of residents in combined community and facility residential care settings report fair or poor health, compared with more than twice that proportion in nursing homes.

⁷ As a reminder, the disability measure is help with the subset of ADLs and IADLs that can be measured on all surveys. The ADLs are bathing, dressing, transferring (to or from bed or chair), getting around inside or walking, toileting, and eating. The IADLs are shopping, meal preparation, telephoning, and managing money.

Medical Conditions

Among the medical conditions examined, the clearest result is for Alzheimer's and other dementias, which are measured in all settings on both the MCBS and the NLTCS. Alzheimer's and other dementias are more common in all residential care settings, and, not surprisingly most common among nursing home residents. All three surveys indicate a very low prevalence of cognitive problems among persons in traditional private homes--roughly 2-3 percent. The HRS and MCBS both show a prevalence of cognitive problems in community residential care twice that in traditional residences (about 5 percent and 8 percent respectively), but neither estimate is precise. The corresponding NLTCS estimate is 13.3 percent. Question wording may contribute to the higher NLTCS estimate. Both the HRS and the MCBS ask whether a doctor has identified the cognitive problems, but the NLTCS does not, and the NLTCS measure includes the arguably broader "senility." The NLTCS facility residential care estimate (42.4 percent) is similar to the MCBS estimate for facility residential care (40.7 percent). When the community and facility residential care populations are combined, estimates from the two surveys are also similar. About 20 percent of the NLTCS population in all alternative residential care settings suffer from cognitive problems, compared with about 25 percent of the similar MCBS population.

All three surveys indicate higher rates of recent stroke in community residential care, although the apparently higher rates for the MCBS alternative residential care samples are not significantly different from the rate in traditional housing. Both the HRS and the MCBS show higher rates of mental disorders other than dementia in the residential care population, although the MCBS estimates are significantly higher only for facility and combined residential care. Estimates from all three surveys indicate that neither diabetes nor chronic lung disease is more common in community residential care than in traditional housing. In fact, the MCBS finds diabetes to be only modestly more common among nursing home residents. Hip fracture appears to be more common in community residential care according to the MCBS and NLTCS estimates--in fact more common in these settings than in any other on the MCBS--but the HRS finds it no more common than among person living in traditional residences.

Demographic Characteristics

The three surveys provide a consistent broad demographic profile of the residential care population, with a few notable exceptions. Relative to older persons remaining in traditional housing, the population in all residential alternatives to nursing homes is substantially older, and more likely to be female and unmarried. All three surveys indicate that a larger proportion of persons in alternative residential care are White, although the difference for the HRS community residential care population is not significant. All three surveys also appear to show a higher proportion of the alternative residential care population with very low income, but, again, the HRS estimate for community residential care is not significantly different from the estimate for persons in

traditional housing. Only the MCBS also finds that a significantly higher proportion of the community residential care population has income above \$40,000.

There is considerable agreement across the surveys about the composition of the population in traditional housing, with more than half between age 65 and 75, about one in ten age 85 or older, 87-89 percent White, about 57 percent women, and a similar proportion married. There is less agreement with respect to very low incomes among the population in traditional housing, with the HRS finding the smallest proportion (11.3 percent) and the NLTCS the highest (19 percent).

Less consistency is seen in comparisons of the HRS community residential care population with either the community or combined community and facility alternative residential care populations on the MCBS and NLTCS. The most striking differences are for age, race, and gender composition. Only about one-third of the HRS community residential care population is age 85 or older, compared with estimates of about half of the community and facility alternative residential care populations from the MCBS, and about 40 percent of the combined alternative residential care population from the NLTCS. About 9 percent of the HRS residential care population are nonWhite, compared with half that proportion of community and combined alternative residential care populations from the MCBS and NLTCS. HRS respondents in residential care are also somewhat less likely to be female--about two-thirds, compared with about three-quarters of persons in alternative residential care settings on the other two surveys.

Comparison of the residential care populations from the MCBS and the NLTCS reveal more regularity, although, again, with some notable differences. Comparing the combined alternative residential care population and the nursing home population in the two surveys, both surveys find that nursing home residents are more likely to be nonWhite but no significant difference in the distribution by gender. The NLTCS nursing home population is more likely than the alternative residential care population to be very old, whereas the MCBS populations in the two settings are similar in age distribution. Both surveys indicate that a majority of residents in alternative residential care and nursing homes are widows, although the NLTCS finds a somewhat larger proportion--about two-thirds compared with about 60 percent for the MCBS. Both surveys also indicate that about one-quarter of persons in alternative residential care and about 40 percent of nursing home residents have annual incomes below \$10,000. The two surveys differ, however, with respect to the rest of the income distribution for persons in alternative residential care and nursing homes, with the MCBS generally indicating lower incomes in both settings, but particularly in nursing homes, where only 6 percent of the nursing home population has income of \$40,000 or more, compared with 27 percent of NLTCS nursing home residents. We investigated different income categories on the MCBS and also examined the NLTCS income distribution excluding imputed cases but could find no ready explanation for why the two surveys yield such different results regarding higher incomes in nursing homes.

SUMMARY AND CONCLUSIONS

Estimates from three major national surveys of the older population indicate that about 6.5 percent of persons age 65 or older--about 2.2 million persons--live in some type of residential care other than settings for special populations such as the mentally ill or mentally retarded. The estimates indicate that most--about 1.45 million--live in nursing homes, but more than 750,000 live in alternative residential care settings.

We also found consistency in the characteristics of the residential care population across the three surveys. As expected, estimates from all three surveys indicate that, relative to elders remaining in traditional private housing, this residential care population was far more likely to receive help with ADLs and to suffer from Alzheimer's disease or other dementias. Estimates from the two surveys including the facility or institutional populations, indicate that the prevalence of disability and dementias is dramatically higher in facility residential care than in community care settings, and higher yet in nursing homes. Persons living in residential care facilities are more likely to be over age 85, more likely to be female, and more likely to be widowed, than are persons residing in traditional housing. Residential care facilities serve a broad income range. Persons living in those facilities are more likely to have incomes below \$10,000, roughly approximating the federal poverty level for older couples. Only the MCBS estimates indicated that the community residential care population was also more likely to have high income above \$40,000 than persons in all other types of residence. In both the MCBS and the NLTCs the proportion who are nonWhite was lower than in either traditional private housing or nursing homes.

The consistency of estimates across three major national surveys, after reducing methodological differences to the extent possible, provides confidence in the existing data on the size and characteristics of the residential care population. Two different methods are used to obtain data on the characteristics of the person's residence. Individuals are asked to describe their type of residence. The responses yield a set of place types (e.g., retirement community, assisted living, etc.). The other method is to ask individuals whether or not the place they live offers specific services, usually by asking about each service on the interviewer's list of potential services. However, accurately identifying a residential care facility as the place of residence through the use of survey questions is difficult. Neither named place type, as in the NLTCs, nor services alone, as in the HRS, appears to be sufficient to draw firm conclusions about the nature of the setting.

For example, the NLTCs allows identification only by named setting type, and makes special effort to identify "assisted living." The NLTCs reports a larger proportion of community residents in generic types of "senior" or "retirement" housing than do the other two surveys. However, no information is gathered on services available, regardless of whether the respondent uses them. Consequently, it is difficult to determine whether these generic settings meet the criteria for alternative residential care, such as those proposed by the ALW or used in state licensing.

Among the MCBS community residential care population, which we identified using a combination of named place type and services offered, only about 30 percent identified their residence by name as assisted living or any other place type clearly associated with residential care. About 8 percent of the group reporting that their residence was assisted living reported that none of the services included in the survey were available, and only about three-quarters reported the availability of medication supervision, considered to be a hallmark service for higher quality residential care settings.

Finally, although the estimates of the characteristics of the residential care population provided here show reasonable consistency, comparisons were complicated both by differences in measurement and availability of data across community and facility settings and by small sample sizes.

If, as widely believed, the older population in alternative residential care is growing rapidly, either as a substitute for or a precursor to traditional nursing homes, it is important to have reliable national data to document both the growth and the implications for the welfare of older persons with disability. The three major surveys of the older population we examined have made a first step in that direction. In fact, such data offer the only opportunity for an integrated understanding of the entire long-term care delivery system and those who use it, rather than piecemeal examination of sometimes artificially defined segments.

Nevertheless, we conclude that improvements are needed if national surveys are to support studies that improve understanding of the residential care “missing link.” Our analysis suggests indicated several key areas for improvement:

- A hybrid approach to identifying settings would seem to be ideal, in which a broad screen for nontraditional settings is applied, as in the HRS, and then information on both services available and named place type is gathered. Ideally information similar to that in the HRS and MCBS on whether services are included in housing costs or cost extra and whether services are actually used also would be collected.
- More consistency is needed across all community and facility settings in the information collected on characteristics of settings and services offered, as well as the characteristics of residents, so that analyses can identify factors associated with choice of setting, transitions between settings, and outcomes.
- Existing sources of guidance, such as those cited here, can provide a foundation for survey organizations to identify the minimal array of key setting characteristics and services needed to identify and discriminate between residential care settings.

- Although growth over time eventually will increase sample sizes, a sound methodology for oversampling the population in alternative residential care is needed if national population-based surveys are to provide the data to support reliable estimates.

REFERENCES

- Adler, GS. 1994. *A Profile of the Medicare Current Beneficiary Survey*. Health Care Financing Review 15 (4):153-163.
- Bishop, CE. 1999. "Where Are the Missing Elders? The Decline in Nursing Home Use, 1985 and 1995," *Health Affairs* 18(4):146-155.
- Crisp, S, S Eiken, K Gerst, and D Justice. 2003. "Money Follows the Person and Balancing Long-Term Care Systems: State Examples." Prepared for DHHS/CMS/Disabled and Elderly Health Programs Division. (<http://new.cms.hhs.gov/PromisingPractices/Downloads/mfp92903.pdf>). Accessed December 2005.
- Decker, FC. "Nursing Homes, 1977-1999: What Has Changed, What Has Not?" National Center for Health Statistics, 2005. (http://www.cdc.gov/nchs/data/nnhsd/NursingHomes1977_99.pdf). Accessed December 2005.
- Fox-Grage, W, D Folkemer, and J Lewis. 2003. *The States' Response to the Olmstead Decision: How Are States Complying?* National Conference of State Legislatures, Forum for State Health Policy Leadership. Washington, D.C.
- Freedman, VA, E Crimmins, RF Schoeni, BC Spillman et al. 2004. "Resolving Inconsistencies in Old-Age Disability Trends: Report from a Technical Working Group." *Demography* 41(3):417-441.
- Han, B, A Sirrocco, and R Remsburg. 2003. *Developing a Typology of Long-Term Care Residential Places: The First Step*. National Center for Health Statistics, Center for Disease Control and Prevention.
- Hawes, C, M Rose, and CD Phillips. 1999. *A National Study of Assisted Living for the Frail Elderly: Results of a National Survey of Facilities*. U.S. Department of Health and Human Services Contract no. 100-94-0024, 100-98-0013 and Research Triangle Institute. (<http://aspe.hhs.gov/daltcp/reports/facres.htm>). Accessed December 2005.
- Iannacchione, VG. 1982. "Weighted Sequential Hot Deck Imputation Macros." Paper presented at the Seventh Annual SAS User's Group International Conference, San Francisco.
- Laschober, MA, and GL Olin. 1996. *Health and Health Care of the Medicare Population: Data from the 1992 Medicare Current Beneficiary Survey*. Rockville, MD: Westat, Inc.

- Liu, H, and R Sharma. 2002. *Health and Health Care of the Medicare Population: Data from the 1999 Medicare Beneficiary Survey*. Prepared by WESTAT under contract to the Centers for Medicare and Medicaid Services, U.S. Department of Health and Human Services. Rockville, MD.
- Rhoades, J. 2000. "Where Are The Missing Nursing Homes?" *Health Affairs* 19(5):249-50.
- Rosenbaum, S. 2000. The Olmstead Decision: Implications for Medicaid. Kaiser Commission on Medicaid and the Uninsured. (<http://www.kff.org/medicaid/2185-index.cfm>). Accessed December 2005.
- Spillman, BC. 2004. "Changes in Elderly Disability Rates and the Implications for Health Care Utilization and Cost." *The Milbank Quarterly* 82(1):157-194.
- Spillman, BC, and KJ Black. 2005. "The Size of the Long-Term Care Population in Residential Care: A Review of Estimates and Methodology." Report to the Department of Health and Human Services, Assistant Secretary for Planning and Evaluation, Office of Disability, Aging and Long-Term Care Policy. (<http://aspe.hhs.gov/daltcp/reports/ltcpopsz.htm>). Accessed December 2005.
- St. Clair, P, D Bugliari, S Chien, S Haider, O Hayden, M Hurd, S Ilchuk, G Lopez, D Loughran, C Panis, P Pantoja, A Rastegar, M Reti, S Rohwedder, E Roth, and J Zissimopoulos. 2005. *RAND HRS Data Documentation, Version E*. RAND Center for the Study of Aging. (<http://www.rand.org/labor/aging/dataproduct/randhrse.pdf>). Accessed December 2005.
- Wiener, JM, RJ Hanley, R Clark, and JF Van Nostrand. 1990. "Measuring the Activities of Daily Living: Comparisons across National Surveys." *Journal of Gerontology: Social Sciences* 45(6):S229-S37. (<http://aspe.hhs.gov/daltcp/reports/meacmpes.htm>).

TABLE 1. Comparison of Surveys for Analysis			
	HRS/AHEAD	MCBS Cost and Use	NLTCS
Year	2002	2002	1999
Population representation after age selection	Cross-section of noninstitutional population age 65 or older	Population age 65 or older ever enrolled in Medicare during year	Cross-section of Medicare enrollees age 65 or older
Universe of residential care settings	Community only	Community and facility	Community and facility
Screen for facility residence	Excludes from current cross-section all persons residing in nursing homes or other health facilities, defined as providing all of the following services for residents: dispensing of medication, 24-hour nursing assistance and supervision, personal assistance, and room and meals.	Facilities are defined as places that: (1) have 3 or more beds, and (2) are certified by Medicaid or Medicare (nursing facilities) or licensed as a nursing home or other long-term care facility, or provide at least 1 personal care service (supervision of medications or help with bathing, dressing, shopping, walking, eating, or communication), or provide 24-hour, 7 days a week supervision by a caretaker.	Residents unit in nursing, convalescent or rest home or home for the aged, patient's unit in mental/long-stay hospital, nonstaff unit in other institution or any other setting with 3 or more unrelated persons and a health professional on duty every day; or assisted living community and provides substantial nursing care of any kind to the sampled person .
Facility types identified	n.a.	CCRC Nursing home Retirement community Hospital Assisted living Board & care home Domiciliary care facility Personal care facility Rest home/retirement home Mental health center psychiatric setting Mentally retarded/ developmentally disabled (MR/DD) Rehabilitation facility Adult/group home Other	Assisted living providing substantial nursing care to the sampled person Skilled nursing facility (SNF) Intermediate care facility (ICF) Hospital, other than SNF or ICF unit Other (noncertified) nursing home Domiciliary or personal care facility Institution/facility for the MR/DD Mental health center/facility Other
Facility certification status identified	n.a.	Yes	Yes
Facility licensure status identified	n.a.	Yes	No
Facility license other than nursing facility identified (e.g., assisted living, personal care)	n.a.	Yes	No
Community residential care types identified	No explicit types: Retirement community, senior citizens' housing, or some other type of housing that provides services.	Retirement community Senior citizens housing Assisted living facility CCRC Staged living community Retirement apartments Personal or residential care home Other	Control Card: Assisted living community Community questionnaire: Retirement home Boarding home Boarding home, rooming house, or rented room Group home or community residential facility Assisted living with services
ABILITY TO IMPLEMENT OTHER CRITERIA			
Number of unrelated individuals	Yes	Yes	Yes
Nursing or other health services available	Yes, for those identifying housing with services	Yes, facility only	Yes, if identified as assisted living or other group setting on Control Card
Other services available	Yes, for those identifying housing with services	Yes, facility only	Yes, but only for respondents identified as living in an assisted living community on the Control Card

TABLE 1 (continued)			
	HRS/AHEAD	MCBS Cost and Use	NLCS
Questionnaire language used	Even if you don't use them now, does the place you live offer...	Facility only: Does the facility provide...	Does the Assisted Living Community provide any of the following services to sampled person?
IADL services	Group meals Transportation Housekeeping	Community: Meals Housekeeping Laundry Medication assistance Transportation Facility: Medication supervision Shopping	Community or facility assisted living only: Meals Housekeeping
ADL services	Bathing Dressing Eating	Community: None Facility: Bathing Dressing Eating Walking	Community or facility assisted living only: Eating Mobility
Other services	Emergency call button Nursing care or onsite nurse Special facility for persons needing nursing care	Communication	No

TABLE 2. Estimates of the Residential Care Population						
	HRS/AHEAD¹		MCBS Cost and Use²		NLTCS³	
	2002		2002		1999	
	Number	Percent	Number	Percent	Number	Percent
Noninstitutional/Institutional						
Total population age 65 or older	35,841,266	100.0	34,435,442	100.0	34,459,236	100.0
Noninstitutional/community population (survey defined)	34,200,170	95.4	32,488,776	94.3	32,798,096	95.2
Institutional/facility population (survey defined)	1,641,096	4.6	1,946,666	5.7	1,661,140	4.8
Traditional Private Residence/Other Settings						
Population in traditional private residences	31,413,011	87.6	30,574,382	88.8	29,482,355	85.6
Nontraditional residences: Community retirement or group settings, neither a named residential care type nor offering assisted living type services	2,111,175	5.9	1,545,638	4.5	2,743,234	8.0
Other facility settings that are not a named residential care type (i.e., mental health, MR/DD and unspecified facilities)	---	---	87,821	0.3	24,772	0.1
All residential care settings defined by name or by offering assisted living type services	---	---	2,227,600	6.5	2,208,876	6.4
Residential Care Population by Type of Setting						
Nursing facilities	---	---	1,445,619	4.2	1,449,068	4.2
Certified nursing facility			1,317,375	3.8	1,281,937	3.7
Uncertified nursing facility			128,244	0.4	167,131	0.5
Other residential care, not nursing facility	---	---	781,981	2.3	759,808	2.2
Community residential care	675,984	1.9	368,755	1.1	572,507	1.7
Facility residential care	---	---	413,227	1.2	187,301	0.5
Certified and other beds			53,943	0.2	39,518	0.1
No certified beds			359,283	1.0	147,783	0.4
<ol style="list-style-type: none"> All HRS/AHEAD estimates include the noninstitutional population only. Control total for survey weights is taken from the March 2003 Current Population Survey. April 1 denominator for the full population age 65 or older is the July 1, 2002, resident population age 65 or older increased by 9 months using the average monthly change between the July 1, 2002, and July 1, 2003, estimates. (Available at http://www.census.gov/popest/national/asrh/NC-EST2003-as.html.) MCBS estimates include only Medicare enrollees. Weights for the cross-section of persons alive and enrolled on September 1 used in the estimates were adjusted by age to enrollment totals provided by the Centers for Medicare and Medicaid Services. About 2.8 million NLTCS respondents report their residences are in "a building or community intended for older or retired, or disabled persons." Only about 500,000 of them identify a type of residential care setting, including retirement home. 						

TABLE 3. Access to Services in Residential Care Settings and Nontraditional Housing						
	Nontraditional Housing		Community Residential Care		Facility Residential Care	Nursing Homes
	HRS	MCBS Cost and Use	HRS	MCBS Cost and Use	MCBS Cost and Use	MCBS Cost and Use
Number of persons	2,111,175	1,545,638	675,984	368,755	413,227	1,445,619
Percent Offering Service						
Nursing or medical care	7.2	---	56.1	---	100.0	99.4
Bathing, dressing or eating	0.0	---	61.9	---	---	---
Bathing help	---	---	---	---	99.0	99.5
Mobility help	---	---	---	---	90.4	99.0
Eating help	---	---	---	---	88.0	98.7
Supervision of medications	---	2.6	---	92.6	99.0	99.5
Shopping or correspondence help	---	---	---	---	96.3	99.2
Meals	16.3	19.5	96.1	96.9	---	---
Housekeeping	4.1	17.7	95.8	96.1	---	---
Laundry	---	15.7	---	86.5	---	---
Emergency call button or someone checks on residents	30.6	---	91.1	---	---	---
Communication help	---	---	---	---	93.4	99.2
Allow resident to stay if need more care ¹	73.4	51.6	52.3	47.1	---	---
1. Slightly less than half of the MCBS sample in nontraditional housing received this question. Estimate shown is for persons receiving the question. Most who did not receive the question were among the 57.6 percent of persons in nontraditional housing who did not report that any of the listed services were available.						

TABLE 4. Health Characteristics of Persons in Traditional Homes, Alternative Residential Care and Nursing Homes

	HRS		MCBS Cost and Use					NLTCs				
	TH	CRC	TH	CRC	FRC	All ARC	NH	TH	CRC	FRC	All ARC	NH
Functional Status												
No ADL/ IADL ¹	84.6	66.4	82.5	70.4	11.3	39.2	5.5	89.5	55.2	---	---	---
IADL only	7.3	18.1	8.8	14.6	24.7	19.9	9.3	3.4	10.4	---	---	---
1-2 ADLs	5.4	11.2	5.2	11.0	27.3	19.6	13.2	4.0	20.7	27.5	22.4	13.4
3 or more ADLs	2.8	4.3 #	3.2	3.0 #	34.6	19.7	70.5	3.1	13.7	52.7	23.4	83.4
Unknown	---	---	0.3	1.0	2.2	1.6	1.5	---	---	---	---	---
General Health												
Excellent/very good/good	70.6	57.7	78.0	75.0	60.4	67.3	32.9	70.4	58.6	---	---	---
Fair or poor	29.3	42.3	21.5	24.3	36.5	30.7	65.1	27.3	36.6	---	---	---
Unknown	0.1	0.0	0.5	0.7	3.1	2.0	2.0	2.3	4.8	---	---	---
Selected Conditions												
Alzheimer's/other dementia	2.3	5.1 #	3.2	8.0 #	40.7	25.3	47.8	1.7	13.3	42.4	20.5	58.3
Diabetes	18.1	14.3	19.5	16.6	18.8	17.7	24.3	14.6	14.5	---	---	---
Hip fracture	1.2	1.1 #	3.4	14.9	1.7 #	8.0	5.1	0.8	4.5 #	---	---	---
Chronic lung disease	10.9	10.3	14.1	11.3	11.7	11.5	12.3	9.4	11.8 #	---	---	---
Mental disorder	13.0	22.0	12.6	16.0	28.2	22.5	41.9	---	---	---	---	---
Stroke	9.0	16.2	11.4	15.3	12.7	13.9	19.9	4.0	7.9	---	---	---

Estimate does not meet precision criterion that its relative standard error is less than 30%.

- Disability is measured as active help (excluding supervision) with included activities, which were selected based on availability in all three surveys. Included IADL items are shopping, meal preparation, telephoning, and managing money, and included ADL items are bathing, dressing, transferring (to or from bed or chair), getting around inside or walking, toileting, and eating.

TH = Traditional Housing
 CRC = Community Residential Care
 FRC = Facility Residential Care
 ARC = Alternative Residential Care
 NH = Nursing Home

TABLE 5. Demographic Characteristics of Persons in Traditional Private Housing, Alternative Residential Care and Nursing Homes

	HRS		MCBS Cost and Use					NLTCs				
	TH	CRC	TH	CRC	FRC	All ARC	NH	TH	CRC	FRC	All ARC	NH
Age												
65-74	54.9	19.5	52.9	9.4	13.0	11.3	13.2	57.0	14.0	4.6	11.7	13.5
75-84	35.7	48.0	36.4	40.2	33.0	36.4	37.9	33.9	49.0	41.7	47.2	36.7
85 and older	9.4	32.5	10.7	50.4	53.9	52.3	48.9	9.1	37.0	53.7	41.2	49.7
Race												
White	88.5	91.0	86.5	95.6	97.0	96.4	87.2	87.3	96.4	92.8	95.5	91.2
Other	11.5	9.0	13.5	4.4	3.0	3.6	12.8	12.7	3.6	7.2	4.5	8.8
Sex												
Male	43.1	33.9	43.2	24.8	25.4	25.2	29.1	43.3	22.5	27.5	23.7	26.6
Female	56.9	66.1	56.8	75.2	74.6	74.8	70.9	56.7	77.5	72.5	76.3	73.4
Marital Status												
Married	57.2	33.1	56.8	27.7	14.4	20.7	23.2	58.0	21.1	12.6	19.0	15.5
Widowed	30.9	55.4	32.0	56.8	63.1	60.1	56.3	32.3	67.4	73.0	68.8	66.9
Other unmarried	11.7	11.5	11.1	15.5	22.0	19.0	20.3	9.7	11.5	14.4	12.2	17.6
Unknown	0.2	0.0	0.1	0.0	0.5	0.3	0.3	---	---	---	---	---
Income												
Less than \$10,000	11.3	14.4	15.5	23.8	22.9	23.3	43.9	19.0	26.3	18.5	24.4	39.4
\$10,000 to less than \$20,000	23.2	26.2	28.3	23.1	36.9	30.4	30.1	18.2	21.8	26.1	22.9	18.3
\$20,000 to less than \$40,000	32.6	32.8	34.1	22.1	26.3	24.3	20.1	45.6	37.6	30.9	35.9	15.1
\$40,000 or more	33.0	26.6	22.1	31.0	13.9	21.9	6.0	17.3	14.2	24.5	16.8	27.2
TH = Traditional Housing CRC = Community Residential Care FRC = Facility Residential Care ARC = Alternative Residential Care NH = Nursing Home												

APPENDIX A: SPECIFICATIONS FOR CONSTRUCTION OF RESIDENTIAL SETTING

This appendix provides detail on the specific variables used and decisions made to identify residential settings as consistently as possible in the 2002 Health and Retirement Survey (HRS), the 2002 Medicare Current Beneficiary Survey Cost and Use File (MCBS), and the 1999 National Long Term Care Survey (NLTC). We defined broad groups:

- Traditional private residences in the community.
- Nontraditional residences (other retirement or “special” places that cannot be determined to be residential care).
- Residential care, further subdivided into nursing homes, alternative community residential care settings, and alternative residential care facilities.
- “Other facilities,” generally such places as rehabilitation hospitals and facilities for the mentally ill or developmentally disabled, which are excluded from our residential care estimates.

The general strategy for defining alternative residential care settings was to include any place identified *either* as being a named residential care type *or*, in the case of the MCBS and the HRS, providing services consistent with residential long-term care. We accepted as potential residential long-term care settings all places whose residents received an “institutional” interview in the case of the NLTC or a “facility” interview in the case of the MCBS. In the MCBS, both facilities and community settings are identified by named type, but persons living in more generic community settings (e.g., retirement community) also are asked about services available. The HRS includes only community residents, and settings other than traditional private residences are identified *only* generically, but information about services offered is collected for all residents in these generic settings. Conversely, we relied entirely on named type of setting for the NLTC because in that survey, information is collected on services received, rather than offered, and is asked only of the subset of the population identified as being specifically in “assisted living.”

Health and Retirement Survey (HRS)

Table A.1.a shows our characterization of residential setting for HRS respondents. The HRS differs from the NLTC and the MCBS in two major ways. First, the HRS is nominally a household survey representing only the population age 51 or older in noninstitutional settings as defined by the Decennial Census. Sample members are followed into all settings, however, and are eligible for interview if they return to an

eligible setting. Cross-section weights exclude all persons residing in nursing homes or other health facilities, defined as providing all of the following services for residents: dispensing of medication, 24-hour nursing assistance and supervision, personal assistance, and room and meals. Second, the HRS provides no information about named types of residential care, but rather collects information about services available to persons reporting in the current or a former round that their “residence is part of a retirement community, senior citizens' housing or some other type of housing that provides services.” Thus, our categorization of residential setting for HRS respondents relies entirely on information about services provided.

For our analysis, we selected respondents age 65 or older. In order to compare proportions of the total elderly population in each type of setting identified, we needed an appropriate denominator. Cross-sectional weights on the 2002 HRS apparently were post-stratified to a control total from the March 2003 CPS, corresponding to Census civilian noninstitutional population estimates for April 1, 2003. Census resident population estimates were available only for July 1 of each year. We therefore computed a monthly change between the July 1, 2002, and July 1, 2003, resident population estimates for persons age 65 or older and increased the 2002 resident population by 9 months to generate the appropriate denominator.

To identify the population in traditional private residences and other nontraditional residences, we used two survey variables:

- HH101, through which new entrants and those with a residence change since their last interview are screened for residence in retirement or senior citizen housing or other housing with services; and
- HH115, which asks whether the setting offers group meals and is asked of all persons identified in the current or a previous round of the survey as living in one of the generic housing types in HH101. Respondents also may dispute the type of setting on this variable and are then excluded from remaining questions about services.

We classified all persons who did not identify their setting as being one of the housing types in HH101 or who disputed the classification in HH115 as being in traditional private residences. Among those reporting one of the housing types in HH101, we examined the remaining questions about services offered. We defined persons in residential care by two criteria:

- all persons in settings offering help with bathing, dressing or eating (HH124), which is a criterion used in the MCBS to identify “facility” settings; and
- all persons who reported availability of some type of oversight or nursing-- either an emergency call button or checks on residents (HH127) or nursing care or a nurse on-site (HH130)--*and* help with housekeeping (HH121) and group meals (HH115).

Medicare Current Beneficiary Survey (MCBS)

The MCBS Cost and Use file includes Medicare enrollees of all ages who were enrolled at any time during the survey year. To approximate a cross-section of enrollees age 65 or older, we therefore selected a sample of respondents who were age 65 or older and enrolled in Medicare on September 1, prior to the fall interview in which community residential information and other data relevant to our analysis is collected. We identified the residential setting on September 1 by using the residential timeline provided on the Cost and Use file. The timeline provides the sampled person's residence at each point in the year. As described below, in a few cases, where a September 1 setting was not available from the timeline or was identified as a hospital, we examined situations before and after September 1 and other data to place the individual in their likely residential setting at fall interview. Following advice from survey staff at CMS, we then adjusted the survey weights for our sample by age to represent a cross-section of enrollees age 65 or older.

Community Residents

Table A.2.a shows our categorization of the MCBS community population according to residential setting. For persons identified as being community residents on September 1, we used the variable HCOMUNITY, in which community respondents report their type of setting, to determine residence type. Interviewers and survey staff determine whether a setting is in the community or a long-term care facility based on rules described below. A key factor, however, is that facilities must have supervision of some type (not necessarily medical) 24 hours a day, 7 days per week. Thus, under MCBS survey definitions, settings in the community should not have such explicit supervision. Values for the community residential setting variable HCOMUNITY in 2002 are as follows:

.	Inapplicable (facility residents)
-9	Not ascertained
-8	Don't know
1	Retirement community
2	Senior citizens housing
3	Assisted living facility
4	Continuing care retirement community
5	Stages living community
6	Retirement apartments
7	Church-provided housing
8	Personal or residential care home
91	Other

All community residents reporting any of these settings were considered to be in something other than a traditional private residence. Persons reporting a value of 3: Assisted living facility were included in our residential care population (no one in our sample of Medicare enrollees age 65 or older reported a value of 8: personal or

residential care home) without further inspection. Persons in the remaining categories, which may or may not be residential care, were included in or excluded from our residential care population based on responses to a series of questions about whether their residence offers meals, housekeeping, laundry, medication assistance, or transportation. We included respondents in these ambiguous settings in our community residential care population only if they reported that their residence offered assistance with meals, housekeeping or laundry, and medication. No question is asked about 24-hour supervision for community residents, presumably because 24-hour supervision is a criterion for facilities as defined on the MCBS.

Facility Residents

Our categorization of facility residents is provided in Table A.2.b. As noted earlier, facility residence is determined by survey staff based on interviewer observations and data collected in a facility screening interview. Facilities are defined as places that: (1) have three or more beds, *and* (2) are certified by Medicaid or Medicare (nursing facilities) *or* licensed as a nursing home or other long-term care facility, *or* provide at least one personal care service, *or* provide 24-hour, 7 days a week supervision by a caretaker. We included all persons interviewed in a place determined to be a facility by this definition in our residential care population. The distinction between this MCBS definition and the definition used to define an institutional questionnaire setting on the NLTCS is that the supervision required on the NLTCS is health or nursing-related. We therefore would expect that the “facility” population on the MCBS would be broader than the “institutional” population on the NLTCS. In fact, however, we found that all MCBS facilities reported some level of medical or nursing supervision.

We used the facility description variable PRACTYPE associated with the September 1 facility setting identified on the timeline to determine the type of residential care setting within the universe of MCBS defined facilities. The values of PRACTYPE in 2002 are as follows:

- 3 Continuing Care Retirement Community (CCRC)
- 4 Nursing home
- 5 Retirement community
- 6 Hospital
- 8 Assisted living
- 9 Board & care home
- 10 Domiciliary care facility
- 11 Personal care facility
- 12 Rest home/retirement home
- 15 Mental health center psychiatric setting
- 16 Mentally retarded/developmentally disabled (MR/DD)
- 17 Rehabilitation facility
- 18 Adult/group home
- 91 Other

We first included as nursing homes all places identified as nursing homes by the PLACTYPE variable. Other residential care facilities were identified by PLACTYPE values of: 3: CCRC, 5: retirement community, 8: assisted living, 9: board and care home, 10: domiciliary care facility, 11: personal care facility, 12: rest home/retirement home, and 18: adult/group home, except for a small number of persons (28 unweighted cases) in facilities identified as CCRC, retirement community, or assisted living facility but reporting that all beds were certified for Medicare or Medicaid. We included these cases in our nursing home estimate. All remaining persons in other types of facilities (mental health, MR/DD, rehabilitation facilities, and other) were included in the “other facilities” category.

For persons whose fall interview was in a facility but who were either missing facility type or were in a hospital during the period spanning September 1, we assigned residence to the type of facility of the next situation identified on the timeline.

National Long Term Care Survey (NLTCS)

All NLTCS respondents are age 65 or older. Respondents are assigned at the outset to either a “community” or “institutional” interview. The NLTCS criterion for receiving the institutional interview is either residence in a group setting *and* receiving daily medical supervision of some type or residence in “assisted living” specifically and receiving substantial nursing care. As noted, we included all sample members assigned to the institutional interview and living in relevant settings in our NLTCS residential care population. We used four variables, QUARTER1 from the Control Card portion of the interview, HNC_2B and INC_4_1 from the community interview, and BED_1_1 from the institutional interview to identify persons in community residential care and to further delineate type of residential setting in both “institutions” and the community.

The variable QUARTER1 is the interviewer’s assessment of the respondent’s residential situation. The possible values are as follows:

1. Housing Unit (HU).
2. Staff quarters in institution.
3. Assisted Living Community.
4. Quarters, not a HU, in a rooming or boarding house, convent, commune, foster or family care home, group home, community residential facility, etc.
5. Resident’s unit in nursing, convalescent or rest home, or home for the aged.
6. Patient’s unit in mental/long-stay hospital.
7. Nonstaff unit in other institution.
8. Inmate’s unit in correctional/detention facility (out of scope for the survey and excluded from the sample).
9. A recode to 9 indicates that a community questionnaire was administered although the original QUARTER1 was coded 8 or blank,

or an institutional interview was administered although the original QUARTER1 was coded 2, 8, or blank.

All values of QUARTER1 occur in both the community and institutional interview samples, except 2, which identifies persons living in staff quarters of an institution. This small group appears only in the community sample and is included in our classification as living in a traditional housing unit.

Community Residents

Table A.3.a shows our residential classification of the NLTCs community population. We included in the residential care population all persons receiving the community interview whom the interviewer identified as living in an assisted living community (QUARTER1=3). Only persons with this QUARTER1 value were asked about services provided to them by the assisted living community. They were then assigned to the community questionnaire if they reported that the community did not provide them with “Substantial nursing care of any kind.” (Assisted living residents reporting substantial nursing were assigned to the institutional interview.) In one additional case, a community questionnaire respondent the interviewer identified as being in a housing unit (QUARTER1=1) was asked the services questions and reported services. We treated this case as community residential care along with the remaining persons with a QUARTER1 value of 3 and not reporting nursing care.

We also included in residential care all community residents with a QUARTER1 value of 5, 6, or 7, all of which are included in Census definitions of institutional or noninstitutional group quarters.¹

Whereas QUARTER1 values of 3, 5, 6, and 7 clearly describe residential care settings, values of 1 (housing unit), 4 (Quarters, not a housing unit...) and 9 (recode) may or may not be residential care. For these values, we first examined values of the variable INC_4_1 from the community questionnaire, in which the respondent characterizes the residential setting as follows:

1. Alone or with others in a house/apartment (independent living).
2. In a retirement home.
3. In a boarding home, rooming house, or rented room.
4. In a foster or family care home.
5. In a group home or community residential facility.
6. In assisted living setting with board and/or personal care services available.
7. In another place.

We selected INC_4_1 values of 4, 5, or 6 as clearly being named residential care settings. All persons with QUARTER1 values of 1, 4, or 9 and one of these INC_4_1

¹ Only one community respondent had a QUARTER1 value of 6: Patient’s unit in mental/long-stay hospital. We included this respondent in our community residential care population rather than retaining a separate category.

values were included in our residential care population. Standing alone, a QUARTER1 value of 4 indicates a group setting but is less clearly residential care because it includes settings such as boarding houses and convents, along with residential care settings such as foster or family care, group homes, and residential care facilities. For the remainder of this group who did not have INC_4_1 values of 4, 5, or 6, we examined an additional variable HNC_2B in which respondents identified whether their residence was “part of a building or community intended for older or retired, or disabled persons.” Persons with a QUARTER1 value of 4 and a yes response to HNC_2B were also included in our residential care population.

Finally, we assigned remaining persons who had QUARTER1 values of 1 or 9 and reported residence in a community or building for retired or disabled persons in HNC_2B to the marginal category of persons in nontraditional or special settings that are neither traditional housing nor clearly residential care.

Institutional Residents

Table A.3.b shows our classification of the NLTCs institutional population. For the institutional population we used a combination of the QUARTER1 value and the facility type reported in the variable BED_1_1 to determine the type of facility. The classification is shown in Table A.3.b. Values of BED_1_1 are as follows:

1. Hospital, other than SNF or ICF unit.
2. Skilled nursing facility (SNF).
3. Intermediate care facility (ICF).
4. Other (noncertified) nursing home.
5. Domiciliary or personal care facility.
6. Institution/facility for the mentally retarded/developmentally disabled (MR/DD).
7. Mental health center/facility.
8. Another place.

We first included as nursing home residents all facility respondents with a BED_1_1 value of 2, 3, or 4, all of which explicitly identify nursing homes, and all persons with a QUARTER1 value of 5 (resident’s unit in nursing, convalescent or rest home, or home for the aged), and a BED_1_1 value indicating something other than a MR/DD, mental health, or other place. We used the residential setting indicated by QUARTER1 to categorize 20 persons with a facility type of hospital. Two cases of these 20 cases had a QUARTER1 value of assisted living and were classified as being in assisted living; 14 had a QUARTER1 value of nursing home or home for the aged (ten of these cases were in facilities also reporting some certified beds) and were classified as being in a nursing home; and the remaining four cases had a QUARTER1 value of mental or long-stay hospital and were classified as being in “other” facilities. All other persons with a BED_1_1 value indicating MR/DD, mental health, or another place, or with a QUARTER1 value indicating a mental or long-stay hospital also were identified as being in “other” facilities. Remaining unassigned facility residents with QUARTER1

and BED_1_1 values indicating something other than a nursing home or mental retardation or mental health facility, were identified as living in an alternative facility residential care.

We also examined, but did not use in determining the type of facility, variables indicating whether the facility reported being certified as a Medicare or Medicaid SNF or as a Medicaid ICF, relying instead on the interviewer and respondent reports of type of facility. In a large number of cases the sum of beds reported as certified by Medicare or Medicaid and not certified exceeded the total number of beds reported for the facility, so that we could not determine the number of beds that were certified or whether the respondent was in such a bed. We therefore used certification information on the NLTCS only to identify certified facilities among those we had otherwise classified as nursing homes.

TABLE A.1.a. Community Residential Setting Coding, HRS 2002				
Residence is Part of a Retirement Community, Senior Citizens' Housing or Some Other Type of Housing that Provides Services (HH101)¹	Even if You Don't Use Them Now, Does the Place You Live Offer ... Group Meals (HH115)²	Residence Offers Help with Bathing, Dressing or Eating (HH124), or Offers Housekeeping (HH121), Group Meals and Either an Emergency Call Button or Checks on Residents (HH127) or Nursing Care/a Nurse On-site (HH130)²	Unweighted Sample Size	Population Estimate
Total community population			10,422	34,198,501
Traditional Private Residence				
Total			9,583	31,413,011
Blank	Blank	Blank	8,054	26,452,410
Blank	3:Disputes record	Blank	373	1,250,005
1:Yes, retirement community	3:Disputes record	Blank	7	23,790
5:No	Blank	Blank	1,149	3,686,806
Other Community Settings Not Meeting Residential Care Criteria				
Total			645	2,11,175
Blank	1:Yes	No	78	252,532
Blank	5:No	No	369	1,167,094
Blank	DK/R	No	7	18,396
1:Yes, retirement community	1:Yes	No	9	30,243
1:Yes, retirement community	5:No	No	84	287,129
2:Yes, senior citizen housing	1:Yes	No	15	58,802
2:Yes, senior citizen housing	5:No	No	71	267,951
2:Yes, senior citizen housing	DK/R	No	1	1,806
7:Yes other housing w/services	5:No	No	10	24,567
:Don't know/refused	1:Yes	No	1	2,655
Community Residential Care				
Total			194	674,315
Blank	1:Yes	Yes	88	310,409
Blank	5:No	Yes	7	21,236
1:Yes, retirement community	1:Yes	Yes	49	165,954
2:Yes, senior citizen housing	1:Yes	Yes	28	104,226
2:Yes, senior citizen housing	5:No	Yes	2	3,457
7:Yes other housing w/services	1:Yes	Yes	20	69,033
:Don't know/refused	5:No	Yes	1	1,669
1. Blank indicates residence determined in previous round interview and no change in residence.				
2. Blank indicates not eligible for the question (not living in an eligible housing type).				

TABLE A.2.a. Community Sample Residential Setting Coding, MCBS Cost and Use 2002			
Type of Community Housing (HCOMUNTY)	Does Resident Have Access to Prepared Meals, Housekeeping or Laundry Services, and Help with Medications? (MEALPROB, MAIDPROB, WASHPROB, HELPPROB)	Unweighted Sample Size	Population Estimate
Total community population		9,342	32,488,776
Traditional Private Residence			
Total		8,749	30,574,382
Inapplicable	---	8,670	30,307,075
Not ascertained	---	77	259,969
Don't know	---	2	7,338
Other Community Settings Not Meeting Residential Care Criteria			
Total		467	1,545,638
Retirement community	---	174	609,179
Senior citizens housing	---	199	645,161
Continuing Care Retirement Community	---	3	10,164
Staged living community	---	7	19,278
Retirement apartments	---	45	133,534
Church-provided housing	---	1	3,168
Other	---	38	125,155
Community Residential Care			
Total		126	368,755
Not ascertained	Yes	2	5,200
Don't know	Yes	1	2,365
Retirement community	Yes	34	101,941
Senior citizens housing	Yes	19	61,191
Assisted living facility	---	11	29,836
Assisted living facility	Yes	31	85,266
Continuing Care Retirement Community	Yes	4	13,109
Staged living community	Yes	6	16,260
Retirement apartments	Yes	15	43,609
Other	Yes	3	9,979

TABLE A.2.b. Facility Sample Residential Setting Coding, MCBS Cost and Use 2002			
Type of Facility (PLACTYPE)	Are All Beds Certified?	Unweighted Sample Size	Population Estimate
Total facility population		793	1,946,666
Facility Residential Care			
Total		166	413,227
Continuing Care Retirement Community	---	32	74,642
Retirement community	---	7	18,951
Assisted living facility	---	90	225,072
Board and care home	---	12	32,075
Domiciliary care home	---	2	4,846
Personal care home	---	16	37,787
Rest home/retirement home	---	2	4,606
Adult/group home	---	5	15,248
Nursing Home			
Total		594	1,445,619
Continuing Care Retirement Community	Yes	22	50,571
Nursing home/unit within CCRC or retirement center	---	104	253,999
Nursing home/unit within CCRC or retirement center	Yes	462	1,127,349
Retirement community	Yes	3	7,518
Assisted living facility	Yes	3	6,182
Other Facility			
Total		33	87,821
Hospital	---	5	11,213
Hospital	Yes	10	26,363
Mental health center/psychiatric setting	---	1	3,483
Institution for the MR/DD	---	1	1,979
Institution for the MR/DD	Yes	3	6,855
Rehabilitation facility	---	1	2,914
Rehabilitation facility	Yes	1	2,032
F:Other	---	8	19,438
F:Unknown	---	3	13,545

TABLE A.3.a. Community Sample Residential Setting Coding, NLTCs 1999				
Interviewer Classification of Living Quarters (QUARTER1)	Place is Part of a Building or Community Intended for Older or Retired, or Disabled Persons (HNC_2B)	Which of These Types of Places is [sample person] Living in Now? (INC_4_1)	Unweighted Sample Size	Population Estimate
Total community population			5,129	32,798,096
Traditional Private Residence				
Total			4,399	29,482,355
1:Housing unit	Blank, don't know, refused	Blank, don't know, refused	50	461,330
1:Housing unit	Blank, don't know, refused	1:Alone/with others in a house/apartment (independent living)	13	105,941
1:Housing unit	No	Blank, don't know, refused	35	263,931
1:Housing unit	No	1:Alone/with others in a house/apartment (independent living)	4,278	28,578,658
2:Staff quarters in institution	Yes	2:Retirement home	1	5,643
2:Staff quarters in institution	Yes	6:Assisted living setting w/board and/or personal care services available	8	8,647
2:Staff quarters in institution	Yes	7:Another place	8	12,206
2:Staff quarters in institution	No	1:Alone/with others in a house/apartment (independent living)	1	9,109
2:Staff quarters in institution	No	7:Another place	1	1,772
9:Recode to 9	Blank, don't know, refused	Blank, don't know, refused	1	9,276
9:Recode to 9	No	1:Alone/with others in a house/apartment (independent living)	3	25,840
Other Community Settings Not Meeting Residential Care Criteria				
Total			502	2,743,234
1:Housing unit	Yes	Blank, don't know, refused	4	19,542
1:Housing unit	Yes	1:Alone/with others in a house/apartment (independent living)	393	2,139,592
1:Housing unit	Yes	2:Retirement home	31	131,863
1:Housing unit	Yes	3:Boarding home/rooming house/rented room	1	1,667
1:Housing unit	Yes	7:Another place	11	33,262
1:Housing unit	No	2:Retirement home	6	61,383
1:Housing unit	No	3:Boarding home/rooming house/rented room	2	4,969
1:Housing unit	No	7:Another place	29	190,337
4:Board/foster/family care/group home	Blank, don't know, refused	Blank, don't know, refused	2	28,051
4:Board/foster/family care/group home	No	Blank, don't know, refused	1	27,235
4:Board/foster/family care/group home	No	1:Alone/with others in a house/apartment (independent living)	14	61,141
4:Board/foster/family care/group home	No	3:Boarding home/rooming house/rented room	4	22,051
4:Board/foster/family care/group home	No	7:Another place	4	22,141

TABLE A.3.a. (continued)

Interviewer Classification of Living Quarters (QUARTER1)	Place is Part of a Building or Community Intended for Older or Retired, or Disabled Persons (HNC_2B)	Which of These Types of Places is [sample person] Living in Now? (INC_4_1)	Unweighted Sample Size	Population Estimate
Community Residential Care				
Total			228	572,507
1:Housing unit	Yes	4:Foster or family care home	1	916
1:Housing unit	Yes	5:Group home or community residential facility	6	7,749
1:Housing unit	Yes	6:Assisted living setting w/board and/or personal care services available	7	13,090
1:Housing unit	No	5:Group home or community residential facility	1	1,710
1:Housing unit	No	6:Assisted living setting w/board and/or personal care services available	1	2,329
3:Assisted living community	Blank, don't know, refused	Blank, don't know, refused	3	19,900
3:Assisted living community	Blank, don't know, refused	7:Another place	1	452
3:Assisted living community	Yes	Blank, don't know, refused	1	2,334
3:Assisted living community	Yes	1:Alone/with others in a house/apartment (independent living)	15	33,654
3:Assisted living community	Yes	2:Retirement home	20	53,907
3:Assisted living community	Yes	4:Foster or family care home	1	2,096
3:Assisted living community	Yes	5:Group home or community residential facility	8	42,924
3:Assisted living community	Yes	6:Assisted living setting w/board and/or personal care services available	85	167,124
3:Assisted living community	Yes	7:Another place	3	3,998
3:Assisted living community	No	1:Alone/with others in a house/apartment (independent living)	1	1,153
3:Assisted living community	No	2:Retirement home	1	1,892
3:Assisted living community	No	5:Group home or community residential facility	1	1,267
3:Assisted living community	No	6:Assisted living setting w/board and/or personal care services available	1	2,288
4:Board/foster/family care/group home	Yes	1:Alone/with others in a house/apartment (independent living)	11	42,235
4:Board/foster/family care/group home	Yes	2:Retirement home	7	15,463
4:Board/foster/family care/group home	Yes	3:Boarding home/rooming house/rented room	2	4,524
4:Board/foster/family care/group home	Yes	4:Foster or family care home	3	8,540
4:Board/foster/family care/group home	Yes	5:Group home or community residential facility	4	12,708

TABLE A.3.a. (continued)

Interviewer Classification of Living Quarters (QUARTER1)	Place is Part of a Building or Community Intended for Older or Retired, or Disabled Persons (HNC_2B)	Which of These Types of Places is [sample person] Living in Now? (INC_4_1)	Unweighted Sample Size	Population Estimate
4:Board/foster/family care/group home	Yes	6:Assisted living setting w/board and/or personal care services available	4	7,151
4:Board/foster/family care/group home	Yes	7:Another place	2	2,245
4:Board/foster/family care/group home	No	4:Foster or family care home	4	5,020
4:Board/foster/family care/group home	No	5:Group home or community residential facility	4	38,928
5:Nursing/convalescent/rest/aged home	Yes	1:Alone/with others in a house/apartment (independent living)	7	20,364
5:Nursing/convalescent/rest/aged home	Yes	2:Retirement home	6	18,257
5:Nursing/convalescent/rest/aged home	Yes	5:Group home or community residential facility	1	1,715
5:Nursing/convalescent/rest/aged home	Yes	6:Assisted living setting w/board and/or personal care services available	7	9,804
5:Nursing/convalescent/rest/aged home	Yes	7:Another place	2	15,445
5:Nursing/convalescent/rest/aged home	No	7:Another place	1	928
6:Mental or long-stay hospital	Yes	5:Group home or community residential facility	1	2,107
7:Other institution	Yes	4:Foster or family care home	1	1,020
7:Other institution	Yes	5:Group home or community residential facility	1	2,511
7:Other institution	Yes	7:Another place	1	928
7:Other institution	No	1:Alone/with others in a house/apartment (independent living)	1	2,260
9:Recode to 9	No	6:Assisted living setting w/board and/or personal care services available	1	1,576

TABLE A.3.b. Institutional Sample Residential Setting Coding, NLTCs 1999			
Interviewer Classification of Living Quarters (QUARTER1)	What Kind of Health Care Facility or Institution is this Institution? (BED_1_1)	Unweighted Sample Size	Population Estimate
Total institutional population		1,025	1,661,140
Institutional Residential Care			
Total		111	187,301
1:Housing unit	Blank	1	1,190
1:Housing unit	5:Domiciliary or personal care facility	2	4,278
1:Housing unit	8:Other	6	10,324
3:Assist living community	Blank	5	8,506
3:Assist living community	1:Hospital, not SNF or ICF unit	2	2,979
3:Assist living community	5:Domiciliary or personal care facility	18	29,119
3:Assist living community	8:Other	27	48,944
4:Boarding/foster/family care/group home	5:Domiciliary or personal care facility	11	21,729
4:Boarding/foster/family care/group home	8:Other	9	16,744
5:Nursing/convalescent/rest/aged home	8:Other	25	38,143
7:Other institution	8:Other	1	1,030
9:Recode to 9	5:Domiciliary or personal care facility	3	3,171
9:Recode to 9	8:Other	1	1,144
Nursing Facilities			
Total		900	1,449,068
1:Housing unit	2,3,4:SNF/ICF/other nursing home	7	11,929
3:Assist living community	2,3,4:SNF/ICF/other nursing home	31	48,986
4:Boarding/foster/family care/group home	2,3,4:SNF/ICF/other nursing home	9	17,652
5:Nursing/convalescent/rest/aged home	Blank	4	8,371
5:Nursing/convalescent/rest/aged home	1:Hospital, not SNF or ICF unit	14	21,306
5:Nursing/convalescent/rest/aged home	2,3,4:SNF/ICF/other nursing home	770	1,225,865
5:Nursing/convalescent/rest/aged home	5:Domiciliary or personal care facility	18	31,883
6:Mental or long-stay hospital	2,3,4:SNF/ICF/other nursing home	33	59,001
7:Other institution	2,3,4:SNF/ICF/other nursing home	7	11,903
9:Recode to 9	2,3,4:SNF/ICF/other nursing home	7	12,173
Other Institutions			
Total		14	24,772
5:Nursing/convalescent/rest/aged home	6:Institution/facility for the MR/DD	5	3,686
6:Mental or long-stay hospital	Blank	1	4,787
6:Mental or long-stay hospital	1:Hospital, not SNF or ICF unit	4	8,007
6:Mental or long-stay hospital	7:Mental health center/facility	3	5,858
6:Mental or long-stay hospital	8:Other	1	2,434