

**MAKING THE “MINIMUM DATA SET” COMPLIANT  
WITH HEALTH INFORMATION TECHNOLOGY  
STANDARDS**

**ATTACHMENT C:**

**MDS TERM MATCHES  
AND REVIEWER FEEDBACK**

# MDS TERM MATCHES & FEEDBACK DOCUMENT README

## About This Document

This document was compiled to represent items on the MDS (Minimum Data Set) Version 2.0 Nursing Home Care Assessment Form and corresponding namespace matches for these items, and present them in a format to facilitate easy comparison of data. The document is comprehensive and contains all items from Sections AA to W of the MDS 2.0 form. This ReadMe is provided for any questions that may arise during your perusal of this document.

## Representation of the MDS 2.0 Form

All sections of the MDS 2.0 form are shown with the Section name first in a bold, blue, underlined font, followed by a screen capture of the section, and then a Match Table listing found match terms, match term namespaces, and reviewer feedback. An example is illustrated below.

**Section B2b. (Long-term memory OK – seems/appears to recall long past)** ← **Section Heading**

b. Long-term memory OK—seems/appears to recall long past  
0. Memory OK      1. Memory problem

← **Screen Capture**

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Finding of memory performance (finding)	SNOMED CT	
Memory function normal (finding)	SNOMED CT	
Long-term memory within normal limits (finding)	SNOMED CT	
Memory impairment (finding)	SNOMED CT	
Partial Match Term	Partial Match Term Namespace	-----
Finding of long-term memory performance (finding)	SNOMED CT	
Finding of short-term memory performance (finding)	SNOMED CT	

← **Match Table**

## Naming/Titling Conventions

For the purposes of this document, all MDS 2.0 sections, subsections, questions, items, sub-items, possible responses, etc. are referred to as “Sections”. This is to reduce confusion in differentiating between these segments of the form. Each section heading contains the alphabetical or numerical name of the section, as well as the information it represents. For example, Section A, subsection 3, is referred to as “**Section A3 (ASSESSMENT REFERENCE DATE)**”. Sections with multiple subsections are listed with the main section first, followed by the subsections. Subsections may also be

further subdivided; for example, Section A3 contains the subsections A3a and A3b, which represent items within Section A3. Their headings appear as **“Section A3a. (Last day of MDS observation period)”** and **“Section A3b. (Original (O) or corrected copy of form (enter number of correction))”** respectively.

Some items on the MDS form are comprised of more than one part, and each may have multiple possible responses. These are listed in order and appear with all possible responses available. For example, Section G1a requires two responses, to be placed in Column A (for ADL SELF-PERFORMANCE) and Column B (for ADL SUPPORT PROVIDED). For Column A, there are six possible numerical “codes” to describe the resident’s ADL self-performance. For Column B, there are five possible codes for ADL support provided. For Section G1a, these two required column responses are represented in the separate Section headings thusly:

**Section G1aA (BED MOBILITY w/ code for ADL SELF-PERFORMANCE)**  
and  
**Section G1aB (BED MOBILITY w/ code for ADL SUPPORT PROVIDED)**

The six possible codes in Column A and the five in Column B are represented by affixing the appropriate code to the end of the Section name. For example, in **Section G1aA**, an ADL self-performance score of 2 appears in the Section name as **“G1aA.2”**. In **Section G1aB**, a score of 4 for ADL support provided appears as **“G1aB.4”**.

**Screen Captures**

To allow users to more easily reference given sections of the MDS 2.0 form, a screen capture of each section from a .PDF file of the form is included below each section name. These screen captures pictorially represent the items on the form, as well as possible choices for the response-driven questions. Note the following illustration for **Section G1aA.2 (BED MOBILITY w/ code for ADL SELF-PERFORMANCE = 2)** :

a.	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed	2		
----	-------------------------	---	---	--	--

**\*\*Please note that load times for the screen captures may vary. They may not appear immediately when the document is opened, and especially when scrolling. If part of an image appears, and the rest seems to be obscured, try minimizing the document window and then restoring it.\*\***

**Match Tables**

For each Section within the document that has term matches available for it, a three-column table is provided to list the matches, their corresponding namespaces, and any comments made by reviewers. The matches appear in the first column of the table, the namespaces in the second, and comments in the third. Matches are listed in the table with Best Matches at the top, followed by Broader Matches and Partial Matches, if available. Some sections may only include one kind of match, a combination of two, all three, or none. In the case of a section with no matches attempted (i.e., the section was not part of the inclusion set for the initial matching process), “**NO MATCHES ATTEMPTED**” is displayed below the screen capture of the section, instead of a table. Some sections may have been included in the project, but did not have any matches found, in which case “**NO MATCHES FOUND**” is displayed below the screen capture.

Additionally, several sections representing sub-items or possible responses may have matches included in the match table of a more general section. In this case, a note appears below the screen capture referencing the section in which they can be found. For example, a match for [Section AA2.2 \(\*Female\*\)](#) is included in the match table of [Section AA2 \(\*Gender\*\)](#), and a note saying “**See Section AA2 (Gender)**” appears to alert the user that this information can be found elsewhere.

Some sections may not include comments, in which case the third column of the corresponding match table is left blank. The following is an example of a match table for a section without any feedback:

<b>Best Match Term</b>	<b>Best Match Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
Finding of residence and accommodation circumstances (finding)	SNOMED CT	
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Finding of housing ownership and tenure (finding)	SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Namespace</b>	-----
Patient's Residence (15605)	HL7V3	

Please note that within the “**Reviewer Feedback & Name**” column, comments are listed in descending chronological order, with the most recent comment first. The comments do not necessarily correspond to the type of match term adjacent to them in the first row of the table (i.e., the comments are listed for all match terms in the same cell within the table). For this reason, a dashed line appears in the 3<sup>rd</sup> row of any table with only two kinds of match terms, and in the 5<sup>th</sup> row for a table with all three kinds.

## [Section AA. Identification Information](#)

## SECTION AA. IDENTIFICATION INFORMATION

1. RESIDENT NAME <sup>®</sup>	<table border="1"> <tr> <td>a. (First)</td> <td>b. (Middle Initial)</td> <td>c. (Last)</td> <td>d. (Jr/Sr)</td> </tr> </table>	a. (First)	b. (Middle Initial)	c. (Last)	d. (Jr/Sr)												
a. (First)	b. (Middle Initial)	c. (Last)	d. (Jr/Sr)														
2. GENDER <sup>®</sup>	<table border="1"> <tr> <td>1. Male</td> <td>2. Female</td> </tr> </table>	1. Male	2. Female														
1. Male	2. Female																
3. BIRTHDATE <sup>®</sup>	<table border="1"> <tr> <td><input type="text"/></td> </tr> <tr> <td colspan="2">Month</td> <td colspan="2">Day</td> <td colspan="4">Year</td> </tr> </table>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	Month		Day		Year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>										
Month		Day		Year													
4. RACE/ <sup>®</sup> ETHNICITY	<table border="1"> <tr> <td>1. American Indian/Alaskan Native</td> <td>4. Hispanic</td> </tr> <tr> <td>2. Asian/Pacific Islander</td> <td>5. White, not of Hispanic origin</td> </tr> <tr> <td>3. Black, not of Hispanic origin</td> <td></td> </tr> </table>	1. American Indian/Alaskan Native	4. Hispanic	2. Asian/Pacific Islander	5. White, not of Hispanic origin	3. Black, not of Hispanic origin											
1. American Indian/Alaskan Native	4. Hispanic																
2. Asian/Pacific Islander	5. White, not of Hispanic origin																
3. Black, not of Hispanic origin																	
5. SOCIAL SECURITY <sup>®</sup> AND MEDICARE NUMBERS <sup>®</sup> [C in 1 <sup>st</sup> box if non med. no.]	<table border="1"> <tr> <td>a. Social Security Number</td> </tr> <tr> <td><input type="text"/></td> </tr> <tr> <td>b. Medicare number (or comparable railroad insurance number)</td> </tr> <tr> <td><input type="text"/></td> </tr> </table>	a. Social Security Number	<input type="text"/>	b. Medicare number (or comparable railroad insurance number)	<input type="text"/>												
a. Social Security Number																	
<input type="text"/>																	
b. Medicare number (or comparable railroad insurance number)																	
<input type="text"/>																	
6. FACILITY PROVIDER NO. <sup>®</sup>	<table border="1"> <tr> <td>a. State No.</td> </tr> <tr> <td><input type="text"/></td> </tr> <tr> <td>b. Federal No.</td> </tr> <tr> <td><input type="text"/></td> </tr> </table>	a. State No.	<input type="text"/>	b. Federal No.	<input type="text"/>												
a. State No.																	
<input type="text"/>																	
b. Federal No.																	
<input type="text"/>																	
7. MEDICAID NO. ["+" if pending, "N" if not a Medicaid recipient] <sup>®</sup>	<table border="1"> <tr> <td><input type="text"/></td> </tr> </table>	<input type="text"/>															
<input type="text"/>																	
8. REASONS FOR ASSESSMENT	<p>[Note—Other codes do not apply to this form]</p> <p>a. Primary reason for assessment</p> <ol style="list-style-type: none"> <li>1. Admission assessment (required by day 14)</li> <li>2. Annual assessment</li> <li>3. Significant change in status assessment</li> <li>4. Significant correction of prior full assessment</li> <li>5. Quarterly review assessment</li> <li>10. Significant correction of prior quarterly assessment</li> <li>0. NONE OF ABOVE</li> </ol> <p>b. Codes for assessments required for Medicare PPS or the State</p> <ol style="list-style-type: none"> <li>1. Medicare 5 day assessment</li> <li>2. Medicare 30 day assessment</li> <li>3. Medicare 60 day assessment</li> <li>4. Medicare 90 day assessment</li> <li>5. Medicare readmission/return assessment</li> <li>6. Other state required assessment</li> <li>7. Medicare 14 day assessment</li> <li>8. Other Medicare required assessment</li> </ol>																

<b>9. Signatures of Persons who Completed a Portion of the Accompanying Assessment or Tracking Form</b>		
I certify that the accompanying information accurately reflects resident assessment or tracking information for this resident and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that residents receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information. I also certify that I am authorized to submit this information by this facility on its behalf.		
Signature and Title	Sections	Date
a.		
b.		
c.		
d.		
e.		
f.		
g.		
h.		
i.		
j.		
k.		
l.		

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Patient identification (procedure)	SNOMED CT	
Broader Match Term	Broader Match Namespace	
Demographic history detail (observable entity)	SNOMED CT	

**Section AA1. (Resident Name)**

1. RESIDENT NAME <sup>®</sup>				
	a. (First)	b. (Middle Initial)	c. (Last)	d. (Jr/Sr)

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
EntityNamePartType System Patient name (observable entity)	HL7V3 SNOMED CT	
Broader Match Term	Broader Match Namespace	-----
Name (10285)	HL7V3	

**Section AA1a. (First)**

1.	RESIDENT NAME®	
		a. (First)

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
given (10798) Patient forename (observable entity)	HL7V3 SNOMED CT	

**Section AA1b. (Middle Initial)**

b. (Middle Initial)

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Patient middle initial (observable entity)	SNOMED CT	
Partial Match Term	Partial Match Namespace	-----
initial (15586)	HL7V3	

**Section AA1c. (Last)**

c. (Last)

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
family (10797) Patient surname (observable entity)	HL7V3 SNOMED CT	

**Section AA1d. (Jr/Sr)**

d. (Jr/Sr)

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
suffix (10801)	HL7V3	

**Section AA2 (Gender)**

2.	GENDER®	1. Male	2. Female	
----	---------	---------	-----------	--

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
AdministrativeGender System	HL7V3	

Gender finding (finding)	SNOMED CT	
Male (10383)	HL7V3	
Male (finding)	SNOMED CT	
Female (10384)	HL7V3	
Female (finding)	SNOMED CT	

**[Section AA2.1 \(Male\)](#)**

1. Male

See Section AA2 (Gender)

**[Section AA2.2 \(Female\)](#)**

2. Female

See Section AA2 (Gender)

**[Section AA3 \(Birthdate\)](#)**

3. BIRTHDATE <sup>Ⓞ</sup>	<input type="text"/>	—	<input type="text"/>	—	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	Month		Day		Year			

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Date of birth (observable entity)	SNOMED CT	
month (qualifier value)	SNOMED CT	
month of the year (10815)	HL7V3	
month of the year (10816)	HL7V3	
day (qualifier value)	SNOMED CT	
day of the month (10821)	HL7V3	
year (10813)	HL7V3	
year (10814)	HL7V3	
year (qualifier value)	SNOMED CT	
<b>Broader Match Term</b>	<b>Broader Match Namespace</b>	-----
Date and Time (10279)	HL7V3	
<b>Partial Match Term</b>	<b>Partial Match Namespace</b>	-----
birth (10802)	HL7V3	

**[Section AA4 \(Race/Ethnicity\)](#)**

4.	RACE/ETHNICITY	1. American Indian/Alaskan Native 2. Asian/Pacific Islander 3. Black, not of Hispanic origin	4. Hispanic 5. White, not of Hispanic origin	
----	----------------	--	---	--

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Race (16453) Race System American Indian or Alaska Native (14018) American Indian race (racial group) Hispanic or Latino (14938)	HL7V3 HL7V3 HL7V3 SNOMED CT HL7V3	
Broader Match Term	Broader Match Term Namespace	-----
Black - ethnic group (ethnic group) Demographic history finding (finding) White - ethnic group (ethnic group)	SNOMED CT SNOMED CT SNOMED CT	
Partial Match Term	Partial Match Namespace	-----
Asian (14845) Black (14871) Ethnic group finding (finding) Not Hispanic or Latino (14980) Other Pacific Islander (14915) White (14916)	HL7V3 HL7V3 SNOMED CT HL7V3 HL7V3 HL7V3	

**[Section AA4.1 \(American Indian/Alaskan Native\)](#)**

1. American Indian/Alaskan Native

See Section AA4 (Race/Ethnicity)

**[Section AA4.2 \(Asian/Pacific Islander\)](#)**

2. Asian/Pacific Islander

See Section AA4 (Race/Ethnicity)

**[Section AA4.3 \(Black, not of Hispanic origin\)](#)**

3. Black, not of Hispanic origin

See Section AA4 (Race/Ethnicity)

**[Section AA4.4 \(Hispanic\)](#)**

4. Hispanic

See Section AA4 (Race/Ethnicity)

**Section AA4.5 (White, not of Hispanic origin)**

5. White, not of  
Hispanic origin

See Section AA4 (Race/Ethnicity)

**Section AA5 (Social Security & Medicare Numbers)**

5.	SOCIAL SECURITY <sup>®</sup> AND MEDICARE NUMBERS <sup>®</sup> [C in 1 <sup>st</sup> box if non med. no.]	a. Social Security Number
		b. Medicare number (or comparable railroad insurance number)

<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Administrative information (administrative concept)	SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Namespace</b>	-----
Social security number (observable entity)	SNOMED CT	

**Section AA5a. (Social Security Number)**

a. Social Security Number

<input type="text"/>	<input type="text"/>	<input type="text"/>	—	<input type="text"/>	<input type="text"/>	—	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------	---	----------------------	----------------------	---	----------------------	----------------------	----------------------	----------------------

<b>Best Match Term</b>	<b>Best Match Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
Social security number (observable entity) Text (10290) Text value (qualifier value)	SNOMED CT HL7V3 SNOMED CT	What is this? (dmalitz 2005/05/31 14:50)
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Number (10284)	HL7V3	

**Section AA5b. (Medicare Number (or comparable railroad insurance number))**

b. Medicare number (or comparable railroad insurance number)

<input type="text"/>										
----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

<b>Best Match Term</b>	<b>Best Match Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
Text (10290) Text value (qualifier value)	HL7V3 SNOMED CT	What is this? (dmalitz 2005/05/31 14:50)
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Administrative information (administrative concept) Identification number (observable entity) Number (10284)	SNOMED CT SNOMED CT HL7V3	

**Section AA6 (Facility Provider No.)**

6. FACILITY PROVIDER NO.®	a. State No.
	b. Federal No.

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
Administrative information (administrative concept) Identification number (observable entity) Number (10284)	SNOMED CT SNOMED CT HL7V3	

**Section AA6a. (State No.)**

a. State No.
--------------

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Text (10290) Text value (qualifier value)	HL7V3 SNOMED CT	What is this? (dmalitz 2005/05/31 14:50)

**Section AA6b. (Federal No.)**

b. Federal No.
----------------

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Text (10290) Text value (qualifier value)	HL7V3 SNOMED CT	What is this? (dmalitz 2005/05/31 14:50)
Broader Match Term	Broader Match Term Namespace	-----
Administrative information (administrative concept) Identification number (observable entity) Number (10284)	SNOMED CT SNOMED CT HL7V3	

**Section AA7 (Medicaid No.)**

7. MEDICAID NO. [ "+" if pending, "N" if not a Medicaid recipient]®	
---	--

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Text (10290) Text value (qualifier value)	HL7V3 SNOMED CT	What is this? (dmalitz 2005/05/31 14:50)

Broader Match Term	Broader Match Term Namespace	-----
Administrative information (administrative concept) Identification number (observable entity) Number (10284)	SNOMED CT SNOMED CT HL7V3	

**Section AA8 (Reasons for Assessment)**

8.	<b>REASONS FOR ASSESSMENT</b>	<p>[Note—Other codes do not apply to this form]</p> <p><b>a. Primary reason for assessment</b></p> <ol style="list-style-type: none"> <li>1. Admission assessment (required by day 14)</li> <li>2. Annual assessment</li> <li>3. Significant change in status assessment</li> <li>4. Significant correction of prior full assessment</li> <li>5. Quarterly review assessment</li> <li>10. Significant correction of prior quarterly assessment</li> <li>0. <i>NONE OF ABOVE</i></li> </ol> <p><b>b. Codes for assessments required for Medicare PPS or the State</b></p> <ol style="list-style-type: none"> <li>1. <i>Medicare 5 day assessment</i></li> <li>2. <i>Medicare 30 day assessment</i></li> <li>3. <i>Medicare 60 day assessment</i></li> <li>4. <i>Medicare 90 day assessment</i></li> <li>5. <i>Medicare readmission/return assessment</i></li> <li>6. <i>Other state required assessment</i></li> <li>7. <i>Medicare 14 day assessment</i></li> <li>8. <i>Other Medicare required assessment</i></li> </ol>		
----	-------------------------------	---	--	--

Partial Match Term	Partial Match Namespace	Reviewer Feedback & Name
Evaluation procedure (procedure) Reason for (attribute)	SNOMED CT SNOMED CT	

**Section AA8a. (Primary reason for assessment)**

<p><b>a. Primary reason for assessment</b></p> <ol style="list-style-type: none"> <li>1. Admission assessment (required by day 14)</li> <li>2. Annual assessment</li> <li>3. Significant change in status assessment</li> <li>4. Significant correction of prior full assessment</li> <li>5. Quarterly review assessment</li> <li>10. Significant correction of prior quarterly assessment</li> <li>0. <i>NONE OF ABOVE</i></li> </ol>		
--	--	--

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Admission assessment (regime/therapy)	SNOMED CT	
Broader Match Term	Broader Match Term Namespace	-----
Administrative information (administrative concept)	SNOMED CT	
Partial Match Term	Partial Match Namespace	-----
Significant (qualifier value)	SNOMED CT	

**Section AA8a.1 (Admission assessment (required by day 14))**

- | 1. Admission assessment (required by day 14)

See Section AA8a. (Primary reason for assessment)

**Section AA8a.2 (Annual assessment)**

| 2. Annual assessment

**NO MATCHES FOUND**

**Section AA8a.3 (Significant change in status assessment)**

| 3. Significant change in status assessment

See Section AA8a. (Primary reason for assessment)

**Section AA8a.4 (Significant correction of prior full assessment)**

| 4. Significant correction of prior full assessment

See Section AA8a. (Primary reason for assessment)

**Section AA8a.5 (Quarterly review assessment)**

| 5. Quarterly review assessment

**NO MATCHES FOUND**

**Section AA8a.10 (Significant correction of prior quarterly assessment)**

| 10. Significant correction of prior quarterly assessment

See Section AA8a. (Primary reason for assessment)

**Section AA8a.0 (NONE OF ABOVE)**

| 0. NONE OF ABOVE

**NO MATCHES FOUND**

**Section AA8b. (Codes for assessments required for Medicare PPS or the State)**

- b. Codes for assessments required for Medicare PPS or the State
- 1. Medicare 5 day assessment
- 2. Medicare 30 day assessment
- 3. Medicare 60 day assessment
- 4. Medicare 90 day assessment
- 5. Medicare readmission/return assessment
- 6. Other state required assessment
- 7. Medicare 14 day assessment
- 8. Other Medicare required assessment



Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Patient record types (administrative concept)	SNOMED CT	The "patient record types" and "administrative

		<p>information" are too general and ill-defined to be useful. (<b>dmalitz 2005/05/26 13:41</b>)</p> <p>This could be a subconcept of the SNOMED concept Patient record types (administrative concept) (Code: R-42811 Id: 184216) or Coding schema (administrative concept) (Code: R-400FD Id: 397762). (<b>rshephard 2005/05/15 14:40</b>)</p> <p>Though not listed as a subconcept, this concept (AA8b) may be closer to the SNOMED concept Patient record types (administrative concept)(Code: R-42811 Id: 184216) or Coding schema (administrative concept) (Code: R-400FD Id: 397762)...? (<b>rshephard 2005/05/15 14:35</b>)</p>
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Administrative information (administrative concept) Coding schema (administrative concept) Patient record types (administrative concept)	SNOMED CT SNOMED CT SNOMED CT	

**[Section AA8b.1 \(Medicare 5 day assessment\)](#)**

| 1. Medicare 5 day assessment

**NO MATCHES FOUND**

**[Section AA8b.2 \(Medicare 30 day assessment\)](#)**

| 2. Medicare 30 day assessment

**NO MATCHES FOUND**

**[Section AA8b.3 \(Medicare 60 day assessment\)](#)**

| 3. Medicare 60 day assessment

**NO MATCHES FOUND**

**[Section AA8b.4 \(Medicare 90 day assessment\)](#)**

| 4. Medicare 90 day assessment

**NO MATCHES FOUND**

**[Section AA8b.5 \(Medicare readmission/return assessment\)](#)**

| 5. Medicare readmission/return assessment

NO MATCHES FOUND

Section AA8b.6 (Other state required assessment)

| 6. Other state required assessment

NO MATCHES FOUND

Section AA8b.7 (Medicare 14 day assessment)

| 7. Medicare 14 day assessment

NO MATCHES FOUND

Section AA8b.8 (Other Medicare required assessment)

| 8. Other Medicare required assessment

NO MATCHES FOUND

Section AB (Demographic Information)

**SECTION AB. DEMOGRAPHIC INFORMATION**

1.	DATE OF ENTRY	<p><i>Date the stay began. Note — Does not include readmission if record was closed at time of temporary discharge to hospital, etc. In such cases, use prior admission date</i></p> <p> <input type="text"/> <input type="text"/> — <input type="text"/> <input type="text"/> — <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> </p> <p>Month                  Day                  Year</p>
2.	ADMITTED FROM (AT ENTRY)	<p>1. Private home/apt. with no home health services  2. Private home/apt. with home health services  3. Board and care/assisted living/group home  4. Nursing home  5. Acute care hospital  6. Psychiatric hospital, MR/DD facility  7. Rehabilitation hospital  8. Other</p>
3.	LIVED ALONE (PRIOR TO ENTRY)	<p>0. No  1. Yes  2. In other facility</p>
4.	ZIP CODE OF PRIOR PRIMARY RESIDENCE	<p><input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/></p>
5.	RESIDENTIAL HISTORY 5 YEARS PRIOR TO ENTRY	<p><i>(Check all settings resident lived in during 5 years prior to date of entry given in item AB1 above)</i></p> <p>Prior stay at this nursing home <input type="checkbox"/> a.</p> <p>Stay in other nursing home <input type="checkbox"/> b.</p> <p>Other residential facility—board and care home, assisted living, group home <input type="checkbox"/> c.</p>

		MH/psychiatric setting	d.
		MR/DD setting	e.
		NONE OF ABOVE	f.
6.	LIFETIME OCCUPATION(S) [Put "I" between two occupations]		
7.	EDUCATION (Highest Level Completed)	1. No schooling 2. 8th grade/less 3. 9-11 grades 4. High school	5. Technical or trade school 6. Some college 7. Bachelor's degree 8. Graduate degree
8.	LANGUAGE (Code for correct response)	a. Primary Language 0. English    1. Spanish    2. French    3. Other	
		b. If other, specify	
9.	MENTAL HEALTH HISTORY	Does resident's RECORD indicate any history of mental retardation, mental illness, or developmental disability problem? 0. No    1. Yes	
10.	CONDITIONS RELATED TO MR/DD STATUS	(Check all conditions that are related to MR/DD status that were manifested before age 22, and are likely to continue indefinitely) Not applicable—no MR/DD (Skip to AB11) MR/DD with organic condition Down's syndrome Autism Epilepsy Other organic condition related to MR/DD MR/DD with no organic condition	a. b. c. d. e. f.
11.	DATE BACKGROUND INFORMATION COMPLETED	<div style="display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="margin: 0 5px;">—</div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="margin: 0 5px;">—</div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> </div> <p style="text-align: center;">Month                  Day                  Year</p>	

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
Demographic history detail (observable entity)	SNOMED CT	

**[Section AB1 \(Date of Entry\)](#)**

1.	DATE OF ENTRY	Date the stay began. Note — Does not include readmission if record was closed at time of temporary discharge to hospital, etc. In such cases, use prior admission date
		<div style="display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="margin: 0 5px;">—</div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="margin: 0 5px;">—</div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> </div> <p style="text-align: center;">Month                  Day                  Year</p>

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Date of admission (observable entity) day (qualifier value)	SNOMED CT SNOMED CT	

day of the month (10821)	HL7V3	
month (qualifier value)	SNOMED CT	
month of the year (10815)	HL7V3	
month of the year (10816)	HL7V3	
year (10813)	HL7V3	
year (10814)	HL7V3	
year (qualifier value)	SNOMED CT	

**Section AB2 (Admitted From (At Entry))**

2.	<b>ADMITTED FROM (AT ENTRY)</b>	1. Private home/apt. with no home health services 2. Private home/apt. with home health services 3. Board and care/assisted living/group home 4. Nursing home 5. Acute care hospital 6. Psychiatric hospital, MR/DD facility 7. Rehabilitation hospital 8. Other	
----	---------------------------------	---	--

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
EncounterAdmissionSource System Assisted Living Facility (17478) Nursing Home (10397) Nursing home (environment) General acute care hospital (10747) Primary care hospital (environment) Rehabilitation hospital (10751) Rehabilitation hospital (environment) Other (qualifier value)	HL7V3 HL7V3 HL7V3 SNOMED CT HL7V3 SNOMED CT HL7V3 SNOMED CT SNOMED CT	
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Private home-based care (environment) Administrative information (administrative concept) Admission procedure (procedure)	SNOMED CT SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Namespace</b>	-----
Home Health Care (11180) Lives in independent group home (finding) primary home (10776) Psychiatric hospital (environment)	HL7V3 SNOMED CT HL7V3 SNOMED CT	

**Section AB2.1 (Private home/apt. with no home health services)**

|1. Private home/apt. with no home health services

See Section AB2 (Admitted from (At Entry))

**Section AB2.2 (Private home/apt. with home health services)**

|2. Private home/apt. with home health services

See Section AB2 (Admitted from (At Entry))

[Section AB2.3 \(Board and care/assisted living/group home\)](#)

|3. Board and care/assisted living/group home

See Section AB2 (Admitted from (At Entry))

[Section AB2.4 \(Nursing home\)](#)

|4. Nursing home

See Section AB2 (Admitted from (At Entry))

[Section AB2.5 \(Acute care hospital\)](#)

|5. Acute care hospital

See Section AB2 (Admitted from (At Entry))

[Section AB2.6 \(Psychiatric hospital, MR/DD facility\)](#)

|6. Psychiatric hospital, MR/DD facility

See Section AB2 (Admitted from (At Entry))

[Section AB2.7 \(Rehabilitation hospital\)](#)

|7. Rehabilitation hospital

See Section AB2 (Admitted from (At Entry))

[Section AB2.8 \(Other\)](#)

|8. Other

See Section AB2 (Admitted from (At Entry))

[Section AB3 \(Lived alone \(Prior to entry\)\)](#)

3.	LIVED ALONE (PRIOR TO ENTRY)	0. No 1. Yes 2. In other facility	<input type="checkbox"/>
----	------------------------------	---	--------------------------

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Lives alone (finding) No (qualifier value)	SNOMED CT SNOMED CT	There is no review option on the screen, but it seems that No (qualifier value) (Code: R-00339 Id: 373067 Namespace: SNOMED CT) would be a best semantic

Yes (qualifier value)	SNOMED CT	match. (rshephard 2005/05/15 15:10)
-----------------------	-----------	-------------------------------------

**Section AB3.0 (No)**

0. No

See Section AB3 (Lived alone (Prior to entry))

**Section AB3.1 (Yes)**

1. Yes

See Section AB3 (Lived alone (Prior to entry))

**Section AB3.2 (In other facility)**

2. In other facility

**NO MATCHES FOUND**

**Section AB4 (Zip Code of Prior Primary Residence)**

4. ZIP CODE OF PRIOR PRIMARY RESIDENCE	<input type="text"/>				
--	----------------------	----------------------	----------------------	----------------------	----------------------

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Patient postal code (observable entity) postal code (10791)	SNOMED CT HL7V3	
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Administrative information (administrative concept)	SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Namespace</b>	-----
Patient postal code (observable entity) postal code (10791)	SNOMED CT HL7V3	

**Section AB5 (Residential History 5 Years Prior to Entry)**

5. RESIDENTIAL HISTORY 5 YEARS PRIOR TO ENTRY	(Check all settings resident lived in during 5 years prior to date of entry given in item AB1 above)	
	Prior stay at this nursing home	a.
	Stay in other nursing home	b.
	Other residential facility—board and care home, assisted living, group home	c.
	MH/psychiatric setting	d.
	MR/DD setting	e.
NONE OF ABOVE	f.	

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Finding of residence and accommodation circumstances (finding)	SNOMED CT	
Broader Match Term	Broader Match Term Namespace	-----
Finding of housing ownership and tenure (finding)	SNOMED CT	
Partial Match Term	Partial Match Namespace	-----
Patient's Residence (15605)	HL7V3	

**Section AB5a. (Prior stay at this nursing home)**

Prior stay at this nursing home

a.

Partial Match Term	Partial Match Namespace	Reviewer Feedback & Name
AB5b Stay in other nursing home Nursing Home (10397) Nursing home (environment) Nursing Home Administrator (17089) Patient's Residence (15605) Previous multiple hospital admissions (finding)	MDS HL7V3 SNOMED CT HL7V3 HL7V3 SNOMED CT	

**Section AB5b. (Stay in other nursing home)**

Stay in other nursing home

b.

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
LivingArrangement System	HL7V3	
Partial Match Term	Partial Match Namespace	-----
Nursing home (environment)	SNOMED CT	

**Section AB5c. (Other residential facility—board and care home, assisted living, group home)**

Other residential facility—board and care home, assisted living, group home

c.

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
LivingArrangement System	HL7V3	
Partial Match Term	Partial Match Namespace	-----

Ambulatory care site (environment) Institution (10396) Lives in a residential home (finding) Living in residential institution (finding) Nursing Home (10397) Nursing home AND/OR ambulatory care site (environment) Patient's Residence (15605)	SNOMED CT HL7V3 SNOMED CT SNOMED CT HL7V3 SNOMED CT HL7V3	
---	---	--

**Section AB5d. (MH/Psychiatric setting)**

MH/psychiatric setting

d.

<b>Best Match Term</b>	<b>Best Match Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
Psychiatric Care Facility (16678)	HL7V3	
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
AB5e MR/DD setting Institution (10396) LivingArrangement System	MDS HL7V3 HL7V3	
<b>Partial Match Term</b>	<b>Partial Match Namespace</b>	-----
Addiction Psychiatry (16899) Geriatric Psychiatry (16903) Group Home (10400) Independent Household (10395) Nursing Home (10397) Patient's Residence (15605) Psychiatric Hospital (17403) Psychiatric hospital (environment) Psychiatric hospital unit (10741) Psychiatric/Mental Health, Adult (17075) Psychiatry department (environment)	HL7V3 HL7V3 HL7V3 HL7V3 HL7V3 HL7V3 HL7V3 HL7V3 SNOMED CT HL7V3 HL7V3 HL7V3 SNOMED CT	

**Section AB5e. (MR/DD setting)**

MR/DD setting

e.

<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
LivingArrangement System	HL7V3	
<b>Partial Match Term</b>	<b>Partial Match Namespace</b>	-----
Day Training, Developmentally Disabled Services (17329) Mental Retardation & Developmental Disabilities (16956) NHS mental health nursing home/residential care (regime/therapy) Patient's Residence (15605)	HL7V3 HL7V3 SNOMED CT HL7V3	

**Section AB5f. (NONE OF ABOVE)**

NONE OF ABOVE

f.

**NO MATCHES FOUND**

**Section AB6 (Lifetime Occupation(s))**

6. LIFETIME OCCUPATION(S) [Put "/" between two occupations]	

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Occupation (occupation) Text (10290) Text value (qualifier value)	SNOMED CT HL7V3 SNOMED CT	What is this? (dmalitz 2005/05/31 14:50)

**Section AB7 (EDUCATION (Highest Level Completed))**

7. EDUCATION (Highest Level Completed)	1. No schooling	5. Technical or trade school	
	2. 8th grade/less	6. Some college	
	3. 9-11 grades	7. Bachelor's degree	
	4. High school	8. Graduate degree	

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Only received primary school education (finding) College or baccalaureate degree complete (15939) Associate's or technical degree complete (15938) Vocational schooling (regime/therapy) College or baccalaureate degree complete (15939) Some College education (15937) High School or secondary school degree complete (15936) Graduate or professional Degree complete (15941) EducationLevel System Finding of education received in the past (finding) Some secondary or high school education (15935)	SNOMED CT HL7V3 HL7V3 SNOMED CT HL7V3 HL7V3 HL7V3 HL7V3 HL7V3 HL7V3 SNOMED CT HL7V3	
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Finding of education received in the past (finding) College (environment) Education and/or schooling finding (finding) Received higher education (finding)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Namespace</b>	-----
Elementary School (15934) Finding of education received in the past (finding) Received further education at technical college (finding)	HL7V3 SNOMED CT SNOMED CT	

Received higher education college education (finding) Some (qualifier value)	SNOMED CT SNOMED CT	
---	------------------------	--

**[Section AB7.1 \(No schooling\)](#)**

1. No schooling

**NO MATCHES FOUND**

**[Section AB7.2 \(8<sup>th</sup> grade/less\)](#)**

2. 8th grade/less

See Section AB7 (EDUCATION (Highest Level Completed))

**[Section AB7.3 \(9-11 grades\)](#)**

3. 9-11 grades

See Section AB7 (EDUCATION (Highest Level Completed))

**[Section AB7.4 \(High school\)](#)**

4. High school

See Section AB7 (EDUCATION (Highest Level Completed))

**[Section AB7.5 \(Technical or trade school\)](#)**

5. Technical or trade school

See Section AB7 (EDUCATION (Highest Level Completed))

**[Section AB7.6 \(Some college\)](#)**

6. Some college

See Section AB7 (EDUCATION (Highest Level Completed))

**[Section AB7.7 \(Bachelor's degree\)](#)**

7. Bachelor's degree

See Section AB7 (EDUCATION (Highest Level Completed))

**[Section AB7.8 \(Graduate degree\)](#)**

8. Graduate degree

See Section AB7 (EDUCATION (Highest Level Completed))

**Section AB8 (Language)**

8.	LANGUAGE	(Code for correct response)									
		a. Primary Language									
		0. English	1. Spanish	2. French	3. Other						
		b. If other, specify									

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Main spoken language (finding)	SNOMED CT	

**Section AB8a. (Primary Language)**

a. Primary Language	
0. English	1. Spanish 2. French 3. Other

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Main spoken language (finding)	SNOMED CT	
Main spoken language English (finding)	SNOMED CT	
Main spoken language French (finding)	SNOMED CT	
Main spoken language Spanish (finding)	SNOMED CT	
Other (qualifier value)	SNOMED CT	
Broader Match Term	Broader Match Term Namespace	-----
Language spoken (observable entity)	SNOMED CT	
Partial Match Term	Partial Match Namespace	-----
LanguageAbilityProficiency System	HL7V3	
Mother tongue (observable entity)	SNOMED CT	

**Section AB8a.0 (English)**

0. English
------------

See Section AB8a. (Primary Language)

**Section AB8a.1 (Spanish)**

1. Spanish
------------

See Section AB8a. (Primary Language)

**Section AB8a.2 (French)**

2. French
-----------



**Section AB10 (CONDITIONS RELATED TO MR/DD STATUS)**

10. CONDITIONS RELATED TO MR/DD STATUS	(Check all conditions that are related to MR/DD status that were manifested before age 22, and are likely to continue indefinitely)	
	Not applicable—no MR/DD (Skip to AB11)	a.
	MR/DD with organic condition	
	Down's syndrome	b.
	Autism	c.
	Epilepsy	d.
	Other organic condition related to MR/DD	e.
MR/DD with no organic condition	f.	

**NO MATCHES FOUND**

**Section AB10a. (Not applicable – no MR/DD (Skip to AB11))**

Not applicable—no MR/DD (Skip to AB11)	a.
--	----

**NO MATCHES FOUND**

**Section AB10b. (MR/DD with organic condition – Down's Syndrome)**

Down's syndrome	b.
-----------------	----

**NO MATCHES FOUND**

**Section AB10c. (MR/DD with organic condition – Autism)**

Autism	c.
--------	----

**NO MATCHES FOUND**

**Section AB10d. (MR/DD with organic condition – Epilepsy)**

Epilepsy	d.
----------	----

**NO MATCHES FOUND**

**Section AB10e. (MR/DD with organic condition – Other organic condition related to MR/DD)**

Other organic condition related to MR/DD	e.
--	----

**NO MATCHES FOUND**

Section AB10f. (MR/DD with no organic condition)

MR/DD with no organic condition	f.
---------------------------------	----

**NO MATCHES FOUND**

Section AB11 (DATE BACKGROUND INFORMATION COMPLETED)

11.	DATE BACK- GROUND INFORMA- TION COMPLETED	<table border="1"><tr><td> </td><td> </td><td>—</td><td> </td><td> </td><td>—</td><td> </td><td> </td><td> </td><td> </td></tr><tr><td colspan="2">Month</td><td></td><td colspan="2">Day</td><td></td><td colspan="4">Year</td></tr></table>			—			—					Month			Day			Year			
		—			—																	
Month			Day			Year																

**NO MATCHES ATTEMPTED**

Section AC (Customary Routine)

**SECTION AC. CUSTOMARY ROUTINE**

1.	CUSTOMARY ROUTINE	(Check all that apply. If all information UNKNOWN, check last box only)
<i>(In year prior to DATE OF ENTRY to this nursing home, or year last in community if now being admitted from another nursing home)</i>	<b>CYCLE OF DAILY EVENTS</b>	
	Stays up late at night (e.g., after 9 pm)	a.
	Naps regularly during day (at least 1 hour)	b.
	Goes out 1+ days a week	c.
	Stays busy with hobbies, reading, or fixed daily routine	d.
	Spends most of time alone or watching TV	e.
	Moves independently indoors (with appliances, if used)	f.
	Use of tobacco products at least daily	g.
	NONE OF ABOVE	h.
	<b>EATING PATTERNS</b>	
	Distinct food preferences	i.
	Eats between meals all or most days	j.
	Use of alcoholic beverage(s) at least weekly	k.
	NONE OF ABOVE	l.
	<b>ADL PATTERNS</b>	
	In bedclothes much of day	m.
Wakens to toilet all or most nights	n.	
Has irregular bowel movement pattern	o.	
Showers for bathing	p.	

Bathing in PM	g.
NONE OF ABOVE	r.
<b>INVOLVEMENT PATTERNS</b>	
Daily contact with relatives/close friends	s.
Usually attends church, temple, synagogue (etc.)	t.
Finds strength in faith	u.
Daily animal companion/presence	v.
Involved in group activities	w.
NONE OF ABOVE	x.
UNKNOWN—Resident/family unable to provide information	y.

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Regular daily routine (finding)	SNOMED CT	

**Section AC1 (Customary routine (In year prior to DATE OF ENTRY in this nursing home, or year last in community if now being admitted from another nursing home))**

<b>1. CUSTOMARY ROUTINE</b>  <i>(In year prior to DATE OF ENTRY to this nursing home, or year last in community if now being admitted from another nursing home)</i>	<i>(Check all that apply. If all information UNKNOWN, check last box only)</i>	
	<b>CYCLE OF DAILY EVENTS</b>	
	Stays up late at night (e.g., after 9 pm)	a.
	Naps regularly during day (at least 1 hour)	b.
	Goes out 1+ days a week	c.
	Stays busy with hobbies, reading, or fixed daily routine	d.
	Spends most of time alone or watching TV	e.
	Moves independently indoors (with appliances, if used)	f.
	Use of tobacco products at least daily	g.
	NONE OF ABOVE	h.
	<b>EATING PATTERNS</b>	
	Distinct food preferences	i.
	Eats between meals all or most days	j.
	Use of alcoholic beverage(s) at least weekly	k.
	NONE OF ABOVE	l.
	<b>ADL PATTERNS</b>	
	In bedclothes much of day	m.
	Wakens to toilet all or most nights	n.
	Has irregular bowel movement pattern	o.

Showers for bathing	p.
Bathing in PM	q.
NONE OF ABOVE	r.
<b>INVOLVEMENT PATTERNS</b>	
Daily contact with relatives/close friends	s.
Usually attends church, temple, synagogue (etc.)	t.
Finds strength in faith	u.
Daily animal companion/presence	v.
Involved in group activities	w.
NONE OF ABOVE	x.
UNKNOWN—Resident/family unable to provide information	y.

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Regular daily routine (finding)	SNOMED CT	

**Section AC1a. (CYCLE OF DAILY EVENTS – Stays up late at night (e.g., after 9 P.M.))**

Stays up late at night (e.g., after 9 pm)	a.
---	----

**NO MATCHES FOUND**

**Section AC1b. (CYCLE OF DAILY EVENTS – Naps regularly during day (at least 1 hr))**

Naps regularly during day (at least 1 hour)	b.
---	----

**NO MATCHES FOUND**

**Section AC1c. (CYCLE OF DAILY EVENTS – Goes out 1+ days a week)**

Goes out 1+ days a week	c.
-------------------------	----

**NO MATCHES FOUND**

**Section AC1d. (CYCLE OF DAILY EVENTS – Stays busy with hobbies, reading, or a fixed daily routine)**

Stays busy with hobbies, reading, or fixed daily routine	d.
--	----

**NO MATCHES FOUND**

**Section AC1e. (CYCLE OF DAILY EVENTS – Spends most of time alone or watching TV)**

Spends most of time alone or watching TV

e.

**NO MATCHES FOUND**

**Section AC1f. (CYCLE OF DAILY EVENTS – Moves independently indoors (with appliances, if used))**

Moves independently indoors (with appliances, if used)

f.

**NO MATCHES FOUND**

**Section AC1g. (CYCLE OF DAILY EVENTS – Use of tobacco products at least daily)**

Use of tobacco products at least daily

g.

**NO MATCHES FOUND**

**Section AC1h. (CYCLE OF DAILY EVENTS – NONE OF THE ABOVE)**

NONE OF ABOVE

h.

**NO MATCHES FOUND**

**Section AC1i. (EATING PATTERNS – Distinct food preferences)**

Distinct food preferences

i.

**NO MATCHES FOUND**

**Section AC1j. (EATING PATTERNS – Eats between meals all or most days)**

Eats between meals all or most days

j.

**NO MATCHES FOUND**

**Section AC1k. (Use of alcoholic beverage(s) at least weekly)**

Use of alcoholic beverage(s) at least weekly

k.

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
Finding of pattern of alcohol consumption through week (finding) Pattern of alcohol consumption through week (observable entity)	SNOMED CT SNOMED CT	
Partial Match Term	Partial Match Namespace	-----
alcohol units/week (qualifier value)	SNOMED CT	

**Section AC1l. (EATING PATTERNS – NONE OF ABOVE)**

NONE OF ABOVE	l.
---------------	----

**NO MATCHES FOUND**

**Section AC1m. (ADL PATTERNS – In bedclothes much of day)**

In bedclothes much of day	m.
---------------------------	----

**NO MATCHES FOUND**

**Section AC1n. (ADL PATTERNS – Wakens to toilet all or most nights)**

Wakens to toilet all or most nights	n.
-------------------------------------	----

**NO MATCHES FOUND**

**Section AC1o. (ADL PATTERNS – Has irregular bowel movement pattern)**

Has irregular bowel movement pattern	o.
--------------------------------------	----

**NO MATCHES FOUND**

**Section AC1p. (ADL PATTERNS – Showers for bathing)**

Showers for bathing	p.
---------------------	----

**NO MATCHES FOUND**

**Section AC1q. (ADL PATTERNS – Bathing in PM)**

Bathing in PM	q.
---------------	----

**NO MATCHES FOUND**

**Section AC1r. (ADL PATTERNS – NONE OF ABOVE)**

NONE OF ABOVE	r.
---------------	----

**NO MATCHES FOUND**

**Section AC1s. (INVOLVEMENT PATTERNS – Daily contact with relatives/close friends)**

Daily contact with relatives/close friends

s.

**NO MATCHES FOUND**

**Section AC1t. (INVOLVEMENT PATTERNS – Usually attends church, temple, synagogue, etc.)**

Usually attends church, temple, synagogue (etc.)

t.

**NO MATCHES FOUND**

**Section AC1u. (INVOLVEMENT PATTERNS – Finds strength in faith)**

Finds strength in faith

u.

**NO MATCHES FOUND**

**Section AC1v. (INVOLVEMENT PATTERNS – Daily animal companion/presence)**

Daily animal companion/presence

v.

**NO MATCHES FOUND**

**Section AC1w. (INVOLVEMENT PATTERNS – Involved in group activities)**

Involved in group activities

w.

**NO MATCHES FOUND**

**Section AC1x. (INVOLVEMENT PATTERNS – NONE OF ABOVE)**

NONE OF ABOVE

x.

**NO MATCHES FOUND**

**Section AC1y. (UNKNOWN – Resident/family unable to provide information)**

UNKNOWN—Resident/family unable to provide information

y.

**NO MATCHES FOUND**

**Section AD (FACE SHEET SIGNATURES)**

**SECTION AD. FACE SHEET SIGNATURES**

SIGNATURES OF PERSONS COMPLETING FACE SHEET:		
a. Signature of RN Assessment Coordinator	Date	
I certify that the accompanying information accurately reflects resident assessment or tracking information for this resident and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that residents receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information. I also certify that I am authorized to submit this information by this facility on its behalf.		
Signature and Title	Sections	Date
b.		
c.		
d.		
e.		
f.		
g.		

**NO MATCHES ATTEMPTED**

**Section A (IDENTIFICATION AND BACKGROUND INFORMATION)**

**SECTION A. IDENTIFICATION AND BACKGROUND INFORMATION**

1.	RESIDENT NAME																		
		a. (First)	b. (Middle Initial)	c. (Last)	d. (Jr/Sr)														
2.	ROOM NUMBER	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>																	
3.	ASSESSMENT REFERENCE DATE	<p>a. Last day of MDS observation period</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> </tr> <tr> <td style="text-align: center;">Month</td> <td></td> <td style="text-align: center;">Day</td> <td></td> <td colspan="3" style="text-align: center;">Year</td> </tr> </table> <p>b. Original (0) or corrected copy of form (enter number of correction)</p>											Month		Day		Year		
Month		Day		Year															
4a.	DATE OF REENTRY	<p>Date of reentry from most recent temporary discharge to a hospital in last 90 days (or since last assessment or admission if less than 90 days)</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> <td style="border: 1px solid black; width: 20px; height: 20px;"></td> </tr> <tr> <td style="text-align: center;">Month</td> <td></td> <td style="text-align: center;">Day</td> <td></td> <td colspan="2" style="text-align: center;">Year</td> </tr> </table>										Month		Day		Year			
Month		Day		Year															



**Section A1 (RESIDENT NAME)**

1.	RESIDENT NAME				
		a. (First)	b. (Middle Initial)	c. (Last)	d. (Jr/Sr)

See Section AA1 (RESIDENT NAME)

**Section A1a. (First)**

a. (First)

See Section AA1a (First)

**Section A1b. (Middle Initial)**

b. (Middle Initial)
---------------------

See Section AA1b. (Middle Initial)

**Section A1c. (Last)**

c. (Last)
-----------

See Section AA1c. (Last)

**Section A1d. (Jr/Sr)**

d. (Jr/Sr)

See Section AA1d. (Jr/Sr)

**Section A2 (ROOM NUMBER)**

2.	ROOM NUMBER	<table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						

NO MATCHES ATTEMPTED

**Section A3 (ASSESSMENT REFERENCE DATE)**

3.	ASSESS- MENT REFERENCE DATE	a. Last day of MDS observation period	[REDACTED]
		<div style="display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <span style="margin: 0 5px;">—</span> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <span style="margin: 0 5px;">—</span> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> </div> <div style="display: flex; justify-content: space-around; width: 100%; margin-top: 5px;"> <span>Month</span> <span>Day</span> <span>Year</span> </div>	
		b. Original (0) or corrected copy of form (enter number of correction)	[REDACTED]

NO MATCHES ATTEMPTED

**Section A3a. (Last day of MDS observation period)**

a. Last day of MDS observation period	[REDACTED]
<div style="display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <span style="margin: 0 5px;">—</span> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <span style="margin: 0 5px;">—</span> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> </div> <div style="display: flex; justify-content: space-around; width: 100%; margin-top: 5px;"> <span>Month</span> <span>Day</span> <span>Year</span> </div>	

NO MATCHES ATTEMPTED

**Section A3b. (Original (O) or corrected copy of form (enter number of correction))**

b. Original (0) or corrected copy of form (enter number of correction)	[REDACTED]
--	------------

NO MATCHES ATTEMPTED

**Section A4a. (DATE OF REENTRY)**

4a.	DATE OF REENTRY	Date of reentry from most recent temporary discharge to a hospital in last 90 days (or since last assessment or admission if less than 90 days)
		<div style="display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <span style="margin: 0 5px;">—</span> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <span style="margin: 0 5px;">—</span> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 20px; height: 20px;"></div> </div> <div style="display: flex; justify-content: space-around; width: 100%; margin-top: 5px;"> <span>Month</span> <span>Day</span> <span>Year</span> </div>

NO MATCHES ATTEMPTED

**Section A5 (MARITAL STATUS)**

5.	MARITAL STATUS	1. Never married	3. Widowed	5. Divorced	[REDACTED]
		2. Married	4. Separated		

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Marital separation, life event (finding)	SNOMED CT	
Divorced (12019)	HL7V3	
Divorced (finding)	SNOMED CT	
Marital status (observable entity)	SNOMED CT	
Marital status: single, never married (finding)	SNOMED CT	
MaritalStatus System	HL7V3	
Married (12022)	HL7V3	





Primary insurer (observable entity)	SNOMED CT	
-------------------------------------	-----------	--

**Section A7d. (Medicare ancillary part B)**

Medicare ancillary part B  d.

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
invoice payor (13285) Primary insurer (observable entity)	HL7V3 SNOMED CT	

**Section A7e. (CHAMPUS per diem)**

CHAMPUS per diem  e.

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
invoice payor (13285) Primary insurer (observable entity)	HL7V3 SNOMED CT	

**Section A7f. (VA per diem)**

VA per diem  f.

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
invoice payor (13285) Primary insurer (observable entity)	HL7V3 SNOMED CT	

**Section A7g. (Self or family pays for full per diem)**

Self or family pays for full per diem  g.

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
invoice payor (13285) Primary insurer (observable entity)	HL7V3 SNOMED CT	

**Section A7h. (Medicaid resident liability or Medicare co-payment)**

Medicaid resident liability or Medicare co-payment  h.

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
invoice payor (13285) Primary insurer (observable entity)	HL7V3 SNOMED CT	

**Section A7i. (Private insurance per diem (including co-payment))**

Private insurance per diem (including co-payment)  i.

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Patient has private medical insurance (finding) Private health insurance held (finding)	SNOMED CT SNOMED CT	
Broader Match Term	Broader Match Term Namespace	-----
invoice payor (13285) Primary insurer (observable entity)	HL7V3 SNOMED CT	

**Section A7j. (Other per diem)**

Other per diem	j.
----------------	----

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
invoice payor (13285) Primary insurer (observable entity)	HL7V3 SNOMED CT	

**Section A8 (REASONS FOR ASSESSMENT)**

8.	<b>REASONS FOR ASSESSMENT</b>  <i>[Note—If this is a discharge or reentry assessment, only a limited subset of MDS items need be completed]</i>	<b>a. Primary reason for assessment</b> 1. Admission assessment (required by day 14) 2. Annual assessment 3. Significant change in status assessment 4. Significant correction of prior full assessment 5. Quarterly review assessment 6. Discharged—return not anticipated 7. Discharged—return anticipated 8. Discharged prior to completing initial assessment 9. Reentry 10. Significant correction of prior quarterly assessment 0. NONE OF ABOVE  <b>b. Codes for assessments required for Medicare PPS or the State</b> 1. Medicare 5 day assessment 2. Medicare 30 day assessment 3. Medicare 60 day assessment 4. Medicare 90 day assessment 5. Medicare readmission/return assessment 6. Other state required assessment 7. Medicare 14 day assessment 8. Other Medicare required assessment	
----	---	---	--

NO MATCHES FOUND

**Section A8a. (Primary reason for assessment)**

	<b>a. Primary reason for assessment</b> 1. Admission assessment (required by day 14) 2. Annual assessment 3. Significant change in status assessment 4. Significant correction of prior full assessment 5. Quarterly review assessment 6. Discharged—return not anticipated 7. Discharged—return anticipated 8. Discharged prior to completing initial assessment 9. Reentry 10. Significant correction of prior quarterly assessment 0. NONE OF ABOVE		
--	---	--	--

**NO MATCHES FOUND**

**[Section A8a1. \(Admission assessment \(required by day 14\)\)](#)**

| 1. Admission assessment (required by day 14)

**NO MATCHES FOUND**

**[Section A8a2. \(Annual assessment\)](#)**

| 2. Annual assessment

**NO MATCHES FOUND**

**[Section A8a3. \(Significant change in status assessment\)](#)**

| 3. Significant change in status assessment

**NO MATCHES FOUND**

**[Section A8a4. \(Significant correction of prior full assessment\)](#)**

| 4. Significant correction of prior full assessment

**NO MATCHES FOUND**

**[Section A8a5. \(Quarterly review assessment\)](#)**

| 5. Quarterly review assessment

**NO MATCHES FOUND**

**[Section A8a6. \(Discharged – return not anticipated\)](#)**

| 6. Discharged—return not anticipated

**NO MATCHES FOUND**

**[Section A8a7. \(Discharged – return anticipated\)](#)**

| 7. Discharged—return anticipated

**NO MATCHES FOUND**

**[Section A8a8. \(Discharged prior to completing initial assessment\)](#)**

| 8. Discharged prior to completing initial assessment

NO MATCHES FOUND

[Section A8a9. \(Reentry\)](#)

| 9. Reentry

NO MATCHES FOUND

[Section A8a10. \(Significant correction of prior quarterly assessment\)](#)

| 10. Significant correction of prior quarterly assessment

NO MATCHES FOUND

[Section A8a0. \(NONE OF ABOVE\)](#)

| 0. NONE OF ABOVE

NO MATCHES FOUND

[Section A8b. \(Codes for assessments required for Medicare PPS or the State\)](#)

- b. Codes for assessments required for Medicare PPS or the State
- 1. Medicare 5 day assessment
- 2. Medicare 30 day assessment
- 3. Medicare 60 day assessment
- 4. Medicare 90 day assessment
- 5. Medicare readmission/return assessment
- 6. Other state required assessment
- 7. Medicare 14 day assessment
- 8. Other Medicare required assessment



Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
Coding schema (administrative concept) Patient record types (administrative concept)	SNOMED CT SNOMED CT	"Coding schema" and "pt record types" are too general and ill-defined to be useful. <b>(dmalitz 2005/05/26 13:43)</b>  This could be a subconcept of the SNOMED concept Patient record types (administrative concept) (Code: R-42811 Id: 184216) or Coding schema (administrative concept) (Code: R-400FD Id: 397762). <b>(rshephard 2005/05/15 14:40)</b>

[Section A8b1. \(Medicare 5 day assessment\)](#)

| 1. Medicare 5 day assessment

NO MATCHES FOUND

**Section A8b2. (Medicare 30 day assessment)**

| 2. Medicare 30 day assessment

**NO MATCHES FOUND**

**Section A8b3. (Medicare 60 day assessment)**

| 3. Medicare 60 day assessment

**NO MATCHES FOUND**

**Section A8b4. (Medicare 90 day assessment)**

| 4. Medicare 90 day assessment

**NO MATCHES FOUND**

**Section A8b5. (Medicare readmission/return assessment)**

| 5. Medicare readmission/return assessment

**NO MATCHES FOUND**

**Section A8b6. (Other state required assessment)**

| 6. Other state required assessment

**NO MATCHES FOUND**

**Section A8b7. (Medicare 14 day assessment)**

| 7. Medicare 14 day assessment

**NO MATCHES FOUND**

**Section A8b8. (Other Medicare required assessment)**

| 8. Other Medicare required assessment

**NO MATCHES FOUND**

**Section A9 (RESPONSIBILITY/LEGAL GUARDIAN)**

9.	RESPONSIBILITY/ LEGAL GUARDIAN	(Check all that apply)	Durable power attorney/financial	d.	
		Legal guardian	a.	Family member responsible	e.
		Other legal oversight	b.	Patient responsible for self	f.
		Durable power of attorney/health care	c.	NONE OF ABOVE	g.

NO MATCHES ATTEMPTED

[Section A9a. \(Legal guardian\)](#)

Legal guardian  a.

NO MATCHES ATTEMPTED

[Section A9b. \(Other legal oversight\)](#)

Other legal oversight  b.

NO MATCHES ATTEMPTED

[Section A9c. \(Durable power of attorney/health care\)](#)

Durable power of attorney/health care  c.

NO MATCHES ATTEMPTED

[Section A9d. \(Durable power attorney/financial\)](#)

Durable power attorney/financial  d.

NO MATCHES ATTEMPTED

[Section A9e. \(Family member responsible\)](#)

Family member responsible  e.

NO MATCHES ATTEMPTED

[Section A9f. \(Patient responsible for self\)](#)

Patient responsible for self  f.

NO MATCHES ATTEMPTED

**Section A9g. (NONE OF ABOVE)**

NONE OF ABOVE  g.

**NO MATCHES ATTEMPTED**

**Section A10 (ADVANCED DIRECTIVES)**

10.	ADVANCED DIRECTIVES	<i>(For those items with supporting documentation in the medical record, check all that apply)</i>			<input type="checkbox"/>	
		Living will	<input type="checkbox"/> a.	Feeding restrictions		<input type="checkbox"/> f.
		Do not resuscitate	<input type="checkbox"/> b.	Medication restrictions		<input type="checkbox"/> g.
		Do not hospitalize	<input type="checkbox"/> c.	Other treatment restrictions		<input type="checkbox"/> h.
		Organ donation	<input type="checkbox"/> d.	NONE OF ABOVE		<input type="checkbox"/> i.
		Autopsy request	<input type="checkbox"/> e.			

**NO MATCHES FOUND**

**Section A10a. (Living will)**

Living will  a.

**NO MATCHES FOUND**

**Section A10b. (Do not resuscitate)**

Do not resuscitate  b.

**NO MATCHES FOUND**

**Section A10c. (Do not hospitalize)**

Do not hospitalize  c.

**NO MATCHES FOUND**

**Section A10d. (Organ donation)**

Organ donation  d.

**NO MATCHES FOUND**

**Section A10e. (Autopsy request)**

Autopsy request  e.

**NO MATCHES FOUND**

**Section A10f. (Feeding restrictions)**

Feeding restrictions

f.

**NO MATCHES FOUND**

**Section A10g. (Medication restrictions)**

Medication restrictions

g.

**NO MATCHES FOUND**

**Section A10h. (Other treatment restrictions)**

Other treatment restrictions

h.

**NO MATCHES FOUND**

**Section A10i. (NONE OF ABOVE)**

NONE OF ABOVE

i.

**NO MATCHES FOUND**

**Section B (COGNITIVE PATTERNS)**

**SECTION B. COGNITIVE PATTERNS**

1.	COMATOSE	(Persistent vegetative state/no discernible consciousness) 0. No                      1. Yes                      (If yes, skip to Section G)	<input type="text"/>
2.	MEMORY	(Recall of what was learned or known) a. Short-term memory OK—seems/appears to recall after 5 minutes 0. Memory OK            1. Memory problem b. Long-term memory OK—seems/appears to recall long past 0. Memory OK            1. Memory problem	<input type="text"/> <input type="text"/> <input type="text"/>
3.	MEMORY/ RECALL ABILITY	(Check all that resident was normally able to recall during last 7 days) Current season <input type="text"/> Location of own room <input type="text"/> That he/she is in a nursing home Staff names/faces <input type="text"/> NONE OF ABOVE are recalled	<input type="text"/> <input type="text"/> <input type="text"/>
4.	COGNITIVE SKILLS FOR DAILY DECISION- MAKING	(Made decisions regarding tasks of daily life) 0. INDEPENDENT—decisions consistent/reasonable 1. MODIFIED INDEPENDENCE—some difficulty in new situations only 2. MODERATELY IMPAIRED—decisions poor; cues/supervision required 3. SEVERELY IMPAIRED—never/rarely made decisions	<input type="text"/> <input type="text"/> <input type="text"/>

5.	INDICATORS OF DELIRIUM—PERIODIC DISORDERED THINKING/AWARENESS	(Code for behavior in the last 7 days.) [Note: Accurate assessment requires conversations with staff and family who have direct knowledge of resident's behavior over this time].	
		0. Behavior not present	
		1. Behavior present, not of recent onset	
		2. Behavior present, over last 7 days appears different from resident's usual functioning (e.g., new onset or worsening)	
		a. EASILY DISTRACTED—(e.g., difficulty paying attention; gets sidetracked)	
		b. PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS—(e.g., moves lips or talks to someone not present; believes he/she is somewhere else; confuses night and day)	
		c. EPISODES OF DISORGANIZED SPEECH—(e.g., speech is incoherent, nonsensical, irrelevant, or rambling from subject to subject; loses train of thought)	
	d. PERIODS OF RESTLESSNESS—(e.g., fidgeting or picking at skin, clothing, napkins, etc; frequent position changes; repetitive physical movements or calling out)		
	e. PERIODS OF LETHARGY—(e.g., sluggishness; staring into space; difficult to arouse; little body movement)		
	f. MENTAL FUNCTION VARIES OVER THE COURSE OF THE DAY—(e.g., sometimes better, sometimes worse; behaviors sometimes present, sometimes not)		
6.	CHANGE IN COGNITIVE STATUS	Resident's cognitive status, skills, or abilities have changed as compared to status of 90 days ago (or since last assessment if less than 90 days)	
		0. No change                      1. Improved                      2. Deteriorated	

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Finding of cognitive perceptual pattern (finding)	SNOMED CT	

### Section B1 (COMATOSE)

1.	COMATOSE	(Persistent vegetative state/no discernible consciousness)	
		0. No                      1. Yes                      (If yes, skip to Section G)	<input type="checkbox"/>

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Coma (disorder) Coma [780.01] No (qualifier value) Yes (qualifier value)	SNOMED CT ICD-9-CM SNOMED CT SNOMED CT	With the clarification of our task last week, my take on this concept is that neither comatose nor persistent vegetative state is a best match - each would be a partial match, which combined would be a best match if they are in the context of a physician diagnosis. Since the other reviewable concepts here are "on examination" and therefore observations rather than diagnoses, they would not apply in the context of the MDS concept. <b>(rshephard 2005/06/08 16:21)</b>  Together, the SNOMED coma and persistent veg state terms seem to capture the MDS item. <b>(dmalitz 2005/06/02 15:27)</b>

		<p>The two Snomed concepts, comatose and persistent vegetative state, together completely represent the MDS concept and together constitute a best semantic match. <b>(rshephard 2005/05/26 17:37)</b></p> <p>MDS manual states "it is imperative that coding of comatose reflect physician documentation of a diagnosis of either coma or persistent vegetative state". This item must be based on diagnoses and it could be triggered by either of the two dxs (coma or persist veg state). <b>(dmalitz 2005/05/26 13:51)</b></p> <p>There is no review option on the screen, but it seems that No (qualifier value) (Code: R-00339 Id: 373067 Namespace: SNOMED CT) would be a best semantic match.<b>(rshephard2005/05/15 15:10)</b></p>
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
On examination - comatose (context-dependent category) On examination - unconscious/comatose (context-dependent category) Persistent vegetative state (disorder)	SNOMED CT  SNOMED CT SNOMED CT	

**Section B1.0 (No)**

0. No

See Section B1 (COMATOSE)

**Section B1.1 (Yes)**

1. Yes (If yes, skip to Section G)

See Section B1 (COMATOSE)

**Section B2 (MEMORY)**

2.	MEMORY	(Recall of what was learned or known)	
		a. Short-term memory OK—seems/appears to recall after 5 minutes	
		0. Memory OK      1. Memory problem	
		b. Long-term memory OK—seems/appears to recall long past	
		0. Memory OK      1. Memory problem	

<b>Best Match Term</b>	<b>Best Match Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
Finding of memory performance (finding)	SNOMED CT	

Partial Match Term	Partial Match Term Namespace	-----
Memory assessment finding (finding) Memory finding (finding)	SNOMED CT SNOMED CT	

**Section B2a. (Short-term memory OK – seems/appears to recall after 5 minutes)**

a. Short-term memory OK—seems/appears to recall after 5 minutes  
 0. Memory OK      1. Memory problem

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Finding of memory performance (finding) Memory function normal (finding) Short-term memory within normal limits (finding) Memory impairment (finding)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT	<p>As we've discussed, this MDS item is worded in a strange way. The item should be something like "short-term memory problem" and the responses should be "yes" and "no". Your new SNOMED term "memory assessment" would be a good match for the item (not responses) except that it isn't qualified as "short-term memory assessment". <b>(dmalitz 2005/06/16 10:40)</b></p> <p>If the response item is considered outside of any question context, then Memory function normal would be a best match. (It would be better if the question were: Is the short-term memory OK? and the response items would be "yes" and "no." Another question would be: Is the long-term memory OK? "Yes" and "no.") Finding of memory performance would be a broader match. <b>(rshephard 2005/06/14 14:39)</b></p> <p>Short-term memory within normal limits technically is a best match. However: The question, "Short-term memory OK," (B2a) seems to imply that either memory is OK or there is a memory problem, but that isn't what it actually says on the form. Therefore, "memory impairment" doesn't apply. A better question would be, "Is there a short-term memory problem?" with answer options, "yes" and "no." Short-term memory test is not a match, because the question is not about a memory test - it is about the short-term memory. <b>(rshephard 2005/06/08 16:46)</b></p> <p>True, but if the B2a=0 response actually is Short-term memory OK (vs. B2a=1, Short-term memory problem, then "memory OK" would need to be matched to separate SNOMED concepts that encompass Short-term memory OK and Long-term memory OK. <b>(rshephard 2005/06/03 19:50)</b></p> <p>Memory problem is a response item for B2a, Short Term Memory, and B2b, Long Term Memory.</p>

Depending on how B2 is to be set up, either the generic "memory impairment" may be a best match to both, OR Poor short-term memory is the best match to B2a=1, and Poor long-term memory (finding) is the best match for B2b=1. **(rshephard 2005/06/03 19:45)**

I think we can make a reasonable match to B2a and to the two responses (memory problem, memory OK). See the specific comments for these three elements. **(dmalitz 2005/06/02 16:11)**

I agree this is a granularity problem. However, if the finding is that memory function is normal, this should cover both short- and long-term memory. **(dmalitz 2005/05/26 14:14)**

My best match for this RESPONSE is "Poor short-term memory (finding)". **(dmalitz 2005/05/26 14:12)**

I'm changing my vote. It's confusing because you've got the item and the individual responses in our review lists. The ITEM b2a doesn't mean short-term memory is OK or not -- it implies an evaluation of short-term memory is performed and provides a slot for indicating the finding. I therefore suggest that the best match for the ITEM B2A is "Finding of short-term memory performance (finding)". Then link positive and negative findings to the two responses. **(dmalitz 2005/05/26 14:11)**

Wouldn't "Poor short-term memory (finding)" be a better match? **(dmalitz 2005/05/26 14:06)**

Two general comments: (1) implicitly this item (and a bunch of others) are really "not comatose and short-term memory OK" (because of B1 skip pattern). How do we accommodate the skip pattern? (2) This and many other items have an unlisted alternative: dash (unable to determine). How do we accommodate this? Note: UTD is rarely used, but must be available to handle unusual situations. **(dmalitz 2005/05/26 14:02)**

This MDS item (B2a=0) is specific to short-term memory. Short-term memory within normal limits (finding) (Code: F-96171 Id: 247590 Namespace: SNOMED CT) is the best semantic match. **(rshephard 2005/05/15 16:13)**

B2a=1 on the MDS is specific to short term memory

		problem. The SNOMED concept Memory impairment is a broader match. Poor short-term memory (finding) (Code: F-96172 Id: 247592 Namespace: SNOMED CT) would be a best semantic match. (rshephard 2005/05/15 15:22)
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Memory assessment (observable entity)	SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Finding of long-term memory performance (finding) Finding of short-term memory performance (finding) Memory impairment (finding) Short-term memory test (assessment scale)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

**Section B2a.0 (Memory OK)**

0. Memory OK

See Section B2a. (Short-term memory OK – seems/appears to recall after 5 minutes)

**Section B2a.1 (Memory problem)**

1. Memory problem

See Section B2a. (Short-term memory OK – seems/appears to recall after 5 minutes)

**Section B2b. (Long-term memory OK – seems/appears to recall long past)**

b. Long-term memory OK—seems/appears to recall long past	
0. Memory OK      1. Memory problem	

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Finding of memory performance (finding) Memory function normal (finding) Long-term memory within normal limits (finding) Memory impairment (finding)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Finding of long-term memory performance (finding) Finding of short-term memory performance (finding)	SNOMED CT SNOMED CT	

**Section B2b.0 (Memory OK)**

0. Memory OK

See Section B2b. (Long-term memory OK – seems/appears to recall long past)

**Section B2b.1 (Memory problem)**

1. Memory problem

See Section B2b. (Long-term memory OK – seems/appears to recall long past)

**Section B3 (MEMORY/RECALL ABILITY)**

3.	MEMORY/ RECALL ABILITY	<i>(Check all that resident was normally able to recall during last 7 days)</i>				
		Current season	a.		That he/she is in a nursing home	d.
		Location of own room	b.			e.
Staff names/faces	c.	NONE OF ABOVE are recalled				

NO MATCHES ATTEMPTED

**Section B3a. (Current season)**

Current season a.

NO MATCHES ATTEMPTED

**Section B3b. (Location of own room)**

Location of own room b.

NO MATCHES ATTEMPTED

**Section B3c. (Staff names/faces)**

Staff names/faces c.

NO MATCHES ATTEMPTED

**Section B3d. (That he/she is in a nursing home)**

That he/she is in a nursing home d.

NO MATCHES ATTEMPTED

**Section B3e. (NONE OF ABOVE are recalled)**

NONE OF ABOVE are recalled e.

NO MATCHES ATTEMPTED

**Section B4 (COGNITIVE SKILLS FOR DAILY DECISION-MAKING)**

4.	<b>COGNITIVE SKILLS FOR DAILY DECISION-MAKING</b>	<i>(Made decisions regarding tasks of daily life)</i> 0. <i>INDEPENDENT</i> —decisions consistent/reasonable 1. <i>MODIFIED INDEPENDENCE</i> —some difficulty in new situations only 2. <i>MODERATELY IMPAIRED</i> —decisions poor; cues/supervision required 3. <i>SEVERELY IMPAIRED</i> —never/rarely made decisions	
----	---	--	--

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Unable to make considered choices (finding) Unable to use decision-making strategies (finding)	SNOMED CT SNOMED CT	<p>I do not understand the relevance of Absence findings to "Cognitive Skills for Daily Decision-Making. <b>(rshephard 2005/06/08 16:53)</b></p> <p>The concept of Cognitive skills for daily decision-making probably would be a subconcept of Skills relating to cognitive function, except that the MDS concept itself is narrowed by the MDS definition. Notice that the examples that define the concept in the RAI User's Manual - they are very simple decisions, such as choosing items of clothing, etc. <b>(rshephard 2005/06/03 19:56)</b></p> <p>I don't think we have good matches to either the item or the responses (independent, moderately impaired, etc.). See comments to individual MDS elements for details. <b>(dmalitz 2005/06/02 16:12)</b></p> <p>Skills relating to cognitive functions (observable entity)                      Code: R-42E6A Id: 312022 Namespace: SNOMED CT is not bad - would be a broader match. The proposed partial semantic match does not work, because this concept is not about strategies. <b>(rshephard 2005/05/26 17:32)</b></p> <p>I don't think that "finding related to decision making (finding)" is a match. To me, this just says that a finding has been made, not what the finding is. I don't find any match to the modified independence item. <b>(dmalitz 2005/05/26 14:45)</b></p> <p>There doesn't seem to be a way to distinguish "moderate" from "severe" impairment. <b>(dmalitz 2005/05/26 14:41)</b></p> <p>"Difficulty making decisions (finding)" seems a better match than any of those listed. However, there doesn't seem to be a way to distinguish "moderate" from "severe" impairment. <b>(dmalitz 2005/05/26 14:40)</b></p>

		<p>Making considered choices and using decision-making strategies are partial matches, but don't really capture the intent of the item. <b>(dmalitz 2005/05/26 14:36)</b></p> <p>Suggested alternative is: "Ability to make decisions (observable entity)". This is a superconcept to: (1) "Ability to make considered choices (observable entity)" and (2) "Ability to use decision-making strategies (observable entity)". I'm not sure these two subconcepts differ, however. <b>(dmalitz 2005/05/26 14:31)</b></p> <p>Unfamiliar environment (Code: R-3006E Id: 224799) is a partial match. (B4=1) <b>(rshephard 2005/05/15 19:10)</b></p> <p>Decision-making strategies are not the focus. The broad concept for B4 is cognitive skills for daily decision-making; B4=3, Severely Impaired, is a question of whether decisions are made at all. It might be interpreted as making decisions less often than always, since the next level up on the MDS scale for B4 is "Moderately Impaired." Those residents (B4=2) make decisions, but poor ones. <b>(rshephard 2005/05/15 19:04)</b></p> <p>Decision-making strategies are not a focus of this item (B4=2). It is the decisions themselves that are scrutinized. Also note that this item focuses on a very specific type of decisions - decisions related to daily tasks - and that "moderately impaired" would need to be distinguished from "modified independence" and from "severely impaired." <b>(rshephard 2005/05/15 18:21)</b></p> <p>Use of decision-making strategies (concept 4) is not a focus of this item. The focus is the quality of the decisions themselves. Also, this item refers to a very specific set of decisions: Decisions regarding tasks of daily life. No match. <b>(rshephard 2005/05/15 16:31)</b></p>
--	--	---

<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Ability to make decisions (observable entity) Absence findings (qualifier value) Skills relating to cognitive functions (observable entity) Finding related to decision making (finding) Difficulty making decisions (finding)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----

Ability to use decision-making strategies (observable entity)	SNOMED CT	
Able to make considered choices (finding)	SNOMED CT	
Difficulty making decisions (finding)	SNOMED CT	
Difficulty making plans (finding)	SNOMED CT	
Difficulty using decision-making strategies (finding)	SNOMED CT	
Finding related to ability to make considered choices (finding)	SNOMED CT	
Finding related to ability to use decision-making strategies (finding)	SNOMED CT	
Finding related to decision making (finding)	SNOMED CT	
Unable to use decision-making strategies (finding)	SNOMED CT	
Unfamiliar environment (environment)	SNOMED CT	

### **Section B4.0 (INDEPENDENT)**

0. *INDEPENDENT*—decisions consistent/reasonable

**NO MATCHES FOUND**

### **Section B4.1 (MODIFIED INDEPENDENCE)**

1. *MODIFIED INDEPENDENCE*—some difficulty in new situations only

**NO MATCHES FOUND**

### **Section B4.2 (MODERATELY IMPAIRED)**

2. *MODERATELY IMPAIRED*—decisions poor, cues/supervision required

**NO MATCHES FOUND**

### **Section B4.3 (SEVERELY IMPAIRED)**

3. *SEVERELY IMPAIRED*—never/rarely made decisions

**NO MATCHES FOUND**

**Section B5 (INDICATORS OF DELIRIUM – PERIODIC DISORDERED THINKING/AWARENESS)**

5. INDICATORS OF DELIRIUM—PERIODIC DISORDERED THINKING/AWARENESS	(Code for behavior in the last 7 days.) [Note: Accurate assessment requires conversations with staff and family who have direct knowledge of resident's behavior over this time]. 0. Behavior not present 1. Behavior present, not of recent onset 2. Behavior present, over last 7 days appears different from resident's usual functioning (e.g., new onset or worsening)	
	a. EASILY DISTRACTED—(e.g., difficulty paying attention; gets sidetracked)	
	b. PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS—(e.g., moves lips or talks to someone not present; believes he/she is somewhere else; confuses night and day)	
	c. EPISODES OF DISORGANIZED SPEECH—(e.g., speech is incoherent, nonsensical, irrelevant, or rambling from subject to subject; loses train of thought)	
	d. PERIODS OF RESTLESSNESS—(e.g., fidgeting or picking at skin, clothing, napkins, etc; frequent position changes; repetitive physical movements or calling out)	
	e. PERIODS OF LETHARGY—(e.g., sluggishness; staring into space; difficult to arouse; little body movement)	
	f. MENTAL FUNCTION VARIES OVER THE COURSE OF THE DAY—(e.g., sometimes better, sometimes worse; behaviors sometimes present, sometimes not)	

NO MATCHES ATTEMPTED

**Section B5.0 (Behavior not present)**

0. Behavior not present

NO MATCHES ATTEMPTED

**Section B5.1 (Behavior present, not of recent onset)**

1. Behavior present, not of recent onset

NO MATCHES ATTEMPTED

**Section B5.2 (Behavior present, over last 7 days appears different from resident's usual functioning (e.g., new onset or worsening))**

2. Behavior present, over last 7 days appears different from resident's usual functioning (e.g., new onset or worsening)

NO MATCHES ATTEMPTED

**Section B5a. (EASILY DISTRACTED)**

a. EASILY DISTRACTED—(e.g., difficulty paying attention; gets sidetracked)

NO MATCHES ATTEMPTED

**Section B5a.0 (EASILY DISTRACTED w/ code for behavior in the last 7 days = 0)**

a. EASILY DISTRACTED—(e.g., difficulty paying attention; gets sidetracked)

0

NO MATCHES ATTEMPTED

**Section B5a.1 (EASILY DISTRACTED w/ code for behavior in the last 7 days = 1)**

a. EASILY DISTRACTED—(e.g., difficulty paying attention; gets sidetracked)

1

NO MATCHES ATTEMPTED

**Section B5a.2 (EASILY DISTRACTED w/ code for behavior in the last 7 days = 2)**

a. EASILY DISTRACTED—(e.g., difficulty paying attention; gets sidetracked)

2

NO MATCHES ATTEMPTED

**Section B5b. (PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS)**

b. PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS—(e.g., moves lips or talks to someone not present; believes he/she is somewhere else; confuses night and day)



NO MATCHES ATTEMPTED

**Section B5b.0 (PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS w/ code for behavior in the last 7 days = 0)**

b. PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS—(e.g., moves lips or talks to someone not present; believes he/she is somewhere else; confuses night and day)

0

NO MATCHES ATTEMPTED

**Section B5b.1 (PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS w/ code for behavior in the last 7 days = 1)**

b. PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS—(e.g., moves lips or talks to someone not present; believes he/she is somewhere else; confuses night and day)

1

NO MATCHES ATTEMPTED

**Section B5b.2 (PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS w/ code for behavior in the last 7 days = 2)**

b. PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS—(e.g., moves lips or talks to someone not present; believes he/she is somewhere else; confuses night and day)

2

NO MATCHES ATTEMPTED

**Section B5c. (EPISODES OF DISORGANIZED SPEECH)**

c. EPISODES OF DISORGANIZED SPEECH—(e.g., speech is incoherent, nonsensical, irrelevant, or rambling from subject to subject; loses train of thought)

NO MATCHES ATTEMPTED

**Section B5c.0 (EPISODES OF DISORGANIZED SPEECH w/ code for behavior in the last 7 days = 0)**

c. EPISODES OF DISORGANIZED SPEECH—(e.g., speech is incoherent, nonsensical, irrelevant, or rambling from subject to subject; loses train of thought)

0

NO MATCHES ATTEMPTED

**Section B5c.1 (EPISODES OF DISORGANIZED SPEECH w/ code for behavior in the last 7 days = 1)**

c. EPISODES OF DISORGANIZED SPEECH—(e.g., speech is incoherent, nonsensical, irrelevant, or rambling from subject to subject; loses train of thought)

1

NO MATCHES ATTEMPTED

**Section B5c.2 (EPISODES OF DISORGANIZED SPEECH w/ code for behavior in the last 7 days = 2)**

c. EPISODES OF DISORGANIZED SPEECH—(e.g., speech is incoherent, nonsensical, irrelevant, or rambling from subject to subject; loses train of thought)

2

NO MATCHES ATTEMPTED

**Section B5d. (PERIODS OF RESTLESSNESS)**

d. PERIODS OF RESTLESSNESS—(e.g., fidgeting or picking at skin, clothing, napkins, etc; frequent position changes; repetitive physical movements or calling out)

NO MATCHES ATTEMPTED

**Section B5d.0 (PERIODS OF RESTLESSNESS w/ code for behavior in the last 7 days = 0)**

d. PERIODS OF RESTLESSNESS—(e.g., fidgeting or picking at skin, clothing, napkins, etc; frequent position changes; repetitive physical movements or calling out)

0

NO MATCHES ATTEMPTED

**Section B5d.1 (PERIODS OF RESTLESSNESS w/ code for behavior in the last 7 days = 1)**

d. PERIODS OF RESTLESSNESS—(e.g., fidgeting or picking at skin, clothing, napkins, etc; frequent position changes; repetitive physical movements or calling out)

1

NO MATCHES ATTEMPTED

**Section B5d.2 (PERIODS OF RESTLESSNESS w/ code for behavior in the last 7 days = 2)**

d. PERIODS OF RESTLESSNESS—(e.g., fidgeting or picking at skin, clothing, napkins, etc; frequent position changes; repetitive physical movements or calling out)

2

NO MATCHES ATTEMPTED

**Section B5e. (PERIODS OF LETHARGY)**

e. PERIODS OF LETHARGY—(e.g., sluggishness; staring into space; difficult to arouse; little body movement)

NO MATCHES ATTEMPTED

**Section B5e.0 (PERIODS OF LETHARGY w/ code for behavior in the last 7 days = 0)**

e. PERIODS OF LETHARGY—(e.g., sluggishness; staring into space; difficult to arouse; little body movement)

0

NO MATCHES ATTEMPTED

**Section B5e.1 (PERIODS OF LETHARGY w/ code for behavior in the last 7 days = 1)**

e. PERIODS OF LETHARGY—(e.g., sluggishness; staring into space; difficult to arouse; little body movement)

1

NO MATCHES ATTEMPTED

**Section B5e.2 (PERIODS OF LETHARGY w/ code for behavior in the last 7 days = 2)**

e. PERIODS OF LETHARGY—(e.g., sluggishness; staring into space; difficult to arouse; little body movement)	2
--	---

NO MATCHES ATTEMPTED

**Section B5f. (MENTAL FUNCTION VARIES OVER THE COURSE OF THE DAY)**

f. MENTAL FUNCTION VARIES OVER THE COURSE OF THE DAY—(e.g., sometimes better, sometimes worse; behaviors sometimes present, sometimes not)	
--	--

NO MATCHES ATTEMPTED

**Section B5f.0 (MENTAL FUNCTION VARIES OVER THE COURSE OF THE DAY w/ code for behavior in the last 7 days = 0)**

f. MENTAL FUNCTION VARIES OVER THE COURSE OF THE DAY—(e.g., sometimes better, sometimes worse; behaviors sometimes present, sometimes not)	0
--	---

NO MATCHES ATTEMPTED

**Section B5f.1 (MENTAL FUNCTION VARIES OVER THE COURSE OF THE DAY w/ code for behavior in the last 7 days = 1)**

f. MENTAL FUNCTION VARIES OVER THE COURSE OF THE DAY—(e.g., sometimes better, sometimes worse; behaviors sometimes present, sometimes not)	1
--	---

NO MATCHES ATTEMPTED

**Section B5f.2 (MENTAL FUNCTION VARIES OVER THE COURSE OF THE DAY w/ code for behavior in the last 7 days = 2)**

f. MENTAL FUNCTION VARIES OVER THE COURSE OF THE DAY—(e.g., sometimes better, sometimes worse; behaviors sometimes present, sometimes not)	2
--	---

NO MATCHES ATTEMPTED

**Section B6 (CHANGE IN COGNITIVE STATUS)**

6.	CHANGE IN COGNITIVE STATUS	Resident's cognitive status, skills, or abilities have changed as compared to status of 90 days ago (or since last assessment if less than 90 days)	
		0. No change      1. Improved      2. Deteriorated	

NO MATCHES ATTEMPTED

**Section B6.0 (CHANGE IN COGNITIVE STATUS w/ code for change = 0)**

6.	CHANGE IN COGNITIVE STATUS	Resident's cognitive status, skills, or abilities have changed as compared to status of <b>90 days ago</b> (or since last assessment if less than 90 days)		
		0. No change	1. Improved	2. Deteriorated
				<b>0</b>

NO MATCHES ATTEMPTED

**Section B6.1 (CHANGE IN COGNITIVE STATUS w/ code for change = 1)**

6.	CHANGE IN COGNITIVE STATUS	Resident's cognitive status, skills, or abilities have changed as compared to status of <b>90 days ago</b> (or since last assessment if less than 90 days)		
		0. No change	1. Improved	2. Deteriorated
				<b>1</b>

NO MATCHES ATTEMPTED

**Section B6.2 (CHANGE IN COGNITIVE STATUS w/ code for change = 2)**

6.	CHANGE IN COGNITIVE STATUS	Resident's cognitive status, skills, or abilities have changed as compared to status of <b>90 days ago</b> (or since last assessment if less than 90 days)		
		0. No change	1. Improved	2. Deteriorated
				<b>2</b>

NO MATCHES ATTEMPTED

**Section C (COMMUNICATION/HEARING PATTERNS)**

**SECTION C. COMMUNICATION/HEARING PATTERNS**

1.	HEARING	<i>(With hearing appliance, if used)</i>				
		0. HEARS ADEQUATELY—normal talk, TV, phone 1. MINIMAL DIFFICULTY when not in quiet setting 2. HEARS IN SPECIAL SITUATIONS ONLY—speaker has to adjust tonal quality and speak distinctly 3. HIGHLY IMPAIRED/absence of useful hearing				
2.	COMMUNICATION DEVICES/ TECHNIQUES	<i>(Check all that apply during last 7 days)</i>				
		Hearing aid, present and used		a.		
		Hearing aid, present and not used regularly		b.		
		Other receptive comm. techniques used (e.g., lip reading)		c.		
		NONE OF ABOVE		d.		
3.	MODES OF EXPRESSION	<i>(Check all used by resident to make needs known)</i>				
		Speech	a.	Signs/gestures/sounds	d.	
		Writing messages to express or clarify needs	b.	Communication board	e.	
		American sign language or Braille	c.	Other	f.	
				NONE OF ABOVE		g.



**Section C1.0 (HEARING w/ code for hearing ability = 0)**

1.	<b>HEARING</b>	(With hearing appliance, if used) 0. HEARS ADEQUATELY—normal talk, TV, phone 1. MINIMAL DIFFICULTY when not in quiet setting 2. HEARS IN SPECIAL SITUATIONS ONLY—speaker has to adjust tonal quality and speak distinctly 3. HIGHLY IMPAIRED/absence of useful hearing	0
----	----------------	--	---

See Section C1 (HEARING)

**Section C1.1 (HEARING w/ code for hearing ability = 1)**

1.	<b>HEARING</b>	(With hearing appliance, if used) 0. HEARS ADEQUATELY—normal talk, TV, phone 1. MINIMAL DIFFICULTY when not in quiet setting 2. HEARS IN SPECIAL SITUATIONS ONLY—speaker has to adjust tonal quality and speak distinctly 3. HIGHLY IMPAIRED/absence of useful hearing	1
----	----------------	--	---

See Section C1 (HEARING)

**Section C1.2 (HEARING w/ code for hearing ability = 2)**

1.	<b>HEARING</b>	(With hearing appliance, if used) 0. HEARS ADEQUATELY—normal talk, TV, phone 1. MINIMAL DIFFICULTY when not in quiet setting 2. HEARS IN SPECIAL SITUATIONS ONLY—speaker has to adjust tonal quality and speak distinctly 3. HIGHLY IMPAIRED/absence of useful hearing	2
----	----------------	--	---

See Section C1 (HEARING)

**Section C1.3 (HEARING w/ code for hearing ability = 3)**

1.	<b>HEARING</b>	(With hearing appliance, if used) 0. HEARS ADEQUATELY—normal talk, TV, phone 1. MINIMAL DIFFICULTY when not in quiet setting 2. HEARS IN SPECIAL SITUATIONS ONLY—speaker has to adjust tonal quality and speak distinctly 3. HIGHLY IMPAIRED/absence of useful hearing	3
----	----------------	--	---

See Section C1 (HEARING)

**Section C2 (COMMUNICATION DEVICES/TECHNIQUES)**

2. COMMUNICATION DEVICES/TECHNIQUES	(Check all that apply during last 7 days)		
	Hearing aid, present and used	a.	
	Hearing aid, present and not used regularly	b.	
	Other receptive comm. techniques used (e.g., lip reading)	c.	
	NONE OF ABOVE	d.	

NO MATCHES ATTEMPTED

**Section C2a. (Hearing aid, present and used)**

(Check all that apply during last 7 days)	
Hearing aid, present and used	a.

NO MATCHES ATTEMPTED

**Section C2b. (Hearing aid present and not used regularly)**

Hearing aid, present and not used regularly	b.
---	----

NO MATCHES ATTEMPTED

**Section C2c. (Other receptive comm. techniques used (e.g., lip reading))**

Other receptive comm. techniques used (e.g., lip reading)	c.
---	----

NO MATCHES ATTEMPTED

**Section C2d. (NONE OF ABOVE)**

NONE OF ABOVE	d.
---------------	----

NO MATCHES ATTEMPTED

**Section C3 (MODES OF EXPRESSION)**

3. MODES OF EXPRESSION	(Check all used by resident to make needs known)			
	Speech	a.	Signs/gestures/sounds	d.
	Writing messages to express or clarify needs	b.	Communication board	e.
	American sign language or Braille	c.	Other	f.
		NONE OF ABOVE	g.	

NO MATCHES ATTEMPTED

**Section C3a. (Speech)**

Speech  a.

**NO MATCHES ATTEMPTED**

**Section C3b. (Writing messages to express or clarify needs)**

Writing messages to express or clarify needs  b.

**NO MATCHES ATTEMPTED**

**Section C3c. (American sign language or Braille)**

American sign language or Braille  c.

**NO MATCHES ATTEMPTED**

**Section C3d. (Signs/gestures/sounds)**

Signs/gestures/sounds  d.

**NO MATCHES ATTEMPTED**

**Section C3e. (Communication board)**

Communication board  e.

**NO MATCHES ATTEMPTED**

**Section C3f. (Other)**

Other  f.

**NO MATCHES ATTEMPTED**

**Section C3g. (NONE OF ABOVE)**

NONE OF ABOVE  g.

**NO MATCHES ATTEMPTED**

**Section C4 (MAKING SELF UNDERSTOOD)**

4.	<b>MAKING SELF UNDERSTOOD</b>	<i>(Expressing information content—however able)</i> 0. UNDERSTOOD 1. USUALLY UNDERSTOOD—difficulty finding words or finishing thoughts 2. SOMETIMES UNDERSTOOD—ability is limited to making concrete requests 3. RARELY/NEVER UNDERSTOOD	
----	-------------------------------	---	--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Difficulty making self understood (finding) Does make self understood (finding) Does not make self understood (finding) Finding related to ability to make self understood (finding)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT	<p>I think we've got a pretty good match to the item, but not to any of the individual responses. <b>(dmalitz 2005/06/02 16:14)</b></p> <p>Does not make self understood (1st reviewable concept) is a partial match, not a best match, because it does not include the "never understood" concept. The 2nd reviewable concept is not a match because comprehension is not included in the MDS concept "understood." Difficulty communicating (finding) Code: F-A00F7 Id: 288579 and Difficulty making self understood (finding) Code: F-A0176 Id: 288748 and Unable to make self understood (finding) Code: F-A0173 Id: 288745 are partial matches. The last 2 above taken together may be as close to a best match as we can get. <b>(rshephard 2005/05/26 18:04)</b></p> <p>As noted, "able to make self understood" doesn't capture the "usually" concept. <b>(dmalitz 2005/05/26 15:26)</b></p> <p>"Does not make self understood" captures "never", but not "rarely". <b>(dmalitz 2005/05/26 15:25)</b></p> <p>Not sure this captures the concept of "sometimes". <b>(dmalitz 2005/05/26 15:23)</b></p> <p>The 2nd reviewable concept is not a partial match, because the item B4=0 is looking at ability to express information to make self understood, not ability to comprehend. <b>(?)</b></p> <p>The 1st reviewable concept is not a best match. It is a partial match. C4=2 is specific to situation in which resident is understood only when making concrete requests regarding at least the basic needs. The 2nd reviewable concept is close, but</p>

		not right on point either. (rshephard 2005/05/15 19:26)
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Ability to communicate needs and wishes (observable entity) Able to make self understood (finding) Difficulty communicating thoughts (finding) Difficulty finding words (finding) Finding related to ability to comprehend (finding)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

**Section C4.0 (MAKING SELF UNDERSTOOD w/ code for ability to express information content = 0)**

4.	<b>MAKING SELF UNDERSTOOD</b>	(Expressing information content—however able)	0
		0. UNDERSTOOD	
		1. USUALLY UNDERSTOOD—difficulty finding words or finishing thoughts	
		2. SOMETIMES UNDERSTOOD—ability is limited to making concrete requests	
		3. RARELY/NEVER UNDERSTOOD	

See Section C4 (MAKING SELF UNDERSTOOD)

**Section C4.1 (MAKING SELF UNDERSTOOD w/ code for ability to express information content = 1)**

4.	<b>MAKING SELF UNDERSTOOD</b>	(Expressing information content—however able)	1
		0. UNDERSTOOD	
		1. USUALLY UNDERSTOOD—difficulty finding words or finishing thoughts	
		2. SOMETIMES UNDERSTOOD—ability is limited to making concrete requests	
		3. RARELY/NEVER UNDERSTOOD	

See Section C4 (MAKING SELF UNDERSTOOD)

**Section C4.2 (MAKING SELF UNDERSTOOD w/ code for ability to express information content = 2)**

4.	<b>MAKING SELF UNDERSTOOD</b>	(Expressing information content—however able)	2
		0. UNDERSTOOD	
		1. USUALLY UNDERSTOOD—difficulty finding words or finishing thoughts	
		2. SOMETIMES UNDERSTOOD—ability is limited to making concrete requests	
		3. RARELY/NEVER UNDERSTOOD	

See Section C4 (MAKING SELF UNDERSTOOD)

**Section C4.3 (MAKING SELF UNDERSTOOD w/ code for ability to express information content = 3)**

4.	MAKING SELF UNDERSTOOD	(Expressing information content—however able) 0. UNDERSTOOD 1. USUALLY UNDERSTOOD—difficulty finding words or finishing thoughts 2. SOMETIMES UNDERSTOOD—ability is limited to making concrete requests 3. RARELY/NEVER UNDERSTOOD	3

See Section C4 (MAKING SELF UNDERSTOOD)

**Section C5 (SPEECH CLARITY)**

5.	SPEECH CLARITY	(Code for speech in the last 7 days) 0. CLEAR SPEECH—distinct, intelligible words 1. UNCLEAR SPEECH—slurred, mumbled words 2. NO SPEECH—absence of spoken words	

NO MATCHES ATTEMPTED

**Section C5.0 (SPEECH CLARITY w/ code for speech in the last 7 days = 0)**

5.	SPEECH CLARITY	(Code for speech in the last 7 days) 0. CLEAR SPEECH—distinct, intelligible words 1. UNCLEAR SPEECH—slurred, mumbled words 2. NO SPEECH—absence of spoken words	0

NO MATCHES ATTEMPTED

**Section C5.1 (SPEECH CLARITY w/ code for speech in the last 7 days = 1)**

5.	SPEECH CLARITY	(Code for speech in the last 7 days) 0. CLEAR SPEECH—distinct, intelligible words 1. UNCLEAR SPEECH—slurred, mumbled words 2. NO SPEECH—absence of spoken words	1

NO MATCHES ATTEMPTED

**Section C5.2 (SPEECH CLARITY w/ code for speech in the last 7 days = 2)**

5.	SPEECH CLARITY	(Code for speech in the last 7 days) 0. CLEAR SPEECH—distinct, intelligible words 1. UNCLEAR SPEECH—slurred, mumbled words 2. NO SPEECH—absence of spoken words	2

NO MATCHES ATTEMPTED

**Section C6 (ABILITY TO UNDERSTAND OTHERS)**

6.	ABILITY TO UNDERSTAND OTHERS	(Understanding verbal information content—however able)	
		0. UNDERSTANDS	
		1. USUALLY UNDERSTANDS—may miss some part/intent of message	
		2. SOMETIMES UNDERSTANDS—responds adequately to simple, direct communication	
		3. RARELY/NEVER UNDERSTANDS	

NO MATCHES ATTEMPTED

**Section C6.0 (ABILITY TO UNDERSTAND OTHERS w/ code for ability to understand verbal information content = 0)**

6.	ABILITY TO UNDERSTAND OTHERS	(Understanding verbal information content—however able)	0
		0. UNDERSTANDS	
		1. USUALLY UNDERSTANDS—may miss some part/intent of message	
		2. SOMETIMES UNDERSTANDS—responds adequately to simple, direct communication	
		3. RARELY/NEVER UNDERSTANDS	

NO MATCHES ATTEMPTED

**Section C6.1 (ABILITY TO UNDERSTAND OTHERS w/ code for ability to understand verbal information content = 1)**

6.	ABILITY TO UNDERSTAND OTHERS	(Understanding verbal information content—however able)	1
		0. UNDERSTANDS	
		1. USUALLY UNDERSTANDS—may miss some part/intent of message	
		2. SOMETIMES UNDERSTANDS—responds adequately to simple, direct communication	
		3. RARELY/NEVER UNDERSTANDS	

NO MATCHES ATTEMPTED

**Section C6.2 (ABILITY TO UNDERSTAND OTHERS w/ code for ability to understand verbal information content = 2)**

6.	ABILITY TO UNDERSTAND OTHERS	(Understanding verbal information content—however able)	2
		0. UNDERSTANDS	
		1. USUALLY UNDERSTANDS—may miss some part/intent of message	
		2. SOMETIMES UNDERSTANDS—responds adequately to simple, direct communication	
		3. RARELY/NEVER UNDERSTANDS	

NO MATCHES ATTEMPTED

**Section C6.3 (ABILITY TO UNDERSTAND OTHERS w/ code for ability to understand verbal information content = 3)**

6.	ABILITY TO UNDERSTAND OTHERS	(Understanding verbal information content—however able) 0. UNDERSTANDS 1. USUALLY UNDERSTANDS—may miss some part/intent of message 2. SOMETIMES UNDERSTANDS—responds adequately to simple, direct communication 3. RARELY/NEVER UNDERSTANDS	
			3

NO MATCHES ATTEMPTED

**Section C7 (CHANGE IN COMMUNICATION/HEARING)**

7.	CHANGE IN COMMUNICATION/HEARING	Resident's ability to express, understand, or hear information has changed as compared to status of <b>90 days ago</b> (or since last assessment if less than 90 days) 0. No change                      1. Improved                      2. Deteriorated	

NO MATCHES ATTEMPTED

**Section C7.0 (CHANGE IN COMMUNICATION/HEARING w/ code for change in ability = 0)**

7.	CHANGE IN COMMUNICATION/HEARING	Resident's ability to express, understand, or hear information has changed as compared to status of <b>90 days ago</b> (or since last assessment if less than 90 days) 0. No change                      1. Improved                      2. Deteriorated	
			0

NO MATCHES ATTEMPTED

**Section C7.1 (CHANGE IN COMMUNICATION/HEARING w/ code for change in ability = 1)**

7.	CHANGE IN COMMUNICATION/HEARING	Resident's ability to express, understand, or hear information has changed as compared to status of <b>90 days ago</b> (or since last assessment if less than 90 days) 0. No change                      1. Improved                      2. Deteriorated	
			1

NO MATCHES ATTEMPTED

**Section C7.2 (CHANGE IN COMMUNICATION/HEARING w/ code for change in ability = 2)**

7.	CHANGE IN COMMUNICATION/HEARING	Resident's ability to express, understand, or hear information has changed as compared to status of <b>90 days ago</b> (or since last assessment if less than 90 days) 0. No change                      1. Improved                      2. Deteriorated	
			2

NO MATCHES ATTEMPTED

**Section D. VISION PATTERNS**

**SECTION D. VISION PATTERNS**

1.	<b>VISION</b>	<i>(Ability to see in adequate light and with glasses if used)</i> 0. <i>ADEQUATE</i> —sees fine detail, including regular print in newspapers/books 1. <i>IMPAIRED</i> —sees large print, but not regular print in newspapers/books 2. <i>MODERATELY IMPAIRED</i> —limited vision; not able to see newspaper headlines, but can identify objects 3. <i>HIGHLY IMPAIRED</i> —object identification in question, but eyes appear to follow objects 4. <i>SEVERELY IMPAIRED</i> —no vision or sees only light, colors, or shapes; eyes do not appear to follow objects	
2.	<b>VISUAL LIMITATIONS/DIFFICULTIES</b>	Side vision problems—decreased peripheral vision (e.g., leaves food on one side of tray, difficulty traveling, bumps into people and objects, misjudges placement of chair when seating self)  Experiences any of following: sees halos or rings around lights; sees flashes of light; sees "curtains" over eyes  <i>NONE OF ABOVE</i>	a. b. c.
3.	<b>VISUAL APPLIANCES</b>	Glasses; contact lenses; magnifying glass 0. No 1. Yes	

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Finding of vision of eye (finding)	SNOMED CT	

**Section D1 (VISION)**

1.	<b>VISION</b>	<i>(Ability to see in adequate light and with glasses if used)</i> 0. <i>ADEQUATE</i> —sees fine detail, including regular print in newspapers/books 1. <i>IMPAIRED</i> —sees large print, but not regular print in newspapers/books 2. <i>MODERATELY IMPAIRED</i> —limited vision; not able to see newspaper headlines, but can identify objects 3. <i>HIGHLY IMPAIRED</i> —object identification in question, but eyes appear to follow objects 4. <i>SEVERELY IMPAIRED</i> —no vision or sees only light, colors, or shapes; eyes do not appear to follow objects	
----	---------------	---	--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Impairment level: low vision of both eyes (disorder)	SNOMED CT	
Severe visual impairment (disorder)	SNOMED CT	
Blindness or low vision NOS (finding)	SNOMED CT	
Mild visual impairment (disorder)	SNOMED CT	
Moderate visual impairment (disorder)	SNOMED CT	
Normal vision (finding)	SNOMED CT	
Severe visual impairment (disorder)	SNOMED CT	
Eye / vision finding (finding)	SNOMED CT	
Broader Match Term	Broader Match Term Namespace	-----
IMPAIRED-sees large print, but not regular print in newspapers/ books	MDS	
Impairment level of vision (disorder)	SNOMED CT	

**Section D1.0 (VISION w/ code for ability to see in adequate light and with glasses if used = 0)**

1.	VISION	(Ability to see in adequate light and with glasses if used) 0. <i>ADEQUATE</i> —sees fine detail, including regular print in newspapers/books 1. <i>IMPAIRED</i> —sees large print, but not regular print in newspapers/books 2. <i>MODERATELY IMPAIRED</i> —limited vision; not able to see newspaper headlines, but can identify objects 3. <i>HIGHLY IMPAIRED</i> —object identification in question, but eyes appear to follow objects 4. <i>SEVERELY IMPAIRED</i> —no vision or sees only light, colors, or shapes; eyes do not appear to follow objects	
			0

See Section D1 (VISION)

**Section D1.1 (VISION w/ code for ability to see in adequate light and with glasses if used = 1)**

1.	VISION	(Ability to see in adequate light and with glasses if used) 0. <i>ADEQUATE</i> —sees fine detail, including regular print in newspapers/books 1. <i>IMPAIRED</i> —sees large print, but not regular print in newspapers/books 2. <i>MODERATELY IMPAIRED</i> —limited vision; not able to see newspaper headlines, but can identify objects 3. <i>HIGHLY IMPAIRED</i> —object identification in question, but eyes appear to follow objects 4. <i>SEVERELY IMPAIRED</i> —no vision or sees only light, colors, or shapes; eyes do not appear to follow objects	
			1

See Section D1 (VISION)

**Section D1.2 (VISION w/ code for ability to see in adequate light and with glasses if used = 2)**

1.	VISION	(Ability to see in adequate light and with glasses if used) 0. <i>ADEQUATE</i> —sees fine detail, including regular print in newspapers/books 1. <i>IMPAIRED</i> —sees large print, but not regular print in newspapers/books 2. <i>MODERATELY IMPAIRED</i> —limited vision; not able to see newspaper headlines, but can identify objects 3. <i>HIGHLY IMPAIRED</i> —object identification in question, but eyes appear to follow objects 4. <i>SEVERELY IMPAIRED</i> —no vision or sees only light, colors, or shapes; eyes do not appear to follow objects	
			2

See Section D1 (VISION)

**Section D1.3 (VISION w/ code for ability to see in adequate light and with glasses if used = 3)**

1.	VISION	(Ability to see in adequate light and with glasses if used)	3
		0. ADEQUATE—sees fine detail, including regular print in newspapers/books	
		1. IMPAIRED—sees large print, but not regular print in newspapers/books	
		2. MODERATELY IMPAIRED—limited vision; not able to see newspaper headlines, but can identify objects	
		3. HIGHLY IMPAIRED—object identification in question, but eyes appear to follow objects	
4. SEVERELY IMPAIRED—no vision or sees only light, colors, or shapes; eyes do not appear to follow objects			

See Section D1 (VISION)

**Section D1.4 (VISION w/ code for ability to see in adequate light and with glasses if used = 4)**

1.	VISION	(Ability to see in adequate light and with glasses if used)	4
		0. ADEQUATE—sees fine detail, including regular print in newspapers/books	
		1. IMPAIRED—sees large print, but not regular print in newspapers/books	
		2. MODERATELY IMPAIRED—limited vision; not able to see newspaper headlines, but can identify objects	
		3. HIGHLY IMPAIRED—object identification in question, but eyes appear to follow objects	
4. SEVERELY IMPAIRED—no vision or sees only light, colors, or shapes; eyes do not appear to follow objects			

See Section D1 (VISION)

**Section D2 (VISUAL LIMITATIONS/DIFFICULTIES)**

2.	VISUAL LIMITATIONS/DIFFICULTIES	Side vision problems—decreased peripheral vision (e.g., leaves food on one side of tray, difficulty traveling, bumps into people and objects, misjudges placement of chair when seating self)	a.
		Experiences any of following: sees halos or rings around lights; sees flashes of light; sees "curtains" over eyes	b.
		NONE OF ABOVE	c.

Partial Match Term	Partial Match Term Namespace	Reviewer Feedback & Name
Abnormal vision (finding)	SNOMED CT	

**Section D2a. (Side vision problems...)**

Side vision problems—decreased peripheral vision (e.g., leaves food on one side of tray, difficulty traveling, bumps into people and objects, misjudges placement of chair when seating self)	a.
---	----

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Decreased peripheral vision (finding) If pain present,check all sites that apply inlast 7 days	SNOMED CT MDS	

**Section D2b. (Experiences any of following...)**

Experiences any of following: sees halos or rings around lights; sees flashes of light; sees "curtains" over eyes

b.
----

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
If pain present,check all sites that apply inlast 7 days	MDS	
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Interference with vision (finding)	SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Floater in visual field (finding) Sees flashes (finding) Sees haloes around lights (finding)	SNOMED CT SNOMED CT SNOMED CT	

**Section D2c. (NONE OF ABOVE)**

NONE OF ABOVE

c.
----

**NO MATCHES FOUND**

**Section D3 (VISUAL APPLIANCES)**

3.	VISUAL APPLIANCES	Glasses; contact lenses; magnifying glass	
		0. No 1. Yes	

**NO MATCHES ATTEMPTED**

**Section D3.0 (No)**

0. No

**NO MATCHES ATTEMPTED**

**Section D3.1 (Yes)**

1. Yes

**NO MATCHES ATTEMPTED**

## Section E (MOOD AND BEHAVIOR PATTERNS)

### SECTION E. MOOD AND BEHAVIOR PATTERNS

<p>1. INDICATORS OF DEPRESSION, ANXIETY, SAD MOOD</p>	<p>(Code for indicators observed in last 30 days, irrespective of the assumed cause)</p> <p>0. Indicator not exhibited in last 30 days            1. Indicator of this type exhibited up to five days a week            2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)</p> <p><b>VERBAL EXPRESSIONS OF DISTRESS</b></p> <p>a. Resident made negative statements—e.g., "Nothing matters; Would rather be dead; What's the use; Regrets having lived so long; Let me die"</p> <p>b. Repetitive questions—e.g., "Where do I go; What do I do?"</p> <p>c. Repetitive verbalizations—e.g., calling out for help, ("God help me")</p> <p>d. Persistent anger with self or others—e.g., easily annoyed, anger at placement in nursing home; anger at care received</p> <p>e. Self deprecation—e.g., "I am nothing; I am of no use to anyone"</p> <p>f. Expressions of what appear to be unrealistic fears—e.g., fear of being abandoned, left alone, being with others</p> <p>g. Recurrent statements that something terrible is about to happen—e.g., believes he or she is about to die, have a heart attack</p> <p><b>h. Repetitive health complaints—e.g., persistently seeks medical attention, obsessive concern with body functions</b></p> <p>i. Repetitive anxious complaints/concerns (non-health related) e.g., persistently seeks attention/ reassurance regarding schedules, meals, laundry, clothing, relationship issues</p> <p><b>SLEEP-CYCLE ISSUES</b></p> <p>j. Unpleasant mood in morning</p> <p>k. Insomnia/change in usual sleep pattern</p> <p><b>SAD, APATHETIC, ANXIOUS APPEARANCE</b></p> <p>l. Sad, pained, worried facial expressions—e.g., furrowed brows</p> <p>m. Crying, tearfulness</p> <p>n. Repetitive physical movements—e.g., pacing, hand wringing, restlessness, fidgeting, picking</p> <p><b>LOSS OF INTEREST</b></p> <p>o. Withdrawal from activities of interest—e.g., no interest in long standing activities or being with family/friends</p> <p>p. Reduced social interaction</p>
<p>2. MOOD PERSISTENCE</p>	<p>One or more indicators of depressed, sad or anxious mood were not easily altered by attempts to "cheer up", console, or reassure the resident over last 7 days</p> <p>0. No mood indicators      1. Indicators present, easily altered      2. Indicators present, not easily altered</p>

3.	CHANGE IN MOOD	Resident's mood status has changed as compared to status of 90 days ago (or since last assessment if less than 90 days) 0. No change      1. Improved      2. Deteriorated	
4.	BEHAVIORAL SYMPTOMS	<p>(A) Behavioral symptom frequency in last 7 days</p> <p>0. Behavior not exhibited in last 7 days</p> <p>1. Behavior of this type occurred 1 to 3 days in last 7 days</p> <p>2. Behavior of this type occurred 4 to 6 days, but less than daily</p> <p>3. Behavior of this type occurred daily</p> <p>(B) Behavioral symptom alterability in last 7 days</p> <p>0. Behavior not present OR behavior was easily altered</p> <p>1. Behavior was not easily altered</p>	(A) (B)
	a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)		
	b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at)		
	c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused)		
	d. SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/throw food/feces, hoarding, rummaged through others' belongings)		
	e. RESISTS CARE (resisted taking medications/ injections, ADL assistance, or eating)		
5.	CHANGE IN BEHAVIORAL SYMPTOMS	Resident's behavior status has changed as compared to status of 90 days ago (or since last assessment if less than 90 days) 0. No change      1. Improved      2. Deteriorated	

Partial Match Term	Partial Match Term Namespace	Reviewer Feedback & Name
Habit (finding)	SNOMED CT	
Mood finding (finding)	SNOMED CT	

### Section E1 (INDICATORS OF DEPRESSION, ANXIETY, SAD MOOD)

1.	INDICATORS OF DEPRESSION, ANXIETY, SAD MOOD	<p>(Code for indicators observed in last 30 days, irrespective of the assumed cause)</p> <p>0. Indicator not exhibited in last 30 days</p> <p>1. Indicator of this type exhibited up to five days a week</p> <p>2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)</p>	
	VERBAL EXPRESSIONS OF DISTRESS		
	a. Resident made negative statements—e.g., "Nothing matters; Would rather be dead; What's the use; Regrets having lived so long; Let me die"		
	b. Repetitive questions—e.g., "Where do I go; What do I do?"		
	h. Repetitive health complaints—e.g., persistently seeks medical attention, obsessive concern with body functions		
	i. Repetitive anxious complaints/concerns (non-health related) e.g., persistently seeks attention/ reassurance regarding schedules, meals, laundry, clothing, relationship issues		

			grooming, relationship issues	
	c. Repetitive verbalizations—e.g., calling out for help, ("God help me")		<b>SLEEP-CYCLE ISSUES</b>	
	d. Persistent anger with self or others—e.g., easily annoyed, anger at placement in nursing home; anger at care received		j. Unpleasant mood in morning	
	e. Self deprecation—e.g., "I am nothing; I am of no use to anyone"		k. Insomnia/change in usual sleep pattern	
	f. Expressions of what appear to be unrealistic fears—e.g., fear of being abandoned, left alone, being with others		<b>SAD, APATHETIC, ANXIOUS APPEARANCE</b>	
	g. Recurrent statements that something terrible is about to happen—e.g., believes he or she is about to die, have a heart attack		l. Sad, pained, worried facial expressions—e.g., furrowed brows	
			m. Crying, tearfulness	
			n. Repetitive physical movements—e.g., pacing, hand wringing, restlessness, fidgeting, picking	
			<b>LOSS OF INTEREST</b>	
			o. Withdrawal from activities of interest—e.g., no interest in long standing activities or being with family/friends	
			p. Reduced social interaction	

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Symptoms of depression (finding)	SNOMED CT	
Broader Match Term	Broader Match Term Namespace	-----
Signs/symptoms-mental/emotional surveillance (regime/therapy)	SNOMED CT	
Partial Match Term	Partial Match Term Namespace	-----
Symptoms of depression (finding)	SNOMED CT	

**Section E1a. (Resident made negative statements...)**

<b>VERBAL EXPRESSIONS OF DISTRESS</b>	
a. Resident made negative statements—e.g., "Nothing matters; Would rather be dead; What's the use; Regrets having lived so long; Let me die"	

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
Symptom findings in relation to frequency (context-dependent category) Absence findings (qualifier value)	SNOMED CT SNOMED CT	Can't match item or responses. <b>(dmalitz 2005/06/02 16:15)</b>  Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b>  Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a

		<p>broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p> <p>Finding of expression of emotions (finding) Code: F-9211B Id: 365186 is a broader match, but it gets closer to making statements. <b>(rshephard 2005/05/26 18:22)</b></p> <p>"Emotional state finding (finding)" has a number of subconcepts that are related to this item. <b>(dmalitz 2005/05/26 16:02)</b></p> <p>Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b></p>
<p><b>Partial Match Term</b></p>	<p><b>Partial Match Term Namespace</b></p>	<p>-----</p>
<p>Daily (qualifier value)  Emotional state finding (finding)  Finding of expression of emotions (finding)  Five times weekly (qualifier value)  Frequency per week (qualifier value)  Not detected (qualifier value)  Not seen (qualifier value)  Symptoms of depression (finding)  Wanting to die (finding)</p>	<p>SNOMED CT  SNOMED CT</p>	

**Section E1b. (Repetitive questions...)**

b. Repetitive questions—e.g.,  
"Where do I go; What do I  
do?"



Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
<p>Symptom findings in relation to frequency (context-dependent category) Absence findings (qualifier value)</p>	<p>SNOMED CT SNOMED CT</p>	<p>Repetition of phrases (finding) Code: F-94832 Id: 40628 is a partial match. <b>(rshephard 2005/05/26 19:35)</b></p> <p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p> <p>Repetitive routines would not be even a partial match. Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b></p>
Partial Match Term	Partial Match Term Namespace	-----
<p>Daily (qualifier value) Five times weekly (qualifier value) Frequency per week (qualifier value) Not detected (qualifier value) Not seen (qualifier value) Repetition of phrases (finding) Repetitive routines (finding) Verbal repetition (finding)</p>	<p>SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT</p>	

**Section E1c. (Repetitive verbalizations...)**

c. Repetitive verbalizations—  
e.g., calling out for help,  
("God help me")



Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
<p>Verbal repetition (finding)</p>	<p>SNOMED CT</p>	<p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a</p>

		<p>broader match. <b>(rshephard 2005/05/26 19:16)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p> <p>Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b></p>
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Symptom findings in relation to frequency (context-dependent category) Absence findings (qualifier value)	SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Daily (qualifier value) Five times weekly (qualifier value) Frequency per week (qualifier value) Not detected (qualifier value) Not seen (qualifier value)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

**Section E1d. (Persistent anger with self or others...)**

d. Persistent anger with self or others—e.g., easily annoyed, anger at placement in nursing home; anger at care received

<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
Fear (finding) Symptom findings in relation to frequency (context-dependent category) Absence findings (qualifier value)	SNOMED CT  SNOMED CT SNOMED CT	<p>Tends to turn anger against self (finding) Code: F-9716E Id: 286795 is a partial match. <b>(rshephard 2005/05/26 19:47)</b></p> <p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard</b></p>

		<p><b>2005/05/26 19:13)</b></p> <p>None of the identified concepts adequately captures the item. Some related concepts are: (1) "[D]Irritability and anger (context-dependent category)", (2) "Tends to turn anger against self (finding)". Also the following qualifier might help: "Persistent (qualifier value)" <b>(dmalitz 2005/05/26 16:19)</b></p> <p>Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b></p>
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
[D]Irritability and anger (context-dependent category) Becomes angry very easily (finding) C/O - feeling unhappy (context-dependent category) Daily (qualifier value) Feeling angry (finding) Five times weekly (qualifier value) Frequency per week (qualifier value) Irritability and anger (finding) Not detected (qualifier value) Not seen (qualifier value) Persistent (qualifier value) Tends to turn anger against self (finding)	SNOMED CT SNOMED CT	

**Section E1e. (Self deprecation...)**

e. Self deprecation—e.g., "I am nothing; I am of no use to anyone"

<b>Best Match Term</b>	<b>Best Match Term Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
Self-depreciation (finding)	SNOMED CT	<p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p>

		<p>Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b></p>
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Symptom findings in relation to frequency (context-dependent category) Absence findings (qualifier value)	SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Daily (qualifier value) Five times weekly (qualifier value) Frequency per week (qualifier value) Not detected (qualifier value) Not seen (qualifier value)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

**Section E1f. (Expressions of what appear to be unrealistic fears...)**

f. Expressions of what appear to be unrealistic fears—e.g., fear of being abandoned, left alone, being with others



<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
Symptom findings in relation to frequency (context-dependent category) Absence findings (qualifier value)	SNOMED CT SNOMED CT	<p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p> <p>Perhaps a better match would be "Fear (finding)". This has 6 subconcepts which in turn have subconcepts which, as a group, account for 57 specific types of fear. <b>(dmalitz 2005/05/26 17:06)</b></p> <p>Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week</p>

		(qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b>
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Daily (qualifier value) Fear of being left alone (finding) Five times weekly (qualifier value) Frequency per week (qualifier value) Not detected (qualifier value) Not seen (qualifier value) Phobia (finding)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

**Section E1g. (Recurrent statements...)**

g. Recurrent statements that something terrible is about to happen—e.g., believes he or she is about to die, have a heart attack



<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
Symptom findings in relation to frequency (context-dependent category) Fear (finding) Symptom findings in relation to frequency (context-dependent category) Fear (finding) Absence findings (qualifier value)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	<p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p> <p>I'm not sure that recurrent anxiety quite captures the concept. <b>(dmalitz 2005/05/26 17:10)</b></p> <p>Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b></p> <p>Anxiety about having a heart attack (Code: F-0B334 Id: 277834 Namespace: SNOMED CT)</p>

		<p>is also a partial match. Impending (Code: G-7194 Id: 71033 Namespace: SNOMED CT) is also a partial match (as in fear of impending heart attack or death - fear of impending doom). <b>(rshephard 2005/05/14 20:33)</b></p> <p>Regarding the Apelon comment asking about importance of verbalization vs. documenting general anxiety: the MDS item is specific to verbalizations by the resident and not observations by the staff. <b>(rshephard 2005/05/14 20:16)</b></p>
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Anxiety about having a heart attack (finding) Daily (qualifier value) Death anxiety (finding) Five times weekly (qualifier value) Frequency per week (qualifier value) Impending (qualifier value) Not detected (qualifier value) Not seen (qualifier value) Recurrent anxiety (finding)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

**Section E1h. (Repetitive health complaints...)**

h. Repetitive health complaints—e.g., persistently seeks medical attention, obsessive concern with body functions



<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
Health seeking behavior alteration (finding) Symptom findings in relation to frequency (context-dependent category) Absence findings (qualifier value)	SNOMED CT  SNOMED CT SNOMED CT	<p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p> <p>The item mentions "complaints" (a behavior) rather than anxiety (a mood state). Would "Multiple somatic complaints (finding)" be a good match? <b>(dmalitz 2005/05/26 17:13)</b></p> <p>Since the E1 items have a 30-day lookback</p>

		<p>period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b></p> <p>Anxiety about body function or health (Code: F-0B347 Id: 247808 Namespace: SNOMED CT) is the closest match. However, the concept of "repetitive" is not included. Also, the MDS item does not to use the label "anxiety," though the broader category is "indicators of depression, anxiety, sad mood." <b>(rshephard 2005/05/14 20:43)</b></p>
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Anxiety about body function or health (finding) Daily (qualifier value) Five times weekly (qualifier value) Frequency per week (qualifier value) Not detected (qualifier value) Not seen (qualifier value)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

**Section E1i. (Repetitive anxious complaints/concerns...)**

- i. Repetitive anxious complaints/concerns (non-health related) e.g., persistently seeks attention/reassurance regarding schedules, meals, laundry, clothing, relationship issues



<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
---------------------------	-------------------------------------	-------------------------------------

<p>Symptom findings in relation to frequency (context-dependent category) Absence findings (qualifier value)</p>	<p>SNOMED CT SNOMED CT</p>	<p>Re: Apelon comment on 3rd reviewable concept: this MDS item refers specifically to the resident's verbalizations and not staff observations. Note that the label for this category is "Verbal Expressions of Distress." <b>(rshephard 2005/05/26 19:58)</b></p> <p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p> <p>I couldn't find any better matches. But I did stumble across "[D]God only knows (context-dependent category)" (I'm not kidding!). <b>(dmalitz 2005/05/26 17:20)</b></p> <p>Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b></p>
--	--------------------------------	---

Partial Match Term	Partial Match Term Namespace	-----
<p>Chronic anxiety (finding) Daily (qualifier value) Five times weekly (qualifier value) Frequency per week (qualifier value) Not detected (qualifier value) Not seen (qualifier value) Recurrent anxiety (finding)</p>	<p>SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT</p>	

**Section E1j. (Unpleasant mood in morning)**

SLEEP-CYCLE ISSUES

j. Unpleasant mood in morning



Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
<p>Symptom findings in relation to frequency (context-dependent category) Absence findings (qualifier value)</p>	<p>SNOMED CT SNOMED CT</p>	<p>Diurnal variation of mood (finding) Code: F-94123 Id: 247800 is a partial match. Depression worse in the morning might be a partial match, but not a best match, because the unpleasant mood in the morning could also be related to anxiety or sadness. <b>(rshephard</b></p>

		<p><b>2005/05/26 20:13)</b></p> <p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p> <p>How about combining "Dysphoric mood (finding)" + "Morning (qualifier value)". <b>(dmalitz 2005/05/26 17:28)</b>  Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b></p> <p>Testing comments. <b>(view 2005/05/10 13:01)</b></p> <p>Unpleasant mood is different from Depression and easily upset. Feeling irritable would work best, but no qualifier for time of day. <b>(view 2005/05/10 11:55)</b></p> <p>Feeling angry (finding) [SNOMED CT] reference depression as in ICD. <b>(view 2005/05/10 10:58)</b></p>
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Becomes angry very easily (finding) Daily (qualifier value) Depression worse in morning (finding) Dysphoric mood (finding) Feeling angry (finding) Feeling irritable (finding) Five times weekly (qualifier value) Frequency per week (qualifier value) Morning (qualifier value) Not detected (qualifier value) Not seen (qualifier value)	SNOMED CT SNOMED CT	

**Section E1k. (Insomnia/change in usual sleep pattern)**

k. Insomnia/change in usual sleep pattern

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
<p>Dyssomnia (disorder) Sleep pattern disturbance (finding)</p>	<p>SNOMED CT SNOMED CT</p>	<p>The only problem I see with "sleep pattern disturbance" is that it's linked to an ICD9 (unspecified sleep disturbance). The MDS item is supposed to be based on observation, not necessarily a dx. Does this make the "sleep pattern disturbance" too restrictive? <b>(dmalitz 2005/06/16 10:47)</b></p> <p>"Sleep Cycle Issues," as a classification of indicators of depression, anxiety, sad mood, is the heading on this MDS item, and it states, "Distress can also be manifested through disturbed sleep patterns." So it is "disturbed" sleep patterns that the item is looking for and not also improved sleep patterns. I think Sleep pattern disturbance would be the best match. <b>(rshephard 2005/06/08 17:19)</b></p> <p>It might be possible to match this with a combination of terms. But the match is not straightforward because "change in usual sleep pattern" is hard to match. <b>(dmalitz 2005/06/02 16:18)</b></p> <p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p> <p>Several of the concepts that you picked were related. Others I found: -Early morning waking (disorder) -Wakes and cannot sleep again [248257002] -Cannot sleep at all (finding) -Delayed onset of sleep (finding) - Difficulty sleeping (finding) -Disorders of initiating and maintaining sleep (disorder) <b>(dmalitz 2005/05/26 17:47)</b></p> <p>Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much</p>

		equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b> Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b>
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Sleep pattern finding (finding) Symptom findings in relation to frequency (context-dependent category) Absence findings (qualifier value)	SNOMED CT  SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Change patterns (qualifier value) Daily (qualifier value) Five times weekly (qualifier value) Frequency per week (qualifier value) Insomnia (disorder) Not detected (qualifier value) Not seen (qualifier value) Poor sleep pattern (finding)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

**Section E11. (Sad, pained, worried...)**

SAD, APATHETIC, ANXIOUS APPEARANCE

I. Sad, pained, worried facial expressions—e.g., furrowed brows



<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
Symptom findings in relation to frequency (context-dependent category) Finding of facial expression (finding) Personal appearance, function (observable entity) Absence findings (qualifier value)	SNOMED CT SNOMED CT  SNOMED CT SNOMED CT	Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b>  Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b>  Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b>  Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b>

Partial Match Term	Partial Match Term Namespace	-----
Daily (qualifier value)	SNOMED CT	
Evaluation of facial expression (procedure)	SNOMED CT	
Five times weekly (qualifier value)	SNOMED CT	
Frequency per week (qualifier value)	SNOMED CT	
Not detected (qualifier value)	SNOMED CT	
Not seen (qualifier value)	SNOMED CT	
Worried (finding)	SNOMED CT	

*Section E1m. (Crying, tearfulness)*

m. Crying, tearfulness

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Crying (finding)	SNOMED CT	<p>I am saying no to c/o tearfulness, because the MDS item label is Sad, Apathetic, Anxious APPEARANCE, as opposed to a complaint by the resident. <b>(rshephard 2005/05/26 20:23)</b></p> <p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p> <p>All of these appear related. I'm not sure what "C/O" refers to, so I voted "no" for that one. Other related concepts that I found: -Cries easily (finding) -Crying, excessive (finding) <b>(dmalitz 2005/05/26 18:05)</b></p> <p>Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b></p>
Broader Match Term	Broader Match Term Namespace	-----
Symptom findings in relation to frequency (context-dependent category)	SNOMED CT	
Absence findings (qualifier value)	SNOMED CT	
Partial Match Term	Partial Match Term Namespace	-----

C/O tearfulness (context-dependent category)	SNOMED CT	
Cries easily (finding)	SNOMED CT	
Crying associated with mood (finding)	SNOMED CT	
Daily (qualifier value)	SNOMED CT	
Five times weekly (qualifier value)	SNOMED CT	
Frequency per week (qualifier value)	SNOMED CT	
Not detected (qualifier value)	SNOMED CT	
Not seen (qualifier value)	SNOMED CT	

### Section E1n. (Repetitive physical movements)

n. Repetitive physical movements—e.g., pacing, hand wringing, restlessness, fidgeting, picking



Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Palikinesia (finding)	SNOMED CT	<p>Too many terms that are partial matches -- no single good match. <b>(dmalitz 2005/06/02 16:21)</b></p> <p>Palikinesia is an involuntary neurological condition as opposed to a psychological condition that results in a sad, apathetic, anxious appearance, as indicated by the MDS label for this item. <b>(rshephard 2005/05/26 20:38)</b></p> <p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p> <p>I think most of these are related. I had to look up palikinesia -- it's involuntary repetition of movements. I'm not sure whether the MDS item requires that the repetitive movements be involuntary. <b>(dmalitz 2005/05/26 18:08)</b></p> <p>Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26</b></p>

		15:48)
Broader Match Term	Broader Match Term Namespace	-----
Symptom findings in relation to frequency (context-dependent category) Repetitive routines (finding) Absence findings (qualifier value)	SNOMED CT SNOMED CT SNOMED CT	
Partial Match Term	Partial Match Term Namespace	-----
Daily (qualifier value) Fidgeting (finding) Five times weekly (qualifier value) Frequency per week (qualifier value) Motor function behavior finding (finding) Not detected (qualifier value) Not seen (qualifier value) Pacing - action (qualifier value) Pacing up and down (finding) Repetitive hand wringing (finding) Restlessness (finding) Restlessness and agitation (finding)	SNOMED CT SNOMED CT	

**Section E1o. (Withdrawal from activities...)**

**LOSS OF INTEREST**

o. Withdrawal from activities of interest—e.g., no interest in long standing activities or being with family/friends



Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Social withdrawal (finding)	SNOMED CT	<p>The new term "social withdrawal" captures only half of the item's meaning. The manual says that it includes loss of interest in being with family/friends. <b>(dmalitz 2005/06/16 10:53)</b></p> <p>Social withdrawal is what the MDS item is getting at. I am not sure what is meant by "MDS coordination opportunity?" <b>(rshephard 2005/06/10 14:33)</b></p> <p>No clear single good match. <b>(dmalitz 2005/06/02 16:21)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p> <p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a</p>

		<p>broader match. <b>(rshephard 2005/05/26 18:32)</b></p> <p>The terms I voted "yes" on capture much, but not all, of the intent. <b>(dmalitz 2005/05/26 18:09)</b></p> <p>Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b></p>
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Symptom findings in relation to frequency (context-dependent category) Absence findings (qualifier value) Loss of interest (finding)	SNOMED CT SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Daily (qualifier value) Five times weekly (qualifier value) Frequency per week (qualifier value) Not detected (qualifier value) Not seen (qualifier value) Withdrawn (finding) Withdrawn behavior (finding)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

[Section E1p. \(Reduced social interaction\)](#)

being with finding method  
p.Reduced social interaction

<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
---------------------------	-------------------------------------	-------------------------------------

<p>Symptom findings in relation to frequency (context-dependent category)  Finding of interaction with others (finding)  Finding related to ability to interact with others (finding)  Interaction with others (observable entity)  Loss of interest (finding)  Social context finding (finding)  Social interaction finding (finding)  Social involvement behavior (observable entity)  Absence findings (qualifier value)</p>	<p>SNOMED CT  SNOMED CT</p>	<p>While there are many partial matches, I think "social withdrawal" may be the single best term. <b>(dmalitz 2005/06/16 10:55)</b></p> <p>Lots of partials, but no good single good match. <b>(dmalitz 2005/06/02 16:22)</b></p> <p>Re: Apelon_comment_Q isn't this very similar to E1o? Withdrawal from family and friends? It is a partial match to reduced social interaction. Many of the reviewable concepts are partial matches, and Social withdrawal (finding) Code: S-00032 Id: 105411 and Disturbance in life pattern associated with family (finding) Code: S-30020 Id: 12347 are partial matches and Social context finding (finding) Code: S-00001 Id: 108329 and Disturbance in life pattern associated with recreation (finding) Code: S-30040 Id: 11937 are broader matches. The problem is that none of them contain a qualifier for reduced. <b>(rshephard 2005/05/27 17:07)</b></p> <p>Symptom findings in relation to frequency (context-dependent category) Code: R-20730 Id: 308920 is a broader match. <b>(rshephard 2005/05/26 19:16)</b></p> <p>Symptom findings in relation to time (context-dependent category) Code: R-2072D Id: 308917 is a broader match, but it has no comparable subconcept. <b>(rshephard 2005/05/26 19:13)</b></p> <p>Other possibles: -Social withdrawal (finding) - Social interaction alteration (finding) -Social isolation (finding) <b>(dmalitz 2005/05/26 18:17)</b></p> <p>Since the E1 items have a 30-day lookback period, saying that the behavior was not exhibited in the last 30 days is pretty much equivalent to "No (qualifier value)". <b>(dmalitz 2005/05/26 15:58)</b></p> <p>Look at subconcepts under "Frequency per week (qualifier value)". This has various frequencies within a week, although none exactly fits. <b>(dmalitz 2005/05/26 15:48)</b></p>
<p><b>Partial Match Term</b></p>	<p><b>Partial Match Term Namespace</b></p>	<p>-----</p>
<p>Daily (qualifier value)  Disturbance in life pattern associated with family (finding)  Disturbance in life pattern associated with recreation (finding)  Five times weekly (qualifier value)  Frequency per week (qualifier value)</p>	<p>SNOMED CT  SNOMED CT  SNOMED CT  SNOMED CT  SNOMED CT</p>	

Loss of interest (finding)	SNOMED CT	
Not detected (qualifier value)	SNOMED CT	
Not seen (qualifier value)	SNOMED CT	
Social interaction alteration (finding)	SNOMED CT	
Social withdrawal (finding)	SNOMED CT	
Withdrawn (finding)	SNOMED CT	
Withdrawn behavior (finding)	SNOMED CT	

**Section E2 (MOOD PERSISTENCE)**

2.	MOOD PERSISTENCE	One or more indicators of depressed, sad or anxious mood were not easily altered by attempts to "cheer up", console, or reassure the resident over last 7 days	
		0. No mood indicators      1. Indicators present, easily altered      2. Indicators present, not easily altered	

**NO MATCHES FOUND**

**Section E2.0 (No mood indicators)**

0. No mood indicators
-----------------------

**NO MATCHES FOUND**

**Section E2.1 (Indicators present, easily altered)**

1. Indicators present, easily altered
---------------------------------------

**NO MATCHES FOUND**

**Section E2.2 (Indicators present, not easily altered)**

2. Indicators present, not easily altered
---

**NO MATCHES FOUND**

**Section E3 (CHANGE IN MOOD)**

3.	CHANGE IN MOOD	Resident's mood status has changed as compared to status of 90 days ago (or since last assessment if less than 90 days)	
		0. No change      1. Improved      2. Deteriorated	

**NO MATCHES ATTEMPTED**

**Section E3.0 (No change)**

0. No change
--------------

NO MATCHES ATTEMPTED

Section E3.1 (Improved)

1. Improved

NO MATCHES ATTEMPTED

Section E3.2 (Deteriorated)

2. Deteriorated

NO MATCHES ATTEMPTED

Section E4 (BEHAVIORAL SYMPTOMS)

4. BEHAVIORAL SYMPTOMS	(A) Behavioral symptom frequency in last 7 days 0. Behavior not exhibited in last 7 days 1. Behavior of this type occurred 1 to 3 days in last 7 days 2. Behavior of this type occurred 4 to 6 days, but less than daily 3. Behavior of this type occurred daily		
	(B) Behavioral symptom alterability in last 7 days 0. Behavior not present OR behavior was easily altered 1. Behavior was not easily altered	(A)	(B)
	a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)		
	b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at)		
	c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused)		
	d. SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/throw food/feces, hoarding, rummaged through others' belongings)		
	e. RESISTS CARE (resisted taking medications/ injections, ADL assistance, or eating)		

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
Behavior finding (finding)	SNOMED CT	

Section E4A (Behavioral symptom frequency in last 7 days)

(A) Behavioral symptom frequency in last 7 days 0. Behavior not exhibited in last 7 days 1. Behavior of this type occurred 1 to 3 days in last 7 days 2. Behavior of this type occurred 4 to 6 days, but less than daily 3. Behavior of this type occurred daily
--

NO MATCHES FOUND

Section E4A.0 (BEHAVIOR NOT EXHIBITED IN LAST 7 DAYS)

0. Behavior not exhibited in last 7 days

**NO MATCHES FOUND**

**[Section E4A.1 \(Behavior of this type occurred 1 to 3 days in last 7 days\)](#)**

1. Behavior of this type occurred 1 to 3 days in last 7 days

**NO MATCHES FOUND**

**[Section E4A.2 \(Behavior of this type occurred 4 to 6 days, but less than daily\)](#)**

2. Behavior of this type occurred 4 to 6 days, but less than daily

**NO MATCHES FOUND**

**[Section E4A.3 \(Behavior of this type occurred daily\)](#)**

3. Behavior of this type occurred daily

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
Frequency per week (qualifier value)	SNOMED CT	
Partial Match Term	Partial Match Term Namespace	-----
Behavior finding (finding)	SNOMED CT	
Daily (qualifier value)	SNOMED CT	

**[Section E4B \(Behavioral symptom alterability in last 7 days\)](#)**

<p>(B) Behavioral symptom alterability in last 7 days</p> <p>0. Behavior not present OR behavior was easily altered</p> <p>1. Behavior was not easily altered</p>
---

**NO MATCHES FOUND**

**[Section E4B.0 \(Behavior not present OR behavior was easily altered\)](#)**

0. Behavior not present OR behavior was easily altered

**NO MATCHES FOUND**

**[Section E4B.1 \(Behavior was not easily altered\)](#)**

1. Behavior was not easily altered

**NO MATCHES FOUND**

**Section E4a. (WANDERING)**

a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)

--	--

<b>Best Match Term</b>	<b>Best Match Term Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
Wandering (finding)	SNOMED CT	<p>You could build logic for this using "Once a week (qualifier value)" and "Three times weekly (qualifier value)" (<b>dmalitz 2005/05/31 12:09</b>)</p> <p>The idea of being "not observed" or "not exhibited" is captured by several terms under the superconcept "Absence findings (qualifier value)". This includes - "Absent (qualifier value)" - "None (qualifier value)", - "Not detected (qualifier value)" Not seen (qualifier value) (<b>dmalitz 2005/05/31 12:04</b>)</p> <p>Symptom frequency (context-dependent category) Code: R-209E8 Id: 162451 and Symptom pattern (context-dependent category) Code: R-20A0C Id: 162492 are broader matches. (<b>rshephard 2005/05/27 17:48</b>)</p>
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Absence findings (qualifier value) Frequency per week (qualifier value) Symptom frequency (context-dependent category) Symptom pattern (context-dependent category)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Absent (qualifier value) Daily (qualifier value) None (qualifier value) Not detected (qualifier value) Not seen (qualifier value) Once a week (qualifier value) Three times weekly (qualifier value)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

**Section E4aA (WANDERING w/ code for behavioral symptom frequency)**

a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)

--

<b>Best Match Term</b>	<b>Best Match Term Namespace</b>	<b>Reviewer Feedback &amp; Name</b>
Wandering (finding)	SNOMED CT	<p>Wandering is a broader match. The MDS concept Wandering and the SNOMED concept Wandering are a best match, but the concept we're reviewing is narrowed by the frequency. No match in SNOMED for the entire MDS concept. (<b>rshephard 2005/06/03 20:04</b>)</p>

		<p>Best match term captures concept of wandering. If you look at my comments for the frequency response options, we might be able to capture frequency concepts. However, I think you omitted the "alterability" response options. <b>(dmalitz 2005/06/02 17:29)</b></p> <p>You could build logic for this using "Once a week (qualifier value)" and "Three times weekly (qualifier value)" <b>(dmalitz 2005/05/31 12:09)</b></p> <p>The idea of being "not observed" or "not exhibited" is captured by several terms under the superconcept "Absence findings (qualifier value)". This includes - "Absent (qualifier value)" -"None (qualifier value)", - "Not detected (qualifier value)" Not seen (qualifier value) <b>(dmalitz 2005/05/31 12:04)</b></p> <p>You could build logic using the following terms: -Four times weekly (qualifier value), -Six times weekly (qualifier value). <b>(dmalitz 2005/05/31 11:58)</b></p> <p>I also am confused about the general distinction between items and responses. The "wandering" term you selected seems to capture the meaning of the item. But how do we code the frequency? <b>(dmalitz 2005/05/31 11:49)</b></p> <p>Symptom frequency (context-dependent category) Code: R-209E8 Id: 162451 and Symptom pattern (context-dependent category) Code: R-20A0C Id: 162492 are broader matches. <b>(rshephard 2005/05/27 17:48)</b></p> <p>Shouldn't the components of this concept actually be two separate MDS concepts: [1] E4(A)Behavioral symptom frequency in last 7 days and [2] E4a. Wandering. The same would be true for the concepts identified as E4bA and E4cA and E4dA. I will skip these until I receive a response to this question. <b>(rshephard 2005/05/27 17:19)</b></p>
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Absence findings (qualifier value) Frequency per week (qualifier value) Symptom frequency (context-dependent category) Symptom pattern (context-dependent category)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Absent (qualifier value)	SNOMED CT	

Four times weekly (qualifier value)	SNOMED CT	
Frequency per week (qualifier value)	SNOMED CT	
None (qualifier value)	SNOMED CT	
Not detected (qualifier value)	SNOMED CT	
Not seen (qualifier value)	SNOMED CT	
Once a week (qualifier value)	SNOMED CT	
Six times weekly (qualifier value)	SNOMED CT	
Symptom frequency (context-dependent category)	SNOMED CT	
Symptom frequency NOS (context-dependent category)	SNOMED CT	
Three times weekly (qualifier value)	SNOMED CT	

**[Section E4aA.0 \(WANDERING w/ code for behavioral symptom frequency = 0\)](#)**

a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)

See Section E4aA (WANDERING w/ code for behavioral symptom frequency)

**[Section E4aA.1 \(WANDERING w/ code for behavioral symptom frequency = 1\)](#)**

a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)

See Section E4aA (WANDERING w/ code for behavioral symptom frequency)

**[Section E4aA.2 \(WANDERING w/ code for behavioral symptom frequency = 2\)](#)**

a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)

See Section E4aA (WANDERING w/ code for behavioral symptom frequency)

**[Section E4aA.3 \(WANDERING w/ code for behavioral symptom frequency = 3\)](#)**

a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)

See Section E4aA (WANDERING w/ code for behavioral symptom frequency)

**[Section E4aB \(WANDERING w/ code for behavioral symptom alterability\)](#)**

a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)

**NO MATCHES FOUND**

**Section E4aB.0 (WANDERING w/ code for behavioral symptom alterability = 0)**

a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)

0

NO MATCHES FOUND

**Section E4aB.1 (WANDERING w/ code for behavioral symptom alterability =1)**

a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)

1

NO MATCHES FOUND

**Section E4b. (VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS)**

b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at)

--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Verbally abusive behavior (finding)	SNOMED CT	

**Section E4bA (VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)**

b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at)

--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Verbally abusive behavior (finding)	SNOMED CT	<p>The SNOMED concept Verbally abusive behavior is a best match to the concept Verbal abuse. However, it is only a partial match to the MDS concept we are reviewing (Verbal abuse frequency). No match in SNOMED for the entire concept, so Verbally abusive behavior is a broader match. <b>(rshephard 2005/06/03 20:07)</b></p> <p>You could build logic for this using "Once a week (qualifier value)" and "Three times weekly (qualifier value)" <b>(dmalitz 2005/05/31 12:09)</b></p> <p>The idea of being "not observed" or "not exhibited" is captured by several terms under the superconcept "Absence findings (qualifier value)". This includes - "Absent (qualifier value)" -"None (qualifier value)", - "Not detected (qualifier value)" Not seen (qualifier value) <b>(dmalitz 2005/05/31 12:04)</b></p> <p>You could build logic using the following terms: -Four</p>

		times weekly (qualifier value), -Six times weekly (qualifier value). <b>(dmalitz 2005/05/31 11:58)</b>  Symptom frequency (context-dependent category) Code: R-209E8 Id: 162451 and Symptom pattern (context-dependent category) Code: R-20A0C Id: 162492 are broader matches. <b>(rshephard 2005/05/27 17:48)</b>
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Frequency per week (qualifier value) Symptom frequency (context-dependent category) Symptom pattern (context-dependent category) Absence findings (qualifier value)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Absent (qualifier value) Four times weekly (qualifier value) None (qualifier value) Not detected (qualifier value) Not seen (qualifier value) Once a week (qualifier value) Six times weekly (qualifier value) Symptom frequency (context-dependent category) Three times weekly (qualifier value)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

**[Section E4bA.0 \(VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency = 0\)](#)**

b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at) 

0	
---	--

See Section E4bA (VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)

**[Section E4bA.1 \(VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency = 1\)](#)**

b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at) 

1	
---	--

See Section E4bA (VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)

**[Section E4bA.2 \(VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency = 2\)](#)**

b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at) 

2	
---	--

See Section E4bA (VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)

**Section E4bA.3 (VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency = 3)**

b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at)

3	
---	--

See Section E4bA (VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)

**Section E4bB (VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom alterability)**

b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at)

--	--

NO MATCHES FOUND

**Section E4bB.0 (VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom alterability = 0)**

b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at)

	0
--	---

NO MATCHES FOUND

**Section E4bB.1 (VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom alterability = 1)**

b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at)

	1
--	---

NO MATCHES FOUND

**Section E4c. (PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS)**

c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused)

--	--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Physically abusive behavior (finding)	SNOMED CT	

**Section E4cA (PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)**

c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused)

--	--

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
Frequency per week (qualifier value)	SNOMED CT	Physically abusive behavior is a broader match, not a best match, because the MDS concept is narrowed by "frequency." No match in SNOMED to the entire concept Physical abuse: Behavioral symptom frequency. (rshephard 2005/06/03 20:10)
Symptom frequency (context-dependent category)	SNOMED CT	
Symptom pattern (context-dependent category)	SNOMED CT	
Physically abusive behavior (finding)	SNOMED CT	
Absence findings (qualifier value)	SNOMED CT	

		<p>You could build logic for this using "Once a week (qualifier value)" and "Three times weekly (qualifier value)" (<b>dmalitz 2005/05/31 12:09</b>)</p> <p>The idea of being "not observed" or "not exhibited" is captured by several terms under the superconcept "Absence findings (qualifier value)". This includes - "Absent (qualifier value)" -"None (qualifier value)", - "Not detected (qualifier value)" Not seen (qualifier value) (<b>dmalitz 2005/05/31 12:04</b>)</p> <p>You could build logic using the following terms: -Four times weekly (qualifier value), -Six times weekly (qualifier value). (<b>dmalitz 2005/05/31 11:58</b>)</p> <p>Symptom frequency (context-dependent category) Code: R-209E8 Id: 162451 and Symptom pattern (context-dependent category) Code: R-20A0C Id: 162492 are broader matches. (<b>rshephard 2005/05/27 17:48</b>)</p>
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Absent (qualifier value) Four times weekly (qualifier value) None (qualifier value) Not detected (qualifier value) Not seen (qualifier value) Once a week (qualifier value) Six times weekly (qualifier value) Symptom frequency (context-dependent category) Three times weekly (qualifier value)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

**[Section E4cA.0 \(PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency = 0\)](#)**

c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused) 

0	
---	--

See Section E4cA (PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)

**[Section E4cA.1 \(PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency = 1\)](#)**

c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused) 

1	
---	--

See Section E4cA (PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)

**[Section E4cA.2 \(PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency = 2\)](#)**

c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused) 

2	
---	--

See Section E4cA (PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)

**Section E4cA.3 (PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency = 3)**

c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused) 

3	
---	--

See Section E4cA (PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)

**Section E4cB (PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavior symptom alterability)**

c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused) 

--

**NO MATCHES FOUND**

**Section E4cB.0 (PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavior symptom alterability = 0)**

c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused) 

	0
--	---

**NO MATCHES FOUND**

**Section E4cB.1 (PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS w/ code for behavior symptom alterability = 1)**

c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused) 

	1
--	---

**NO MATCHES FOUND**

**Section E4d. (SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS)**

d. SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/threw food/feces, hoarding, rummaged through others' belongings) 

--	--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Inappropriate behavior (finding)	SNOMED CT	
Partial Match Term	Partial Match Term Namespace	-----
Finding relating to complex and social behaviors (finding)	SNOMED CT	

**Section E4dA (SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)**

**d. SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS** (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/threw food/feces, hoarding, rummaged through others' belongings)



Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
<p>Absence findings (qualifier value)                      Frequency per week (qualifier value)                      Finding relating to complex and social behaviors (finding)                      Frequency per week (qualifier value)                      Symptom frequency (context-dependent category)                      Symptom pattern (context-dependent category)</p>	<p>SNOMED CT                      SNOMED CT                      SNOMED CT                      SNOMED CT                      SNOMED CT                      SNOMED CT</p>	<p>This concept includes socially inappropriate + frequency - no match in SNOMED (even if we could match "socially inappropriate.") <b>(rshephard 2005/06/03 20:13)</b></p> <p>None of the matches captures inappropriate and disruptive concepts. <b>(dmalitz 2005/06/02 17:30)</b></p> <p>(continuation of previous comment): look at the superconcept "Finding relating to complex and social behaviors (finding)". There are lots of examples under this term that are related to socially inappropriate behav (and to some of the other E4 items as well). <b>(dmalitz 2005/05/31 12:17)</b></p> <p>The MDS item covers a wide range of inappropriate behavior (if you look at the examples). There may be matches for some of the specific examples. Do we incorporate those or do we go with the general term? <b>(dmalitz 2005/05/31 12:13)</b></p> <p>You could build logic for this using "Once a week (qualifier value)" and "Three times weekly (qualifier value)" <b>(dmalitz 2005/05/31 12:09)</b></p> <p>The idea of being "not observed" or "not exhibited" is captured by several terms under the superconcept "Absence findings (qualifier value)". This includes -"Absent (qualifier value)" -"None (qualifier value)", -"Not detected (qualifier value)" Not seen (qualifier value) <b>(dmalitz 2005/05/31 12:04)</b></p> <p>You could build logic using the following terms: - Four times weekly (qualifier value), -Six times weekly (qualifier value). <b>(dmalitz 2005/05/31 11:58)</b></p> <p>Symptom frequency (context-dependent category)                      Code: R-209E8 Id: 162451 and Symptom pattern</p>

(context-dependent category) Code: R-20A0C Id: 162492 are broader matches. (rshephard 2005/05/27 17:48)

**Partial Match Term**

**Partial Match Term Namespace**


Absent (qualifier value)  
Disruptive behavior (finding)  
Four times weekly (qualifier value)  
Inappropriate behavior (finding)  
None (qualifier value)  
Not detected (qualifier value)  
Not seen (qualifier value)  
Once a week (qualifier value)  
Six times weekly (qualifier value)  
Symptom frequency NOS (context-dependent category)  
Three times weekly (qualifier value)

SNOMED CT  
SNOMED CT

-----

**Section E4dA.0 (SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency = 0)**


d. SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/threw food/feces, hoarding, rummaged through others' belongings)



See Section E4dA (SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)

**Section E4dA.1 (SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency = 1)**


d. SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/threw food/feces, hoarding, rummaged through others' belongings)



See Section E4dA (SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)

**Section E4dA.2 (SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency = 2)**


d. SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/threw food/feces, hoarding, rummaged through others' belongings)



See Section E4dA (SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)

**Section E4dA.3 (SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency = 3)**

d. SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/threw food/feces, hoarding, rummaged through others' belongings)



See Section E4dA (SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom frequency)

**Section E4dB (SOCIALY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom alterability)**


d. SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/threw food/feces, hoarding, rummaged through others' belongings)



NO MATCHES FOUND

**Section E4dB.0 (SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom alterability = 0)**


d. SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/threw food/feces, hoarding, rummaged through others' belongings)



NO MATCHES FOUND

**Section E4dB.1 (SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS w/ code for behavioral symptom alterability = 1)**

d. SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/threw food/feces, hoarding, rummaged through others' belongings)



NO MATCHES FOUND

**Section E4e. (RESISTS CARE)**

e. RESISTS CARE (resisted taking medications/ injections, ADL assistance, or eating)



Partial Match Term	Partial Match Term Namespace	Reviewer Feedback & Name
Difficulty complying with treatment (finding)	SNOMED CT	
Noncompliance (finding)	SNOMED CT	
Non-compliant behavior (finding)	SNOMED CT	
Patient non-compliant - refused intervention / support (context-dependent category)	SNOMED CT	
Patient non-compliant - refused service (context-dependent category)	SNOMED CT	
Uncooperative behavior (finding)	SNOMED CT	

**Section E4eA (RESISTS CARE w/ code for behavioral symptom frequency)**

e. RESISTS CARE (resisted taking medications/ injections, ADL assistance, or eating)

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
<p>Difficulty complying with treatment (finding)                      Non-compliant behavior (finding)                      Difficulty complying with treatment (finding)</p>	<p>SNOMED CT                      SNOMED CT                      SNOMED CT</p>	<p>I am not sure if Non-compliant behavior is a best match, because I can't tell if it includes instances where residents exercise their right to decline treatment. If it includes all behavior that results in non-compliance, then it is not a best match. <b>(rshephard 2005/06/10 14:46)</b></p> <p>Difficulty complying with treatment may be a reason for or an outcome of resisting care, but it isn't a best match. Also, a SNOMED match would have to encompass the concepts Resists care AND frequency. No match. <b>(rshephard 2005/06/03 20:21)</b></p> <p>Not sure this exactly captures the idea. "Difficulty" is a bit different from "resists". <b>(dmalitz 2005/05/31 12:20)</b></p> <p>You could build logic for this using "Once a week (qualifier value)" and "Three times weekly (qualifier value)" <b>(dmalitz 2005/05/31 12:09)</b></p> <p>The idea of being "not observed" or "not exhibited" is captured by several terms under the superconcept "Absence findings (qualifier value)". This includes -"Absent (qualifier value)" -"None (qualifier value)", -"Not detected (qualifier value)" Not seen (qualifier value) <b>(dmalitz 2005/05/31 12:04)</b></p> <p>You could build logic using the following terms: -Four times weekly (qualifier value), -Six times weekly (qualifier value). <b>(dmalitz 2005/05/31 11:58)</b></p> <p>Symptom frequency (context-dependent category) Code: R-209E8 Id: 162451 and Symptom pattern (context-dependent category) Code: R-20A0C Id: 162492 are broader matches. <b>(rshephard 2005/05/27 17:48)</b></p>
<p><b>Broader Match Term</b></p>	<p><b>Broader Match Term Namespace</b></p>	<p>-----</p>
<p>Absence findings (qualifier value)</p>	<p>SNOMED CT</p>	

Frequency per week (qualifier value)	SNOMED CT	
Symptom frequency (context-dependent category)	SNOMED CT	
Symptom pattern (context-dependent category)	SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Absent (qualifier value)	SNOMED CT	
Four times weekly (qualifier value)	SNOMED CT	
Frequency (attribute)	SNOMED CT	
Frequency per week (qualifier value)	SNOMED CT	
Non-compliant (qualifier value)	SNOMED CT	
None (qualifier value)	SNOMED CT	
Not detected (qualifier value)	SNOMED CT	
Not seen (qualifier value)	SNOMED CT	
Once a week (qualifier value)	SNOMED CT	
Patient non-compliant - refused intervention / support (context-dependent category)	SNOMED CT	
Patient non-compliant - refused service (context-dependent category)	SNOMED CT	
Six times weekly (qualifier value)	SNOMED CT	
Three times weekly (qualifier value)	SNOMED CT	

**[Section E4eA.0 \(RESISTS CARE w/ code for behavioral symptom frequency = 0\)](#)**

e. RESISTS CARE (resisted taking medications/ injections, ADL assistance, or eating)	<b>0</b>	
--	----------	--

See Section E4eA (RESISTS CARE w/ code for behavioral symptom frequency)

**[Section E4eA.1 \(RESISTS CARE w/ code for behavioral symptom frequency = 1\)](#)**

e. RESISTS CARE (resisted taking medications/ injections, ADL assistance, or eating)	<b>1</b>	
--	----------	--

See Section E4eA (RESISTS CARE w/ code for behavioral symptom frequency)

**[Section E4eA.2 \(RESISTS CARE w/ code for behavioral symptom frequency = 2\)](#)**

e. RESISTS CARE (resisted taking medications/ injections, ADL assistance, or eating)	<b>2</b>	
--	----------	--

See Section E4eA (RESISTS CARE w/ code for behavioral symptom frequency)

**[Section E4eA.3 \(RESISTS CARE w/ code for behavioral symptom frequency = 3\)](#)**

e. RESISTS CARE (resisted taking medications/ injections, ADL assistance, or eating)	<b>3</b>	
--	----------	--

See Section E4eA (RESISTS CARE w/ code for behavioral symptom frequency)

**Section E4eB (RESISTS CARE w/ code for behavioral symptom alterability)**

e. RESISTS CARE (resisted taking medications/ injections, ADL assistance, or eating)	
--	--

NO MATCHES FOUND

**Section E4eB.0 (RESISTS CARE w/ code for behavioral symptom alterability = 0)**

e. RESISTS CARE (resisted taking medications/ injections, ADL assistance, or eating)		0
--	--	---

NO MATCHES FOUND

**Section E4eB.1 (RESISTS CARE w/ code for behavioral symptom alterability = 1)**

e. RESISTS CARE (resisted taking medications/ injections, ADL assistance, or eating)		1
--	--	---

NO MATCHES FOUND

**Section E5 (CHANGE IN BEHAVIORAL SYMPTOMS)**

5. CHANGE IN BEHAVIORAL SYMPTOMS	Resident's behavior status has changed as compared to <b>status of 90 days ago</b> (or since last assessment if less than 90 days) 0. No change      1. Improved      2. Deteriorated	
----------------------------------	--	--

NO MATCHES ATTEMPTED

**Section E5.0 (CHANGE IN BEHAVIORAL SYMPTOMS = 0 (No Change))**

5. CHANGE IN BEHAVIORAL SYMPTOMS	Resident's behavior status has changed as compared to <b>status of 90 days ago</b> (or since last assessment if less than 90 days) 0. No change      1. Improved      2. Deteriorated	0
----------------------------------	--	---

NO MATCHES ATTEMPTED

**Section E5.1 (CHANGE IN BEHAVIORAL SYMPTOMS = 1 (Improved))**

5. CHANGE IN BEHAVIORAL SYMPTOMS	Resident's behavior status has changed as compared to <b>status of 90 days ago</b> (or since last assessment if less than 90 days) 0. No change      1. Improved      2. Deteriorated	1
----------------------------------	--	---

NO MATCHES ATTEMPTED

**Section E5.2 (CHANGE IN BEHAVIORAL SYMPTOMS = 2 (Deteriorated))**

5.	CHANGE IN BEHAVIORAL SYMPTOMS	Resident's behavior status has changed as compared to <b>status of 90 days ago</b> (or since last assessment if less than 90 days)			2
		0. No change	1. Improved	2. Deteriorated	

NO MATCHES ATTEMPTED

**Section F (PSYCHOSOCIAL WELL-BEING)**

**SECTION F. PSYCHOSOCIAL WELL-BEING**

1.	SENSE OF INITIATIVE/ INVOLVEMENT	At ease interacting with others	a.
		At ease doing planned or structured activities	b.
		At ease doing self-initiated activities	c.
		Establishes own goals	d.
		Pursues involvement in life of facility (e.g., makes/keeps friends; involved in group activities; responds positively to new activities; assists at religious services)	e.
		Accepts invitations into most group activities	f.
		NONE OF ABOVE	g.
2.	UNSETTLED RELATIONSHIPS	Covert/open conflict with or repeated criticism of staff	a.
		Unhappy with roommate	b.
		Unhappy with residents other than roommate	c.
		Openly expresses conflict/anger with family/friends	d.
		Absence of personal contact with family/friends	e.
		Recent loss of close family member/friend	f.
		Does not adjust easily to change in routines	g.
		NONE OF ABOVE	h.
3.	PAST ROLES	Strong identification with past roles and life status	a.
		Expresses sadness/anger/empty feeling over lost roles/status	b.
		Resident perceives that daily routine (customary routine, activities) is very different from prior pattern in the community	c.
		NONE OF ABOVE	d.

NO MATCHES ATTEMPTED

**Section F1 (SENSE OF INITIATIVE/INVOLVEMENT)**

1.	SENSE OF INITIATIVE/ INVOLVEMENT	At ease interacting with others	a.
		At ease doing planned or structured activities	b.
		At ease doing self-initiated activities	c.
		Establishes own goals	d.
		Pursues involvement in life of facility (e.g., makes/keeps friends; involved in group activities; responds positively to new activities; assists at religious services)	e.
		Accepts invitations into most group activities	f.
		NONE OF ABOVE	g.

NO MATCHES ATTEMPTED

**Section F1a. (At ease interacting with others)**

At ease interacting with others

**NO MATCHES ATTEMPTED**

**Section F1b. (At ease doing planned or structured activities)**

At ease doing planned or structured activities

**NO MATCHES ATTEMPTED**

**Section F1c. (At ease doing self-initiated activities)**

At ease doing self-initiated activities

**NO MATCHES ATTEMPTED**

**Section F1d. (Establishes own goals)**

Establishes own goals

**NO MATCHES ATTEMPTED**

**Section F1e. (Pursues involvement in life of facility...)**

Pursues involvement in life of facility (e.g., makes/keeps friends; involved in group activities; responds positively to new activities; assists at religious services)

**NO MATCHES ATTEMPTED**

**Section F1f. (Accepts invitations into most group activities)**

Accepts invitations into most group activities

**NO MATCHES ATTEMPTED**

**Section F1g. (NONE OF ABOVE)**

NONE OF ABOVE

**NO MATCHES ATTEMPTED**

## Section F2 (UNSETTLED RELATIONSHIPS)

2. UNSETTLED RELATIONSHIPS	Covert/open conflict with or repeated criticism of staff	a.
	Unhappy with roommate	b.
	Unhappy with residents other than roommate	c.
	Openly expresses conflict/anger with family/friends	d.
	Absence of personal contact with family/friends	e.
	Recent loss of close family member/friend	f.
	Does not adjust easily to change in routines	g.
	NONE OF ABOVE	h.

NO MATCHES ATTEMPTED

### Section F2a. (Covert/open conflict with...)

Covert/open conflict with or repeated criticism of staff	a.
--	----

NO MATCHES ATTEMPTED

### Section F2b. (Unhappy with roommate)

Unhappy with roommate	b.
-----------------------	----

NO MATCHES ATTEMPTED

### Section F2c. (Unhappy with residents other than roommate)

Unhappy with residents other than roommate	c.
--	----

NO MATCHES ATTEMPTED

### Section F2d. (Openly expresses conflict/anger with family/friends)

Openly expresses conflict/anger with family/friends	d.
---	----

NO MATCHES ATTEMPTED

### Section F2e. (Absence of personal contact with family/friends)

Absence of personal contact with family/friends	e.
---	----

NO MATCHES ATTEMPTED

### Section F2f. (Recent loss of close family member/friend)

Recent loss of close family member/friend	f.
---	----

NO MATCHES ATTEMPTED

Section F2g. (Does not adjust easily to change in routines)

Does not adjust easily to change in routines	g.
--	----

NO MATCHES ATTEMPTED

Section F2h. (NONE OF ABOVE)

NONE OF ABOVE	h.
---------------	----

NO MATCHES ATTEMPTED

Section F3 (PAST ROLES)

3. PAST ROLES	Strong identification with past roles and life status	a.
	Expresses sadness/anger/empty feeling over lost roles/status	b.
	Resident perceives that daily routine (customary routine, activities) is very different from prior pattern in the community	c.
	NONE OF ABOVE	d.

NO MATCHES ATTEMPTED

Section F3a. (Strong identification with past roles and life status)

Strong identification with past roles and life status	a.
---	----

NO MATCHES ATTEMPTED

Section F3b. (Expresses sadness/anger/empty feeling over lost roles/status)

Expresses sadness/anger/empty feeling over lost roles/status	b.
--	----

NO MATCHES ATTEMPTED

Section F3c. (Resident perceives...)

Resident perceives that daily routine (customary routine, activities) is very different from prior pattern in the community	c.
---	----

NO MATCHES ATTEMPTED

Section F3d. (NONE OF ABOVE)

NONE OF ABOVE	d.
---------------	----

**NO MATCHES ATTEMPTED**

**Section G (PHYSICAL FUNCTIONING AND STRUCTURAL PROBLEMS)**

**SECTION G. PHYSICAL FUNCTIONING AND STRUCTURAL PROBLEMS**

1. (A) ADL SELF-PERFORMANCE—(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days—Not including setup)			
0. INDEPENDENT—No help or oversight —OR— Help/oversight provided only 1 or 2 times during last 7 days			
1. SUPERVISION—Oversight, encouragement or cueing provided 3 or more times during last 7 days —OR— Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days			
2. LIMITED ASSISTANCE—Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times —OR—More help provided only 1 or 2 times during last 7 days			
3. EXTENSIVE ASSISTANCE—While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: — Weight-bearing support — Full staff performance during part (but not all) of last 7 days			
4. TOTAL DEPENDENCE—Full staff performance of activity during entire 7 days			
8. ACTIVITY DID NOT OCCUR during entire 7 days			
(B) ADL SUPPORT PROVIDED—(Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification)		(A)	(B)
0. No setup or physical help from staff		SELF-PERF	SUPPORT
1. Setup help only			
2. One person physical assist			
3. Two+ persons physical assist			
8. ADL activity itself did not occur during entire 7 days			
a.	<b>BED MOBILITY</b> How resident moves to and from lying position, turns side to side, and positions body while in bed		
b.	<b>TRANSFER</b> How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)		
c.	<b>WALK IN ROOM</b> How resident walks between locations in his/her room		
d.	<b>WALK IN CORRIDOR</b> How resident walks in corridor on unit		
e.	<b>LOCOMOTION ON UNIT</b> How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair		
f.	<b>LOCOMOTION OFF UNIT</b> How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		
g.	<b>DRESSING</b> How resident puts on, fastens, and takes off all items of street clothing, including donning/removing prosthesis		
h.	<b>EATING</b> How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)		
i.	<b>TOILET USE</b> How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes		
j.	<b>PERSONAL HYGIENE</b> How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)		

2.	<b>BATHING</b>	<p>How resident takes full-body bath/shower, sponge bath, and transfers in/out of tub/shower (EXCLUDE washing of back and hair.)  <i>Code for most dependent in self-performance and support.</i>  <b>(A) BATHING SELF-PERFORMANCE</b> codes appear below</p> <p>0. Independent—No help provided  1. Supervision—Oversight help only  2. Physical help limited to transfer only  3. Physical help in part of bathing activity  4. Total dependence</p> <p>8. Activity itself did not occur during entire 7 days  <i>(Bathing support codes are as defined in Item 1, code B above)</i></p>	<p>(A) (B)</p> <table border="1"> <tr><td></td><td></td></tr> </table>																												
3.	<b>TEST FOR BALANCE</b>  (see training manual)	<p><i>(Code for ability during test in the last 7 days)</i></p> <p>0. Maintained position as required in test  1. Unsteady, but able to rebalance self without physical support  2. Partial physical support during test; or stands (sits) but does not follow directions for test  3. Not able to attempt test without physical help</p> <p>a. Balance while standing  b. Balance while sitting—position, trunk control</p>																													
4.	<b>FUNCTIONAL LIMITATION IN RANGE OF MOTION</b>  (see training manual)	<p><i>(Code for limitations during last 7 days that interfered with daily functions or placed resident at risk of injury)</i></p> <table border="0"> <tr> <td data-bbox="220 618 483 651"><b>(A) RANGE OF MOTION</b></td> <td data-bbox="483 618 840 651"><b>(B) VOLUNTARY MOVEMENT</b></td> </tr> <tr> <td>0. No limitation</td> <td>0. No loss</td> </tr> <tr> <td>1. Limitation on one side</td> <td>1. Partial loss</td> </tr> <tr> <td>2. Limitation on both sides</td> <td>2. Full loss</td> </tr> </table> <p>a. Neck  b. Arm—Including shoulder or elbow  c. Hand—Including wrist or fingers  d. Leg—Including hip or knee  e. Foot—Including ankle or toes  f. Other limitation or loss</p>	<b>(A) RANGE OF MOTION</b>	<b>(B) VOLUNTARY MOVEMENT</b>	0. No limitation	0. No loss	1. Limitation on one side	1. Partial loss	2. Limitation on both sides	2. Full loss	<p>(A) (B)</p> <table border="1"> <tr><td></td><td></td></tr> </table>																				
<b>(A) RANGE OF MOTION</b>	<b>(B) VOLUNTARY MOVEMENT</b>																														
0. No limitation	0. No loss																														
1. Limitation on one side	1. Partial loss																														
2. Limitation on both sides	2. Full loss																														
5.	<b>MODES OF LOCOMOTION</b>	<p><i>(Check all that apply during last 7 days)</i></p> <table border="0"> <tr> <td>Cane/walker/crutch</td> <td>a.</td> <td>Wheelchair primary mode of locomotion</td> <td>d.</td> </tr> <tr> <td>Wheeled self</td> <td>b.</td> <td></td> <td></td> </tr> <tr> <td>Other person wheeled</td> <td>c.</td> <td>NONE OF ABOVE</td> <td>e.</td> </tr> </table>	Cane/walker/crutch	a.	Wheelchair primary mode of locomotion	d.	Wheeled self	b.			Other person wheeled	c.	NONE OF ABOVE	e.																	
Cane/walker/crutch	a.	Wheelchair primary mode of locomotion	d.																												
Wheeled self	b.																														
Other person wheeled	c.	NONE OF ABOVE	e.																												
6.	<b>MODES OF TRANSFER</b>	<p><i>(Check all that apply during last 7 days)</i></p> <table border="0"> <tr> <td>Bedfast all or most of time</td> <td>a.</td> <td>Lifted mechanically</td> <td>d.</td> </tr> <tr> <td>Bed rails used for bed mobility or transfer</td> <td>b.</td> <td>Transfer aid (e.g., slide board, trapeze, cane, walker, brace)</td> <td>e.</td> </tr> <tr> <td>Lifted manually</td> <td>c.</td> <td>NONE OF ABOVE</td> <td>f.</td> </tr> </table>	Bedfast all or most of time	a.	Lifted mechanically	d.	Bed rails used for bed mobility or transfer	b.	Transfer aid (e.g., slide board, trapeze, cane, walker, brace)	e.	Lifted manually	c.	NONE OF ABOVE	f.																	
Bedfast all or most of time	a.	Lifted mechanically	d.																												
Bed rails used for bed mobility or transfer	b.	Transfer aid (e.g., slide board, trapeze, cane, walker, brace)	e.																												
Lifted manually	c.	NONE OF ABOVE	f.																												
7.	<b>TASK SEGMENTATION</b>	<p>Some or all of ADL activities were broken into subtasks during last 7 days so that resident could perform them</p> <p>0. No  1. Yes</p>																													
8.	<b>ADL FUNCTIONAL REHABILITATION POTENTIAL</b>	<p>Resident believes he/she is capable of increased independence in at least some ADLs</p> <p>Direct care staff believe resident is capable of increased independence in at least some ADLs</p> <p>Resident able to perform tasks/activity but is very slow</p> <p>Difference in ADL Self-Performance or ADL Support, comparing mornings to evenings</p> <p>NONE OF ABOVE</p>	<p>a.  b.  c.  d.  e.</p>																												

9.	<b>CHANGE IN ADL FUNCTION</b>	Resident's ADL self-performance status has changed as compared to status of 90 days ago (or since last assessment if less than 90 days) 0. No change                      1. Improved                      2. Deteriorated	
----	-------------------------------	---	--

Partial Match Term	Partial Match Term Namespace	Reviewer Feedback & Name
Regional structure observable (observable entity)	SNOMED CT	

**Section G1A (ADL SELF-PERFORMANCE)**

<p>1. (A) ADL SELF-PERFORMANCE—(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days—Not including setup)</p> <p>0. INDEPENDENT—No help or oversight —OR— Help/oversight provided only 1 or 2 times during last 7 days</p> <p>1. SUPERVISION—Oversight, encouragement or cueing provided 3 or more times during last 7 days —OR— Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days</p> <p>2. LIMITED ASSISTANCE—Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times —OR—More help provided only 1 or 2 times during last 7 days</p> <p>3. EXTENSIVE ASSISTANCE—While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: — Weight-bearing support — Full staff performance during part (but not all) of last 7 days</p> <p>4. TOTAL DEPENDENCE—Full staff performance of activity during entire 7 days</p> <p>8. ACTIVITY DID NOT OCCUR during entire 7 days</p>
--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Ability to perform activities of everyday life (observable entity) Activity of daily living (observable entity)	SNOMED CT SNOMED CT	This is a label, not an MDS item in and of itself. (dmalitz 2005/05/31 12:25)
Partial Match Term	Partial Match Term Namespace	-----
Ability to perform personal care activity (observable entity)	SNOMED CT	

**Section G1A.0 (INDEPENDENT...)**

0. INDEPENDENT—No help or oversight —OR— Help/oversight provided only 1 or 2 times during last 7 days
---

**NO MATCHES FOUND**

**Section G1A.1 (SUPERVISION)**

1. SUPERVISION—Oversight, encouragement or cueing provided 3 or more times during last 7 days —OR— Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days
---

**NO MATCHES FOUND**

**Section G1A.2 (LIMITED ASSISTANCE)**

2. *LIMITED ASSISTANCE*—Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times — OR—More help provided only 1 or 2 times during last 7 days

**NO MATCHES FOUND**

**Section G1A.3 (EXTENSIVE ASSISTANCE)**

3. *EXTENSIVE ASSISTANCE*—While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times:  
 —Weight-bearing support  
 — Full staff performance during part (but not all) of last 7 days

**NO MATCHES FOUND**

**Section G1A.4 (TOTAL DEPENDENCE)**

4. *TOTAL DEPENDENCE*—Full staff performance of activity during entire 7 days

**NO MATCHES FOUND**

**Section G1A.8 (ACTIVITY DID NOT OCCUR)**

8. *ACTIVITY DID NOT OCCUR* during entire 7 days

**NO MATCHES FOUND**

**Section G1B (ADL SUPPORT PROVIDED)**

(B) ADL SUPPORT PROVIDED—(Code for <i>MOST SUPPORT PROVIDED OVER ALL SHIFTS</i> during last 7 days; code regardless of resident's self-performance classification)		(A)	(B)
0. No setup or physical help from staff		SELF-PERF	SUPPORT
1. Setup help only			
2. One person physical assist	8. ADL activity itself did not occur during entire 7 days		
3. Two+ persons physical assist			

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Assisting with activity of daily living (procedure)	SNOMED CT	This is a label, not an item or response. <b>(dmalitz 2005/05/31 12:33)</b>  Finding related to ability to transfer (finding) Code: F-02C55 Id: 397666 might be a partial match. Cooking is not one of the ADLs. <b>(rshephard 2005/05/27 18:34)</b>
<b>Broader Match Term</b>	<b>Broader Match Term</b>	-----
Support (regime/therapy)	SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----

Finding related to ability to transfer (finding)	SNOMED CT	
Needs help in toilet (finding)	SNOMED CT	
Needs help with cooking (finding)	SNOMED CT	
Needs help with feeding (finding)	SNOMED CT	

**[Section G1B.0 \(No setup or physical help from staff\)](#)**

|0. No setup or physical help from staff

**NO MATCHES FOUND**

**[Section G1B.1 \(Setup help only\)](#)**

|1. Setup help only

**NO MATCHES FOUND**

**[Section G1B.2 \(One person physical assist\)](#)**

|2. One person physical assist

**NO MATCHES FOUND**

**[Section G1B.3 \(Two+ persons physical assist\)](#)**

|3. Two+ persons physical assist

**NO MATCHES FOUND**

**[Section G1B.8 \(ADL activity itself did not occur during entire last 7 days\)](#)**

8. ADL activity itself did not occur during entire 7 days
---

**NO MATCHES FOUND**

**[Section G1a. \(BED MOBILITY\)](#)**

<b>a.</b>	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed		
-----------	---------------------	--	--	--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Ability to move in bed (observable entity)	SNOMED CT	
Broader Match Term	Broader Match Term Namespace	-----
Finding related to ability to mobilize (finding)	SNOMED CT	
Mobility (observable entity)	SNOMED CT	



Partial Match Term	Partial Match Term Namespace	-----
Finding related to ability to get on and off a bed (finding)	SNOMED CT	

**Section G1aA (BED MOBILITY w/ code for ADL SELF-PERFORMANCE)**

<b>a.</b>	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed	
-----------	---------------------	--	--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Dependent patient (finding) Supervision (regime/therapy)	SNOMED CT SNOMED CT	<p>SNOMED does have Dependence for eating, Dependence for dressing, etc., which relate to the MDS concept but do not provide information on the extent of the dependence. <b>(rshephard 2005/06/10 14:14)</b></p> <p>Dependent patient is a subconcept of doctor-patient problems - that doesn't apply here. Physical functional dependency seems to be a broader match rather than a partial match. The synonym for "Total" is "presumed total," which doesn't seem to apply here. <b>(rshephard 2005/06/10 14:12)</b></p> <p>The SNOMED concept Supervision (regime/therapy) is a broader match, not a best match, because the MDS definition of supervision is specific to oversight, encouragement, cueing. Without a SNOMED definition for Supervision (regime/therapy), it is not known what activities are included. Also, some of the subconcepts, such as 24-hour supervision and constant supervision, do not apply to the MDS concept. <b>(rshephard 2005/06/10 14:03)</b></p> <p>The MDS definition of "limited assistance" is very detailed and narrow - SNOMED concepts do not cover it. SNOMED has Level of patient assistance - broader match. <b>(rshephard 2005/06/10 13:57)</b></p> <p>Independently able (qualifier value) is a broader match - it does not include the MDS exceptions (help/oversight provided only 1 or 2 times). Also, SNOMED has the concepts "independent toilet," "independent eating," etc. <b>(rshephard 2005/06/10 13:54)</b></p> <p>SNOMED has Level of patient assistance - broader match. <b>(rshephard 2005/06/10 13:48)</b></p>

		<p>The MDS definition of "extensive assistance" is very detailed and narrow - SNOMED concepts do not cover it. <b>(rshephard 2005/06/10 13:46)</b></p> <p>MDS response is very specific -- will be hard to match. The "dependent patient" term has to do with psychological dependence (with regard to doctor/pt relationship) -- not relevant to physical dependence. <b>(dmalitz 2005/06/06 16:34)</b></p> <p>MDS response is very specific -- will be hard to match. <b>(dmalitz 2005/06/06 16:31)</b></p> <p>The MDS concept Bed mobility does not include transfers and therefore several of the reviewable concepts do not apply at all. Finding related to ability to move in bed is a broader match, but a SNOMED best match would have to include Bed mobility AND ADL self-performance. No match. <b>(rshephard 2005/06/03 20:26)</b></p> <p>"Ability to move in bed (observable entity)" may be best match for the item. I don't think we have matches for the self-performance and support response option concepts. <b>(dmalitz 2005/06/02 17:35)</b></p> <p>Again, I think there's confusion between the item and the responses. The finding related to ability to move in bed captures the MDS item pretty well. But where are the terms related to the responses (independent, supervision, etc.)? <b>(dmalitz 2005/05/31 12:24)</b></p> <p>I think that G1a, Bed Mobility, and G1(A), ADL Self-Performance, should be 2 separate MDS concepts. I will skip this as well as the concepts identified in the assignment as G1aB, G1bB, and G1hA, until I hear if you agree that they should each be broken into two separate concepts also. <b>(rshephard 2005/05/27 17:58)</b></p>
<p><b>Broader Match Term</b></p>	<p><b>Broader Match Term Namespace</b></p>	<p>-----</p>
<p>Finding related to ability to mobilize (finding)  Mobility (observable entity)  Assisting with activity (procedure)  Ability to move in bed (observable entity)  Absence findings (qualifier value)</p>	<p>SNOMED CT  SNOMED CT  SNOMED CT  SNOMED CT  SNOMED CT</p>	
<p><b>Partial Match Term</b></p>	<p><b>Partial Match Term Namespace</b></p>	<p>-----</p>
<p>Assisted (qualifier value)</p>	<p>SNOMED CT</p>	

Assisting (procedure)	SNOMED CT	
Dependence (qualifier value)	SNOMED CT	
Dependent (qualifier value)	SNOMED CT	
Dependent in toilet (finding)	SNOMED CT	
Dependent: chair/bed transfer (finding)	SNOMED CT	
Extensive (qualifier value)	SNOMED CT	
Finding related to ability to move in bed (finding)	SNOMED CT	
Independent: chair/bed transfer (finding)	SNOMED CT	
Independently able (qualifier value)	SNOMED CT	
Limited (qualifier value)	SNOMED CT	
Minimal help: chair/bed transfer (finding)	SNOMED CT	
Nursing supervision (procedure)	SNOMED CT	
Patient dependence on (contextual qualifier) (qualifier value)	SNOMED CT	
Physical functional dependency (finding)	SNOMED CT	
Supervision (regime/therapy)	SNOMED CT	
Total (qualifier value)	SNOMED CT	

**Section G1aA.0 (BED MOBILITY w/ code for ADL SELF-PERFORMANCE = 0)**

a.	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed	0	
----	---------------------	--	---	--

See Section G1aA (BED MOBILITY w/ code for ADL SELF-PERFORMANCE)

**Section G1aA.1 (BED MOBILITY w/ code for ADL SELF-PERFORMANCE = 1)**

a.	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed	1	
----	---------------------	--	---	--

See Section G1aA (BED MOBILITY w/ code for ADL SELF-PERFORMANCE)

**Section G1aA.2 (BED MOBILITY w/ code for ADL SELF-PERFORMANCE = 2)**

a.	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed	2	
----	---------------------	--	---	--

See Section G1aA (BED MOBILITY w/ code for ADL SELF-PERFORMANCE)

**Section G1aA.3 (BED MOBILITY w/ code for ADL SELF-PERFORMANCE = 3)**

a.	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed	3	
----	---------------------	--	---	--

See Section G1aA (BED MOBILITY w/ code for ADL SELF-PERFORMANCE)

**Section G1aA.4 (BED MOBILITY w/ code for ADL SELF-PERFORMANCE = 4)**

a.	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed	4	
----	---------------------	--	---	--

See Section G1aA (BED MOBILITY w/ code for ADL SELF-PERFORMANCE)

**Section G1aA.8 (BED MOBILITY w/ code for ADL SELF-PERFORMANCE = 8)**

a.	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed	8	
----	---------------------	--	---	--

See Section G1aA (BED MOBILITY w/ code for ADL SELF-PERFORMANCE)

**Section G1aB (BED MOBILITY w/ code for ADL SUPPORT PROVIDED)**

a.	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed		
----	---------------------	--	--	--

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
Ability to move in bed (observable entity) Finding related to ability to move in bed (finding) Finding of activity of daily living (finding)	SNOMED CT SNOMED CT SNOMED CT	<p>Ability to move in bed (observable entity) would be a best match for Bed mobility - self performance, since ADL self-performance measures what the resident actually did. The Support category, however, measures what the staff (or others) did for the resident. So, this might be a broader match if stretch the definition to encompass both situations, but Ability to move in bed is not a best match for Bed mobility - Support. <b>(rshephard 2005/06/14 10:50)</b></p> <p>The MDS definition for "set-up help" is very narrow. This concept doesn't appear to exist in SNOMED. <b>(rshephard 2005/06/10 12:29)</b></p> <p>Support whilst performing an activity of daily living (procedure) is a partial match. However, the MDS concept combines the number of helpers (one person) with the qualifier "physical" assist. No match. <b>(rshephard 2005/06/10 12:27)</b></p> <p>The ability to perform IADLs is not generally a part of the therapy regimen in the SNF. The subconcepts do not apply. Independently able may be a partial match, but many of the inverse roles do not apply. <b>(rshephard 2005/06/10 12:18)</b></p> <p>Re: Apelon Q: in MDS are we primarily interested in whether a resident's mobility is impaired (therefore</p>

		<p>needing support) or can people have impaired mobility and not need support? In other words, is this (Impaired bed mobility) a best match? For this item, we are interested in the amount of support provided for bed mobility. That amount might be 0, meaning no setup or physical help provided. That may or may not indicate that an impairment is present. Therefore, Impaired bed mobility is not a best match, because it does not align with all of the item responses. <b>(rshephard 2005/06/08 17:31)</b></p> <p>MDS response is very specific -- will be hard to match. "Ability to perform instrumental activities..." isn't relevant. Activities listed as subconcepts are not the ADLs listed on MDS. <b>(dmalitz 2005/06/06 16:37)</b></p> <p>MDS response is very specific -- will be hard to match. <b>(dmalitz 2005/06/06 16:34)</b></p> <p>"Ability to move in bed (observable entity)" may be best match for the item. I don't think we have matches for the self-performance and support response option concepts. <b>(dmalitz 2005/06/02 17:36)</b></p> <p>The MDS manual states that support and self-performance are entirely independent concepts. Support is the maximum amount of staff support received in the past 7 days. <b>(dmalitz 2005/05/31 12:33)</b></p>
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Ability to perform instrumental activities of daily living (observable entity) Assisting - action (qualifier value) Impaired bed mobility (finding) Independently able (qualifier value)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

**Section G1aB.0 (BED MOBILITY w/ code for ADL SUPPORT PROVIDED = 0)**

<b>a.</b>	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed		<b>0</b>
-----------	---------------------	--	--	----------

See Section G1aB (BED MOBILITY w/ code for ADL SUPPORT PROVIDED)

**Section G1aB.1 (BED MOBILITY w/ code for ADL SUPPORT PROVIDED = 1)**

<b>a.</b>	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed		<b>1</b>
-----------	---------------------	--	--	----------

See Section G1aB (BED MOBILITY w/ code for ADL SUPPORT PROVIDED)

**Section G1aB.2 (BED MOBILITY w/ code for ADL SUPPORT PROVIDED = 2)**

a.	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed		2
----	---------------------	--	--	---

See Section G1aB (BED MOBILITY w/ code for ADL SUPPORT PROVIDED)

**Section G1aB.3 (BED MOBILITY w/ code for ADL SUPPORT PROVIDED = 3)**

a.	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed		3
----	---------------------	--	--	---

See Section G1aB (BED MOBILITY w/ code for ADL SUPPORT PROVIDED)

**Section G1aB.8 (BED MOBILITY w/ code for ADL SUPPORT PROVIDED = 8)**

a.	<b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed		8
----	---------------------	--	--	---

See Section G1aB (BED MOBILITY w/ code for ADL SUPPORT PROVIDED)

**Section G1b (TRANSFER)**

b.	<b>TRANSFER</b>	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)		
----	-----------------	--	--	--

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
Ability to transfer (observable entity) Finding related to ability to transfer (finding)	SNOMED CT SNOMED CT	

**Section G1bA (TRANSFER w/ code for ADL SELF-PERFORMANCE)**

<b>b.</b>	<b>TRANSFER</b>	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)	
-----------	-----------------	--	--

Best Match Term	Best Match Namespace	Reviewer Feedback & Name
<p>Supervision (regime/therapy)                      Dependent patient (finding)                      Dependent patient (finding)                      Self-care assistance: transfer (procedure)</p>	<p>SNOMED CT                      SNOMED CT                      SNOMED CT                      SNOMED CT</p>	<p>SNOMED does have Dependence for eating, Dependence for dressing, etc., which relate to the MDS concept but do not provide information on the extent of the dependence. <b>(rshephard 2005/06/10 14:14)</b></p> <p>Dependent patient is a subconcept of doctor-patient problems - that doesn't apply here. Physical functional dependency seems to be a broader match rather than a partial match. The synonym for "Total" is "presumed total," which doesn't seem to apply here. <b>(rshephard 2005/06/10 14:12)</b></p> <p>The SNOMED concept Supervision (regime/therapy) is a broader match, not a best match, because the MDS definition of supervision is specific to oversight, encouragement, cueing. Without a SNOMED definition for Supervision (regime/therapy), it is not known what activities are included. Also, some of the subconcepts, such as 24-hour supervision and constant supervision, do not apply to the MDS concept. <b>(rshephard 2005/06/10 14:03)</b></p> <p>The MDS definition of "limited assistance" is very detailed and narrow - SNOMED concepts do not cover it. SNOMED has Level of patient assistance - broader match. <b>(rshephard 2005/06/10 13:57)</b></p> <p>Independently able (qualifier value) is a broader match - it does not include the MDS exceptions (help/oversight provided only 1 or 2 times). Also, SNOMED has the concepts "independent toilet," "independent eating," etc. <b>(rshephard 2005/06/10 13:54)</b></p> <p>SNOMED has Level of patient assistance - broader match. <b>(rshephard 2005/06/10 13:48)</b></p> <p>The MDS definition of "extensive assistance" is very detailed and narrow - SNOMED concepts do not cover it. <b>(rshephard 2005/06/10 13:46)</b></p>

		<p>The MDS definition of Transfer is narrower than the SNOMED concept, and SNOMED does not allow for a description within the concept of the level of participation by the resident or the level of assistance provided to the resident. No best match. <b>(rshephard 2005/06/08 17:41)</b></p> <p>MDS response is very specific -- will be hard to match. The "dependent patient" term has to do with psychological dependence (with regard to doctor/pt relationship) -- not relevant to physical dependence. <b>(dmalitz 2005/06/06 16:34)</b></p> <p>MDS response is very specific -- will be hard to match. <b>(dmalitz 2005/06/06 16:31)</b></p> <p>"Ability to transfer (observable entity)" may be best match for the item. I don't think we have matches for the self-performance and support response option concepts. <b>(dmalitz 2005/06/02 17:37)</b></p>
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Assisting with activity (procedure) Ability to transfer (observable entity) Absence findings (qualifier value)	SNOMED CT SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term</b>	-----
Assisted (qualifier value) Assisting (procedure) Dependence (qualifier value) Dependent (qualifier value) Dependent in toilet (finding) Extensive (qualifier value) Independently able (qualifier value) Limited (qualifier value) Nursing supervision (procedure) Patient dependence on (contextual qualifier) (qualifier value) Physical functional dependency (finding) Supervision (regime/therapy) Total (qualifier value)	SNOMED CT SNOMED CT	

**[Section G1bA.0 \(TRANSFER w/ code for ADL SELF-PERFORMANCE = 0\)](#)**

<b>b.</b>	<b>TRANSFER</b>	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)	<b>0</b>	
-----------	-----------------	--	----------	--

See Section G1bA (TRANSFER w/ code for ADL SELF-PERFORMANCE)

**[Section G1bA.1 \(TRANSFER w/ code for ADL SELF-PERFORMANCE = 1\)](#)**

b.	TRANSFER	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)	1	
----	----------	--	---	--

See Section G1bA (TRANSFER w/ code for ADL SELF-PERFORMANCE)

**Section G1bA.2 (TRANSFER w/ code for ADL SELF-PERFORMANCE = 2)**

b.	TRANSFER	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)	2	
----	----------	--	---	--

See Section G1bA (TRANSFER w/ code for ADL SELF-PERFORMANCE)

**Section G1bA.3 (TRANSFER w/ code for ADL SELF-PERFORMANCE = 3)**

b.	TRANSFER	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)	3	
----	----------	--	---	--

See Section G1bA (TRANSFER w/ code for ADL SELF-PERFORMANCE)

**Section G1bA.4 (TRANSFER w/ code for ADL SELF-PERFORMANCE = 4)**

b.	TRANSFER	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)	4	
----	----------	--	---	--

See Section G1bA (TRANSFER w/ code for ADL SELF-PERFORMANCE)

**Section G1bA.8 (TRANSFER w/ code for ADL SELF-PERFORMANCE = 8)**

b.	TRANSFER	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)	8	
----	----------	--	---	--

See Section G1bA (TRANSFER w/ code for ADL SELF-PERFORMANCE)

**Section G1bB (TRANSFER w/ code for ADL SUPPORT PROVIDED)**

b.	TRANSFER	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)		
----	----------	--	--	--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Self-care assistance: transfer (procedure)	SNOMED CT	Support whilst performing an activity of daily living (procedure) is a partial match. However, the MDS concept combines the number of helpers (one person) with the qualifier "physical" assist. No match. <b>(rshephard 2005/06/10 13:42)</b> The MDS definition for "set-up help" is very narrow.

		<p>This concept doesn't appear to exist in SNOMED. (rshephard 2005/06/10 12:29)</p> <p>The ability to perform IADLs is not generally a part of the therapy regimen in the SNF. The subconcepts do not apply. Independently able may be a partial match, but many of the inverse roles do not apply. (rshephard 2005/06/10 12:18)</p> <p>Self-care assistance: transfer is the closest concept I've seen to these G1(A) and G1(B) concepts. However, I am not calling it a best match because I don't know whether it matches with ADL self-performance (column (A) or ADL Support Provided (column B). Ability to transfer is a broader match. (rshephard 2005/06/08 17:47)</p> <p>MDS response is very specific -- will be hard to match. "Ability to perform instrumental activities..." isn't relevant. Activities listed as subconcepts are not the ADLs listed on MDS. (dmalitz 2005/06/06 16:37)</p> <p>MDS response is very specific -- will be hard to match. (dmalitz 2005/06/06 16:34)</p> <p>"Ability to transfer (observable entity)" may be best match for the item. I don't think we have matches for the self-performance and support response option concepts. (dmalitz 2005/06/02 17:37)</p>
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Ability to transfer (observable entity)	Finding of activity of daily living (finding)	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Ability to perform instrumental activities of daily living (observable entity) Ability to transfer (observable entity) Independently able (qualifier value)	SNOMED CT SNOMED CT SNOMED CT	

**[Section G1bB.0 \(TRANSFER w/ code for ADL SUPPORT PROVIDED = 0\)](#)**

<b>b.</b>	<b>TRANSFER</b>	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)		<b>0</b>
-----------	-----------------	--	--	----------

See Section G1bB (TRANSFER w/ code for ADL SUPPORT PROVIDED)

**[Section G1bB.1 \(TRANSFER w/ code for ADL SUPPORT PROVIDED = 1\)](#)**

b.	TRANSFER	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)		1
----	----------	--	--	---

See Section G1bB (TRANSFER w/ code for ADL SUPPORT PROVIDED)

**Section G1bB.2 (TRANSFER w/ code for ADL SUPPORT PROVIDED = 2)**

b.	TRANSFER	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)		2
----	----------	--	--	---

See Section G1bB (TRANSFER w/ code for ADL SUPPORT PROVIDED)

**Section G1bB.3 (TRANSFER w/ code for ADL SUPPORT PROVIDED = 3)**

b.	TRANSFER	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)		3
----	----------	--	--	---

See Section G1bB (TRANSFER w/ code for ADL SUPPORT PROVIDED)

**Section G1bB.8 (TRANSFER w/ code for ADL SUPPORT PROVIDED = 8)**

b.	TRANSFER	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)		8
----	----------	--	--	---

See Section G1bB (TRANSFER w/ code for ADL SUPPORT PROVIDED)

**Section G1c. (WALK IN ROOM)**

c.	WALK IN ROOM	How resident walks between locations in his/her room		
----	--------------	--	--	--

NO MATCHES ATTEMPTED

**Section G1cA (WALK IN ROOM w/ code for ADL SELF-PERFORMANCE)**

c.	WALK IN ROOM	How resident walks between locations in his/her room		
----	--------------	--	--	--

NO MATCHES ATTEMPTED

**Section G1cA.0 (WALK IN ROOM w/ code for ADL SELF-PERFORMANCE = 0)**

c.	WALK IN ROOM	How resident walks between locations in his/her room	0	
----	--------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1cA.1 (WALK IN ROOM w/ code for ADL SELF-PERFORMANCE = 1)**

c.	WALK IN ROOM	How resident walks between locations in his/her room	1	
----	--------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1cA.2 (WALK IN ROOM w/ code for ADL SELF-PERFORMANCE = 2)**

c.	WALK IN ROOM	How resident walks between locations in his/her room	2	
----	--------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1cA.3 (WALK IN ROOM w/ code for ADL SELF-PERFORMANCE = 3)**

c.	WALK IN ROOM	How resident walks between locations in his/her room	3	
----	--------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1cA.4 (WALK IN ROOM w/ code for ADL SELF-PERFORMANCE = 4)**

c.	WALK IN ROOM	How resident walks between locations in his/her room	4	
----	--------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1cA.8 (WALK IN ROOM w/ code for ADL SELF-PERFORMANCE = 8)**

c.	WALK IN ROOM	How resident walks between locations in his/her room	8	
----	--------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1cB (WALK IN ROOM w/ code for ADL SUPPORT PROVIDED)**

c.	WALK IN ROOM	How resident walks between locations in his/her room		
----	--------------	--	--	--

NO MATCHES ATTEMPTED

**Section G1cB.0 (WALK IN ROOM w/ code for ADL SUPPORT PROVIDED = 0)**

c.	WALK IN ROOM	How resident walks between locations in his/her room		0
----	--------------	--	--	---

NO MATCHES ATTEMPTED

**Section G1cB.1 (WALK IN ROOM w/ code for ADL SUPPORT PROVIDED = 1)**

c.	WALK IN ROOM	How resident walks between locations in his/her room		1
----	--------------	--	--	---

NO MATCHES ATTEMPTED

**Section G1cB.2 (WALK IN ROOM w/ code for ADL SUPPORT PROVIDED = 2)**

c.	WALK IN ROOM	How resident walks between locations in his/her room		2
----	--------------	--	--	---

NO MATCHES ATTEMPTED

**Section G1cB.3 (WALK IN ROOM w/ code for ADL SUPPORT PROVIDED = 3)**

c.	WALK IN ROOM	How resident walks between locations in his/her room		3
----	--------------	--	--	---

NO MATCHES ATTEMPTED

**Section G1cB.8 (WALK IN ROOM w/ code for ADL SUPPORT PROVIDED = 8)**

c.	WALK IN ROOM	How resident walks between locations in his/her room		8
----	--------------	--	--	---

NO MATCHES ATTEMPTED

**Section G1d. (WALK IN CORRIDOR)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit		
----	------------------	--	--	--

NO MATCHES ATTEMPTED

**Section G1dA (WALK IN CORRIDOR w/ code for ADL SELF-PERFORMANCE)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit		
----	------------------	--	--	--

NO MATCHES ATTEMPTED

**Section G1dA.0 (WALK IN CORRIDOR w/ code for ADL SELF-PERFORMANCE = 0)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit	0	
----	------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1dA.1 (WALK IN CORRIDOR w/ code for ADL SELF-PERFORMANCE = 1)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit	1	
----	------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1dA.2 (WALK IN CORRIDOR w/ code for ADL SELF-PERFORMANCE = 2)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit	2	
----	------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1dA.3 (WALK IN CORRIDOR w/ code for ADL SELF-PERFORMANCE = 3)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit	3	
----	------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1dA.4 (WALK IN CORRIDOR w/ code for ADL SELF-PERFORMANCE = 4)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit	4	
----	------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1dA.8 (WALK IN CORRIDOR w/ code for ADL SELF-PERFORMANCE = 8)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit	8	
----	------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1dB (WALK IN CORRIDOR w/ code for ADL SUPPORT PROVIDED)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit		
----	------------------	--	--	--

NO MATCHES ATTEMPTED

**Section G1dB.0 (WALK IN CORRIDOR w/ code for ADL SUPPORT PROVIDED = 0)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit		0
----	------------------	--	--	---

NO MATCHES ATTEMPTED

**Section G1dB.1 (WALK IN CORRIDOR w/ code for ADL SUPPORT PROVIDED = 1)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit		1
----	------------------	--	--	---

NO MATCHES ATTEMPTED

**Section G1dB.2 (WALK IN CORRIDOR w/ code for ADL SUPPORT PROVIDED = 2)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit		2
----	------------------	--	--	---

NO MATCHES ATTEMPTED

**Section G1dB.3 (WALK IN CORRIDOR w/ code for ADL SUPPORT PROVIDED = 3)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit		3
----	------------------	--	--	---

NO MATCHES ATTEMPTED

**Section G1dB.8 (WALK IN CORRIDOR w/ code for ADL SUPPORT PROVIDED =8)**

d.	WALK IN CORRIDOR	How resident walks in corridor on unit		8
----	------------------	--	--	---

NO MATCHES ATTEMPTED

**Section G1e. (LOCOMOTION ON UNIT)**

e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair		
----	--------------------	--	--	--

NO MATCHES ATTEMPTED

**Section G1eA. (LOCOMOTION ON UNIT w/ code for ADL SELF-PERFORMANCE)**

e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair		
----	--------------------	--	--	--

NO MATCHES ATTEMPTED

**Section G1eA.0 (LOCOMOTION ON UNIT w/ code for ADL SELF-PERFORMANCE = 0)**

e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair	0	
----	--------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1eA.1 (LOCOMOTION ON UNIT w/ code for ADL SELF-PERFORMANCE = 1)**

e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair	1	
----	--------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1eA.2 (LOCOMOTION ON UNIT w/ code for ADL SELF-PERFORMANCE = 2)**

e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair	2	
----	--------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1eA.3 (LOCOMOTION ON UNIT w/ code for ADL SELF-PERFORMANCE = 3)**

e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair	3	
----	--------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1eA.4 (LOCOMOTION ON UNIT w/ code for ADL SELF-PERFORMANCE = 4)**

e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair	4	
----	--------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1eA.8 (LOCOMOTION ON UNIT w/ code for ADL SELF-PERFORMANCE = 8)**

e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair	8	
----	--------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1eB (LOCOMOTION ON UNIT w/ code for ADL SUPPORT PROVIDED)**

e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair		
----	--------------------	--	--	--

NO MATCHES ATTEMPTED

**Section G1eB.0 (LOCOMOTION ON UNIT w/ code for ADL SUPPORT PROVIDED = 0)**

e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair	0	
----	--------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1eB.1 (LOCOMOTION ON UNIT w/ code for ADL SUPPORT PROVIDED = 1)**

e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair	1	
----	--------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1eB.2 (LOCOMOTION ON UNIT w/ code for ADL SUPPORT PROVIDED = 2)**

e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair	2	
----	--------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1eB.3 (LOCOMOTION ON UNIT w/ code for ADL SUPPORT PROVIDED = 3)**

e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair	3	
----	--------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1eB.8 (LOCOMOTION ON UNIT w/ code for ADL SUPPORT PROVIDED = 8)**

e.	<b>LOCOMOTION ON UNIT</b>	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair		8
----	---------------------------	--	--	---

NO MATCHES ATTEMPTED

**Section G1f. (LOCOMOTION OFF UNIT)**

f.	<b>LOCOMOTION OFF UNIT</b>	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		
----	----------------------------	--	--	--

NO MATCHES ATTEMPTED

**Section G1fA. (LOCOMOTION OFF UNIT w/ code for ADL SELF-PERFORMANCE)**

f.	<b>LOCOMOTION OFF UNIT</b>	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		
----	----------------------------	--	--	--

NO MATCHES ATTEMPTED

**Section G1fA.0 (LOCOMOTION OFF UNIT w/ code for ADL SELF-PERFORMANCE = 0)**

f.	<b>LOCOMOTION OFF UNIT</b>	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair	0	
----	----------------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1fA.1 (LOCOMOTION OFF UNIT w/ code for ADL SELF-PERFORMANCE = 1)**

f.	<b>LOCOMOTION OFF UNIT</b>	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair	1	
----	----------------------------	--	---	--

NO MATCHES ATTEMPTED

**Section G1fA.2 (LOCOMOTION OFF UNIT w/ code for ADL SELF-PERFORMANCE = 2)**

f.	LOCOMOTION OFF UNIT	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		
			2	

NO MATCHES ATTEMPTED

**Section G1fA.3 (LOCOMOTION OFF UNIT w/ code for ADL SELF-PERFORMANCE = 3)**

f.	LOCOMOTION OFF UNIT	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		
			3	

NO MATCHES ATTEMPTED

**Section G1fA.4 (LOCOMOTION OFF UNIT w/ code for ADL SELF-PERFORMANCE = 4)**

f.	LOCOMOTION OFF UNIT	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		
			4	

NO MATCHES ATTEMPTED

**Section G1fA.8 (LOCOMOTION OFF UNIT w/ code for ADL SELF-PERFORMANCE = 8)**

f.	LOCOMOTION OFF UNIT	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		
			8	

NO MATCHES ATTEMPTED

**Section G1fB (LOCOMOTION OFF UNIT w/ code for ADL SUPPORT PROVIDED)**

f.	LOCOMOTION OFF UNIT	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		

NO MATCHES ATTEMPTED

**Section G1fB.0 (LOCOMOTION OFF UNIT w/ code for ADL SUPPORT PROVIDED = 0)**

f.	<b>LOCOMOTION OFF UNIT</b>	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		0
----	----------------------------	--	--	---

NO MATCHES ATTEMPTED

[Section G1fB.1 \(LOCOMOTION OFF UNIT w/ code for ADL SUPPORT PROVIDED = 1\)](#)

f.	<b>LOCOMOTION OFF UNIT</b>	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		1
----	----------------------------	--	--	---

NO MATCHES ATTEMPTED

[Section G1fB.2 \(LOCOMOTION OFF UNIT w/ code for ADL SUPPORT PROVIDED = 2\)](#)

f.	<b>LOCOMOTION OFF UNIT</b>	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		2
----	----------------------------	--	--	---

NO MATCHES ATTEMPTED

[Section G1fB.3 \(LOCOMOTION OFF UNIT w/ code for ADL SUPPORT PROVIDED = 3\)](#)

f.	<b>LOCOMOTION OFF UNIT</b>	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		3
----	----------------------------	--	--	---

NO MATCHES ATTEMPTED

[Section G1fB.8 \(LOCOMOTION OFF UNIT w/ code for ADL SUPPORT PROVIDED = 8\)](#)

f.	<b>LOCOMOTION OFF UNIT</b>	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). <b>If facility has only one floor</b> , how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		8
----	----------------------------	--	--	---

NO MATCHES ATTEMPTED

[Section G1g. \(DRESSING\)](#)

g.	<b>DRESSING</b>	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis		
----	-----------------	--	--	--

NO MATCHES ATTEMPTED

Section G1gA (DRESSING w/ code for ADL SELF-PERFORMANCE)

g.	DRESSING	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis		
----	----------	--	--	--

NO MATCHES ATTEMPTED

Section G1gA.0 (DRESSING w/ code for ADL SELF-PERFORMANCE = 0)

g.	DRESSING	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis	0	
----	----------	--	---	--

NO MATCHES ATTEMPTED

Section G1gA.1 (DRESSING w/ code for ADL SELF-PERFORMANCE = 1)

g.	DRESSING	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis	1	
----	----------	--	---	--

NO MATCHES ATTEMPTED

Section G1gA.2 (DRESSING w/ code for ADL SELF-PERFORMANCE = 2)

g.	DRESSING	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis	2	
----	----------	--	---	--

NO MATCHES ATTEMPTED

Section G1gA.3 (DRESSING w/ code for ADL SELF-PERFORMANCE = 3)

g.	DRESSING	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis	3	
----	----------	--	---	--

NO MATCHES ATTEMPTED

Section G1gA.4 (DRESSING w/ code for ADL SELF-PERFORMANCE = 4)

g.	DRESSING	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis	4	
----	----------	--	---	--

NO MATCHES ATTEMPTED

**Section G1gA.8 (DRESSING w/ code for ADL SELF-PERFORMANCE = 8)**

<b>g.</b>	<b>DRESSING</b>	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis	<b>8</b>	
-----------	-----------------	--	----------	--

**NO MATCHES ATTEMPTED**

**Section G1gB (DRESSING w/ code for ADL SUPPORT PROVIDED)**

<b>g.</b>	<b>DRESSING</b>	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis		
-----------	-----------------	--	--	--

**NO MATCHES ATTEMPTED**

**Section G1gB.0 (DRESSING w/ code for ADL SUPPORT PROVIDED = 0)**

<b>g.</b>	<b>DRESSING</b>	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis		<b>0</b>
-----------	-----------------	--	--	----------

**NO MATCHES ATTEMPTED**

**Section G1gB.1 (DRESSING w/ code for ADL SUPPORT PROVIDED = 1)**

<b>g.</b>	<b>DRESSING</b>	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis		<b>1</b>
-----------	-----------------	--	--	----------

**NO MATCHES ATTEMPTED**

**Section G1gB.2 (DRESSING w/ code for ADL SUPPORT PROVIDED = 2)**

<b>g.</b>	<b>DRESSING</b>	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis		<b>2</b>
-----------	-----------------	--	--	----------

**NO MATCHES ATTEMPTED**

**Section G1gB.3 (DRESSING w/ code for ADL SUPPORT PROVIDED = 3)**

<b>g.</b>	<b>DRESSING</b>	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis		<b>3</b>
-----------	-----------------	--	--	----------

**NO MATCHES ATTEMPTED**

**Section G1gB.8 (DRESSING w/ code for ADL SUPPORT PROVIDED = 8)**

<b>g.</b>	<b>DRESSING</b>	How resident puts on, fastens, and takes off all items of <b>street clothing</b> , including donning/removing prosthesis		<b>8</b>
-----------	-----------------	--	--	----------

**NO MATCHES ATTEMPTED**

**Section G1h. (EATING)**

<b>h.</b>	<b>EATING</b>	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)		
-----------	---------------	--	--	--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Ability to eat (observable entity) Finding of eating ability (finding)	SNOMED CT SNOMED CT	

**Section G1hA (EATING w/ code for ADL SELF-PERFORMANCE)**

<b>h.</b>	<b>EATING</b>	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)		
-----------	---------------	--	--	--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Supervision (regime/therapy) Dependent patient (finding)	SNOMED CT SNOMED CT	<p>SNOMED does have Dependence for eating, Dependence for dressing, etc., which relate to the MDS concept but do not provide information on the extent of the dependence. <b>(rshephard 2005/06/10 14:14)</b></p> <p>Dependent patient is a subconcept of doctor-patient problems - that doesn't apply here. Physical functional dependency seems to be a broader match rather than a partial match. The synonym for "Total" is "presumed total," which doesn't seem to apply here. <b>(rshephard 2005/06/10 14:12)</b></p> <p>The SNOMED concept Supervision (regime/therapy) is a broader match, not a best match, because the MDS definition of supervision is specific to oversight, encouragement, cueing. Without a SNOMED definition for Supervision (regime/therapy), it is not known what activities are included. Also, some of the subconcepts, such as 24-hour supervision and constant supervision, do not apply to the MDS concept. <b>(rshephard 2005/06/10 14:03)</b></p> <p>The MDS definition of "limited assistance" is very detailed and narrow - SNOMED concepts do not cover it. SNOMED has Level of patient assistance - broader match. <b>(rshephard 2005/06/10 13:57)</b></p>

		<p>Independently able (qualifier value) is a broader match - it does not include the MDS exceptions (help/oversight provided only 1 or 2 times). Also, SNOMED has the concepts "independent toilet," "independent eating," etc. <b>(rshephard 2005/06/10 13:54)</b></p> <p>SNOMED has Level of patient assistance - broader match. <b>(rshephard 2005/06/10 13:48)</b></p> <p>The MDS definition of "extensive assistance" is very detailed and narrow - SNOMED concepts do not cover it. <b>(rshephard 2005/06/10 13:46)</b></p> <p>Ability to eat is a broader match, because it includes not only the individual's ability to mechanically get the food into the mouth (which is the MDS concept), but also the ability to eat certain foods (and probably other concepts also). Finding of eating ability and finding related to ability to eat are broader matches. Since SNOMED does not include assistance levels in the concepts, there is no best match. <b>(rshephard 2005/06/08 17:55)</b></p> <p>MDS response is very specific -- will be hard to match. The "dependent patient" term has to do with psychological dependence (with regard to doctor/pt relationship) -- not relevant to physical dependence. <b>(dmalitz 2005/06/06 16:34)</b></p> <p>MDS response is very specific -- will be hard to match. <b>(dmalitz 2005/06/06 16:31)</b></p> <p>"Ability to eat (observable entity)" may be best match for the item. I don't think we have matches for the self-performance and support response option concepts. <b>(dmalitz 2005/06/02 17:39)</b></p>
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Assisting with activity (procedure) Absence findings (qualifier value)	SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Ability to eat (observable entity) Assisted (qualifier value) Assisting (procedure) Dependence (qualifier value) Dependent (qualifier value) Dependent in toilet (finding) Extensive (qualifier value) Finding of eating ability (finding)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

Finding related to ability to eat (finding)	SNOMED CT	
Independently able (qualifier value)	SNOMED CT	
Limited (qualifier value)	SNOMED CT	
Nursing supervision (procedure)	SNOMED CT	
Patient dependence on (contextual qualifier) (qualifier value)	SNOMED CT	
Physical functional dependency (finding)	SNOMED CT	
Supervision (regime/therapy)	SNOMED CT	
Total (qualifier value)	SNOMED CT	

**[Section G1hA.0 \(EATING w/ code for ADL SELF-PERFORMANCE = 0\)](#)**

<b>h.</b>	<b>EATING</b>	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)		
			<b>0</b>	

See Section G1hA (EATING w/ code for ADL SELF-PERFORMANCE)

**[Section G1hA.1 \(EATING w/ code for ADL SELF-PERFORMANCE = 1\)](#)**

<b>h.</b>	<b>EATING</b>	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)		
			<b>1</b>	

See Section G1hA (EATING w/ code for ADL SELF-PERFORMANCE)

**[Section G1hA.2 \(EATING w/ code for ADL SELF-PERFORMANCE = 2\)](#)**

<b>h.</b>	<b>EATING</b>	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)		
			<b>2</b>	

See Section G1hA (EATING w/ code for ADL SELF-PERFORMANCE)

**[Section G1hA.3 \(EATING w/ code for ADL SELF-PERFORMANCE = 3\)](#)**

<b>h.</b>	<b>EATING</b>	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)		
			<b>3</b>	

See Section G1hA (EATING w/ code for ADL SELF-PERFORMANCE)

**[Section G1hA.4 \(EATING w/ code for ADL SELF-PERFORMANCE = 4\)](#)**

<b>h.</b>	<b>EATING</b>	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)		
			<b>4</b>	

See Section G1hA (EATING w/ code for ADL SELF-PERFORMANCE)

**Section G1hA.8 (EATING w/ code for ADL SELF-PERFORMANCE = 8)**

h.	<b>EATING</b>	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)	8	
----	---------------	--	---	--

See Section G1hA (EATING w/ code for ADL SELF-PERFORMANCE)

**Section G1hB (EATING w/ code for ADL SUPPORT PROVIDED)**

h.	<b>EATING</b>	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)		
----	---------------	--	--	--

Broader Match Term	Broader Match Term Namespace	Reviewer Feedback & Name
Finding related to ability to eat (finding) Finding of activity of daily living (finding)	SNOMED CT SNOMED CT	<p>Support whilst performing an activity of daily living (procedure) is a partial match. However, the MDS concept combines the number of helpers (one person) with the qualifier "physical" assist. No match. <b>(rshephard 2005/06/10 13:42)</b></p> <p>The MDS definition for "set-up help" is very narrow. This concept doesn't appear to exist in SNOMED. <b>(rshephard 2005/06/10 12:29)</b></p> <p>Support whilst performing an activity of daily living (procedure) is a partial match. However, the MDS concept combines the number of helpers (one person) with the qualifier "physical" assist. No match. <b>(rshephard 2005/06/10 12:27)</b></p> <p>The ability to perform IADLs is not generally a part of the therapy regimen in the SNF. The subconcepts do not apply. Independently able may be a partial match, but many of the inverse roles do not apply. <b>(rshephard 2005/06/10 12:18)</b></p> <p>MDS response is very specific -- will be hard to match. "Ability to perform instrumental activities..." isn't relevant. Activities listed as subconcepts are not the ADLs listed on MDS. <b>(dmalitz 2005/06/06 16:37)</b></p> <p>MDS response is very specific -- will be hard to match. <b>(dmalitz 2005/06/06 16:34)</b></p>
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----

Ability to perform instrumental activities of daily living (observable entity)	SNOMED CT	
Finding of eating ability (finding)	SNOMED CT	
Independently able (qualifier value)	SNOMED CT	

**[Section G1hB.0 \(EATING w/ code for ADL SUPPORT PROVIDED = 0\)](#)**

h.	EATING	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)	[Redacted]	
				0

See Section G1hB (EATING w/ code for ADL SUPPORT PROVIDED)

**[Section G1hB.1 \(EATING w/ code for ADL SUPPORT PROVIDED = 1\)](#)**

h.	EATING	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)	[Redacted]	
				1

See Section G1hB (EATING w/ code for ADL SUPPORT PROVIDED)

**[Section G1hB.2 \(EATING w/ code for ADL SUPPORT PROVIDED = 2\)](#)**

h.	EATING	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)	[Redacted]	
				2

See Section G1hB (EATING w/ code for ADL SUPPORT PROVIDED)

**[Section G1hB.3 \(EATING w/ code for ADL SUPPORT PROVIDED = 3\)](#)**

h.	EATING	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)	[Redacted]	
				3

See Section G1hB (EATING w/ code for ADL SUPPORT PROVIDED)

**[Section G1hB.8 \(EATING w/ code for ADL SUPPORT PROVIDED = 8\)](#)**

h.	EATING	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)	[Redacted]	

See Section G1hB (EATING w/ code for ADL SUPPORT PROVIDED)

**Section G1i. (TOILET USE)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes		
----	-------------------	--	--	--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Ability to perform toileting activities (observable entity)	SNOMED CT	The concept: ability to perform toileting activities (observable entity) is a more complete match. Code: F-00DE2 Id: 284899 Namespace: SNOMED CT (jharvell 2005/05/10 15:46)
Partial Match Term	Partial Match Term Namespace	-----
Finding related to ability to adjust clothing for toilet (finding) Finding related to ability to use bedpan (finding) Finding related to ability to use commode (finding)	SNOMED CT SNOMED CT SNOMED CT	

**Section G1iA (TOILET USE w/ code for ADL SELF-PERFORMANCE)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes		
----	-------------------	--	--	--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Dependent patient (finding) Ability to perform toileting activities (observable entity) Supervision (regime/therapy) Dependent patient (finding)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT	SNOMED does have Dependence for eating, Dependence for dressing, etc., which relate to the MDS concept but do not provide information on the extent of the dependence. (rshephard 2005/06/10 14:14)  Dependent patient is a subconcept of doctor-patient problems - that doesn't apply here. Physical functional dependency seems to be a broader match rather than a partial match. The synonym for "Total" is "presumed total," which doesn't seem to apply here. (rshephard 2005/06/10 14:12)  The SNOMED concept Supervision (regime/therapy) is a broader match, not a best match, because the MDS definition of supervision is specific to oversight, encouragement, cueing. Without a SNOMED definition for Supervision (regime/therapy), it is not known what activities are included. Also, some of the subconcepts, such as 24-hour supervision and constant supervision, do not apply to the MDS concept. (rshephard 2005/06/10 14:03)  The MDS definition of "limited assistance" is very

		<p>detailed and narrow - SNOMED concepts do not cover it. SNOMED has Level of patient assistance - broader match. <b>(rshephard 2005/06/10 13:57)</b></p> <p>Independently able (qualifier value) is a broader match - it does not include the MDS exceptions (help/oversight provided only 1 or 2 times). Also, SNOMED has the concepts "independent toilet," "independent eating," etc. <b>(rshephard 2005/06/10 13:54)</b></p> <p>SNOMED has Level of patient assistance - broader match. <b>(rshephard 2005/06/10 13:48)</b></p> <p>The MDS definition of "extensive assistance" is very detailed and narrow - SNOMED concepts do not cover it. <b>(rshephard 2005/06/10 13:46)</b></p> <p>Ability to perform toileting activities is not a best match, since SNOMED does not include the distinctions ADL Self-performance and ADL Support Provided. it is a broader match. <b>(rshephard 2005/06/08 18:06)</b></p> <p>MDS response is very specific -- will be hard to match. The "dependent patient" term has to do with psychological dependence (with regard to doctor/pt relationship) -- not relevant to physical dependence. <b>(dmalitz 2005/06/06 16:34)</b></p> <p>MDS response is very specific -- will be hard to match. <b>(dmalitz 2005/06/06 16:31)</b></p> <p>"Ability to use toilet (observable entity)" may be best match for the item. I don't think we have matches for the self-performance and support response option concepts. <b>(dmalitz 2005/06/02 17:46)</b></p> <p>Confusion of item with responses. <b>(dmalitz 2005/05/31 14:57)</b></p>
--	--	--

<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Assisting with activity (procedure) Ability to use toilet (observable entity) Absence findings (qualifier value)	SNOMED CT SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Namespace</b>	-----
Assisted (qualifier value) Assisting (procedure) Dependence (qualifier value) Dependent (qualifier value)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

Dependent in toilet (finding)	SNOMED CT	
Extensive (qualifier value)	SNOMED CT	
Independent in toilet (finding)	SNOMED CT	
Independently able (qualifier value)	SNOMED CT	
Limited (qualifier value)	SNOMED CT	
Nursing supervision (procedure)	SNOMED CT	
Patient dependence on (contextual qualifier) (qualifier value)	SNOMED CT	
Physical functional dependency (finding)	SNOMED CT	
Supervision (regime/therapy)	SNOMED CT	
Total (qualifier value)	SNOMED CT	

**[Section G1iA.0 \(TOILET USE w/ code for ADL SELF-PERFORMANCE = 0\)](#)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes		
			0	

See Section G1iA (TOILET USE w/ code for ADL SELF-PERFORMANCE)

**[Section G1iA.1 \(TOILET USE w/ code for ADL SELF-PERFORMANCE = 1\)](#)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes		
			1	

See Section G1iA (TOILET USE w/ code for ADL SELF-PERFORMANCE)

**[Section G1iA.2 \(TOILET USE w/ code for ADL SELF-PERFORMANCE = 2\)](#)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes		
			2	

See Section G1iA (TOILET USE w/ code for ADL SELF-PERFORMANCE)

**[Section G1iA.3 \(TOILET USE w/ code for ADL SELF-PERFORMANCE = 3\)](#)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes		
			3	

See Section G1iA (TOILET USE w/ code for ADL SELF-PERFORMANCE)

**Section G1iA.4 (TOILET USE w/ code for ADL SELF-PERFORMANCE = 4)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes	4	
----	-------------------	--	---	--

See Section G1iA (TOILET USE w/ code for ADL SELF-PERFORMANCE)

**Section G1iA.8 (TOILET USE w/ code for ADL SELF-PERFORMANCE = 8)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes	8	
----	-------------------	--	---	--

See Section G1iA (TOILET USE w/ code for ADL SELF-PERFORMANCE)

**Section G1iB (TOILET USE w/ code for ADL SUPPORT PROVIDED)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes		
----	-------------------	--	--	--

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Dependent in toilet (finding) Toilet dependency (finding)	SNOMED CT SNOMED CT	<p>"Ability to use toilet (observable entity)" may be best match for the item. I don't think we have matches for the self-performance and support response option concepts. <b>(dmalitz 2005/06/02 17:46)</b></p> <p>All listed terms are related, but again confusion of item with response. <b>(dmalitz 2005/05/31 14:58)</b></p> <p>Dependent in toilet is not a best match. This SNOMED concept describes a characteristic of a resident whereas the MDS concept describes a category that pertains to 4 possible levels of assistance. It does not provide for levels of dependence or for independence in toileting, and it does not draw a distinction between ADL Support provided and ADL Self-Performance. It is a partial match. Toilet dependency does not provide for levels of dependence included in the MDS concept. <b>(rshephard 2005/06/08 18:16)</b></p> <p>MDS response is very specific -- will be hard to match. <b>(dmalitz 2005/06/06 16:34)</b></p> <p>MDS response is very specific -- will be hard to match. "Ability to perform instrumental activities..." isn't</p>

		<p>relevant. Activities listed as subconcepts are not the ADLs listed on MDS. <b>(dmalitz 2005/06/06 16:37)</b></p> <p>Support whilst performing an activity of daily living (procedure) is a partial match. However, the MDS concept combines the number of helpers (one person) with the qualifier "physical" assist. No match. <b>(rshephard 2005/06/10 12:27)</b></p> <p>The ability to perform IADLs is not generally a part of the therapy regimen in the SNF. The subconcepts do not apply. Independently able may be a partial match, but many of the inverse roles do not apply. <b>(rshephard 2005/06/10 12:18)</b></p> <p>The MDS definition for "set-up help" is very narrow. This concept doesn't appear to exist in SNOMED. <b>(rshephard 2005/06/10 12:29)</b></p>
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Ability to use toilet (observable entity) Finding of activity of daily living (finding)	SNOMED CT SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Ability to perform instrumental activities of daily living (observable entity) Independently able (qualifier value) Needs help in toilet (finding)	SNOMED CT SNOMED CT SNOMED CT	

**Section G1iB.0 (TOILET USE w/ code for ADL SUPPORT PROVIDED = 0)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes			<b>0</b>
----	-------------------	--	--	--	----------

See Section G1iB (TOILET USE w/ code for ADL SUPPORT PROVIDED)

**Section G1iB.1 (TOILET USE w/ code for ADL SUPPORT PROVIDED = 1)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes			<b>1</b>
----	-------------------	--	--	--	----------

See Section G1iB (TOILET USE w/ code for ADL SUPPORT PROVIDED)

**Section G1iB.2 (TOILET USE w/ code for ADL SUPPORT PROVIDED = 2)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes			2
----	-------------------	--	--	--	---

See Section G1iB (TOILET USE w/ code for ADL SUPPORT PROVIDED)

**Section G1iB.3 (TOILET USE w/ code for ADL SUPPORT PROVIDED = 3)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes			3
----	-------------------	--	--	--	---

See Section G1iB (TOILET USE w/ code for ADL SUPPORT PROVIDED)

**Section G1iB.8 (TOILET USE w/ code for ADL SUPPORT PROVIDED = 8)**

i.	<b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes			8
----	-------------------	--	--	--	---

See Section G1iB (TOILET USE w/ code for ADL SUPPORT PROVIDED)

**Section G1j. (PERSONAL HYGIENE)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)			
----	-------------------------	---	--	--	--

NO MATCHES ATTEMPTED

**Section G1jA (PERSONAL HYGIENE w/ code for ADL SELF-PERFORMANCE)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)			
----	-------------------------	---	--	--	--

NO MATCHES ATTEMPTED

**Section G1jA.0 (PERSONAL HYGIENE w/ code for ADL SELF-PERFORMANCE = 0)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)	0		
----	-------------------------	---	---	--	--

NO MATCHES ATTEMPTED

**Section G1jA.1 (PERSONAL HYGIENE w/ code for ADL SELF-PERFORMANCE = 1)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)	1	
----	-------------------------	---	---	--

NO MATCHES ATTEMPTED

**Section G1jA.2 (PERSONAL HYGIENE w/ code for ADL SELF-PERFORMANCE = 2)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)	2	
----	-------------------------	---	---	--

NO MATCHES ATTEMPTED

**Section G1jA.3 (PERSONAL HYGIENE w/ code for ADL SELF-PERFORMANCE = 3)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)	3	
----	-------------------------	---	---	--

NO MATCHES ATTEMPTED

**Section G1jA.4 (PERSONAL HYGIENE w/ code for ADL SELF-PERFORMANCE = 4)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)	4	
----	-------------------------	---	---	--

NO MATCHES ATTEMPTED

**Section G1jA.8 (PERSONAL HYGIENE w/ code for ADL SELF-PERFORMANCE = 8)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)	8	
----	-------------------------	---	---	--

NO MATCHES ATTEMPTED

**Section G1jB (PERSONAL HYGIENE w/ code for ADL SUPPORT PROVIDED)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)		
----	-------------------------	---	--	--

NO MATCHES ATTEMPTED

**Section G1jB.0 (PERSONAL HYGIENE w/ code for ADL SUPPORT PROVIDED = 0)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)		
				0

NO MATCHES ATTEMPTED

**Section G1jB.1 (PERSONAL HYGIENE w/ code for ADL SUPPORT PROVIDED = 1)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)		
				1

NO MATCHES ATTEMPTED

**Section G1jB.2 (PERSONAL HYGIENE w/ code for ADL SUPPORT PROVIDED = 2)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)		
				2

NO MATCHES ATTEMPTED

**Section G1jB.3 (PERSONAL HYGIENE w/ code for ADL SUPPORT PROVIDED = 3)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)		
				3

NO MATCHES ATTEMPTED

**Section G1jB.8 (PERSONAL HYGIENE w/ code for ADL SUPPORT PROVIDED = 8)**

j.	<b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)		
				8

NO MATCHES ATTEMPTED

**Section G2 (BATHING)**

2.	BATHING	How resident takes full-body bath/shower, sponge bath, and transfers in/out of tub/shower (EXCLUDE washing of back and hair.) <i>Code for most dependent in self-performance and support.</i> (A) BATHING SELF-PERFORMANCE codes appear below		
		0. Independent—No help provided		
		1. Supervision—Oversight help only		
		2. Physical help limited to transfer only		
		3. Physical help in part of bathing activity		
		4. Total dependence		
		8. Activity itself did not occur during entire 7 days <i>(Bathing support codes are as defined in Item 1, code B above)</i>		

**NO MATCHES ATTEMPTED**

**Section G2A (BATHING w/ code for BATHING SELF-PERFORMANCE)**

0. Independent—No help provided		
1. Supervision—Oversight help only		
2. Physical help limited to transfer only		
3. Physical help in part of bathing activity		
4. Total dependence		
8. Activity itself did not occur during entire 7 days		

**NO MATCHES ATTEMPTED**

**Section G2A.0 (Independent – No help provided)**

0. Independent—No help provided
---------------------------------

**NO MATCHES ATTEMPTED**

**Section G2A.1 (Supervision – Oversight help only)**

1. Supervision—Oversight help only
------------------------------------

**NO MATCHES ATTEMPTED**

**Section G2A.2 (Physical help limited to transfer only)**

2. Physical help limited to transfer only
---

**NO MATCHES ATTEMPTED**

**Section G2A.3 (Physical help in part of bathing activity)**

3. Physical help in part of bathing activity
--

NO MATCHES ATTEMPTED

Section G2A.4 (Total dependence)

4. Total dependence

NO MATCHES ATTEMPTED

Section G2A.8 (Activity itself did not occur during entire 7 days)

8. Activity itself did not occur during entire 7 days

NO MATCHES ATTEMPTED

Section G2B (BATHING w/ code for BATHING SUPPORT)

0. No setup or physical help from staff  
1. Setup help only  
2. One person physical assist  
3. Two+ persons physical assist

8. ADL activity itself did not occur during entire 7 days


NO MATCHES ATTEMPTED

Section G2B.0 (No setup or physical help from staff)

0. No setup or physical help from staff

NO MATCHES ATTEMPTED

Section G2B.1 (Setup help only)

1. Setup help only

NO MATCHES ATTEMPTED

Section G2B.2 (One person physical assist)

2. One person physical assist

NO MATCHES ATTEMPTED

Section G2B.3 (Two+ persons physical assist)

3. Two+ persons physical assist

NO MATCHES ATTEMPTED

**Section G2B.8 (ADL activity itself did not occur during entire 7 days)**

8. ADL activity itself did not occur during entire 7 days

**NO MATCHES ATTEMPTED**

**Section G3 (TEST FOR BALANCE)**

3.	TEST FOR BALANCE  (see training manual)	(Code for ability during test in the last 7 days)	
		0. Maintained position as required in test	
		1. Unsteady, but able to rebalance self without physical support	
		2. Partial physical support during test; or stands (sits) but does not follow directions for test	
		3. Not able to attempt test without physical help	
		a. Balance while standing	
		b. Balance while sitting—position, trunk control	

**NO MATCHES ATTEMPTED**

**Section G3.0 (Maintained position as required in test)**

0. Maintained position as required in test

**NO MATCHES ATTEMPTED**

**Section G3.1 (Unsteady, but able to rebalance self without physical support)**

1. Unsteady, but able to rebalance self without physical support

**NO MATCHES ATTEMPTED**

**Section G3.2 (Partial physical support during test...)**

2. Partial physical support during test; or stands (sits) but does not follow directions for test

**NO MATCHES ATTEMPTED**

**Section G3.3 (Not able to attempt test without physical help)**

3. Not able to attempt test without physical help

**NO MATCHES ATTEMPTED**

**Section G3a. (Balance while standing)**

a. Balance while standing

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Feature of standing balance (observable entity) Finding of standing balance (finding) Able to maintain a position (finding)	SNOMED CT SNOMED CT SNOMED CT	Subconcept of Feature of standing balance (observable entity) is Standing tolerance, which doesn't really apply to Balance while standing for the MDS 2.0. So, I think this is not a best match - a broader match, maybe. (rshephard 2005/06/15 19:58)
Broader Match Term	Broader Match Term Namespace	-----
Finding of functional performance and activity (finding)	SNOMED CT	
Partial Match Term	Partial Match Term Namespace	-----
Finding of standing balance (finding) Support (regime/therapy) Unsteady gait (finding) Unsteady when walking (finding)	SNOMED CT SNOMED CT SNOMED CT SNOMED CT	

**[Section G3a.0 \(Balance while standing w/ code for ability during test = 0\)](#)**

a. Balance while standing

See Section G3a (Balance while standing w/ code for ability during test)

**[Section G3a.1 \(Balance while standing w/ code for ability during test = 1\)](#)**

a. Balance while standing

See Section G3a (Balance while standing w/ code for ability during test)

**[Section G3a.2 \(Balance while standing w/ code for ability during test = 2\)](#)**

a. Balance while standing

See Section G3a (Balance while standing w/ code for ability during test)

**[Section G3a.3 \(Balance while standing w/ code for ability during test = 3\)](#)**

a. Balance while standing

See Section G3a (Balance while standing w/ code for ability during test)

**[Section G3b. \(Balance while sitting – position, trunk control\)](#)**

b. Balance while sitting—position, trunk control

Best Match Term	Best Match Term Namespace	Reviewer Feedback & Name
Ability to balance when sitting (observable entity) Able to maintain a position (finding)	SNOMED CT SNOMED CT	

Finding of sitting balance (finding)	SNOMED CT	
<b>Broader Match Term</b>	<b>Broader Match Term Namespace</b>	-----
Finding of functional performance and activity (finding)	SNOMED CT	
<b>Partial Match Term</b>	<b>Partial Match Term Namespace</b>	-----
Support (regime/therapy)	SNOMED CT	
Unsteady gait (finding)	SNOMED CT	
Unsteady when walking (finding)	SNOMED CT	

**Section G3b.0 (Balance while sitting – position, trunk control w/ code for ability during test = 0)**

b. Balance while sitting—position, trunk control	<b>0</b>
--	----------

See Section G3b. (Balance while sitting – position, trunk control w/ code for ability during test)

**Section G3b.1 (Balance while sitting – position, trunk control w/ code for ability during test = 1)**

b. Balance while sitting—position, trunk control	<b>1</b>
--	----------

See Section G3b. (Balance while sitting – position, trunk control w/ code for ability during test)

**Section G3b.2 (Balance while sitting – position, trunk control w/ code for ability during test = 2)**

b. Balance while sitting—position, trunk control	<b>2</b>
--	----------

See Section G3b. (Balance while sitting – position, trunk control w/ code for ability during test)

**Section G3b.3 (Balance while sitting – position, trunk control w/ code for ability during test = 3)**

b. Balance while sitting—position, trunk control	<b>3</b>
--	----------

See Section G3b. (Balance while sitting – position, trunk control w/ code for ability during test)

**Section G4 (FUNCTIONAL LIMITATION IN RANGE OF MOTION)**

<b>4. FUNCTIONAL LIMITATION IN RANGE OF MOTION</b>  (see training manual)	(Code for limitations during last 7 days that interfered with daily functions or placed resident at risk of injury)			
	(A) RANGE OF MOTION	(B) VOLUNTARY MOVEMENT		
	0. No limitation	0. No loss		
	1. Limitation on one side	1. Partial loss		
	2. Limitation on both sides	2. Full loss	(A)	(B)
	a. Neck			
	b. Arm—Including shoulder or elbow			
	c. Hand—Including wrist or fingers			
	d. Leg—Including hip or knee			
	e. Foot—Including ankle or toes			
f. Other limitation or loss				

**NO MATCHES ATTEMPTED**

**ATTACHMENT C MUST BE VIEWED IN TWO SEPARATE  
FILES BECAUSE OF ITS SIZE.**

**THIS ATTACHMENT CONTINUES AT:**

<http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-C2.pdf>