

**MAKING THE “MINIMUM DATA SET” COMPLIANT
WITH HEALTH INFORMATION TECHNOLOGY
STANDARDS**

**ATTACHMENT F:
SPECIFIC VOCABULARY CODES**

Name	MDS Location	DRAFT Vocab Code	DRAFT Vocab Namespace	DRAFT Vocab Item
ADVANCED DIRECTIVES	A10	F-034AF	SNOMED CT	Advanced directive signed (finding)
NEW MEDICATIONS	O2	F-01A82	SNOMED CT	New medication added (finding)
NEW MEDICATIONS	O2	G-A471	SNOMED CT	New (qualifier value)
Needs assistance and/or prompting to access fluids	[mds3]	D6-20000	SNOMED CT	Disorder of fluid AND/OR electrolyte (disorder)
Needs assistance and/or prompting to access fluids	[mds3]	PA-00606	SNOMED CT	Fluid intake encouragement (regime/therapy)
Medication restrictions	A10g	F-0478E	SNOMED CT	Legal affairs and legal constraints (observable entity)
Medication restrictions	A10g	P0-04055	SNOMED CT	Dispensing medication (procedure)
Medication restrictions	A10g	P0-04046	SNOMED CT	Procedure related to management of drug administration (procedure)
Medication restrictions	A10g	F-01006	SNOMED CT	Patient status finding (finding)
Living will	A10a	F-04B11	SNOMED CT	Will to live (observable entity)
Living will	A10a	F-034AF	SNOMED CT	Advanced directive signed (finding)
Do not resuscitate	A10b	F-03CF1	SNOMED CT	Not for resuscitation (finding)
Do not hospitalize	A10c	F-01006	SNOMED CT	Patient status finding (finding)
Do not hospitalize	A10c	G-D32A	SNOMED CT	Did not attend (qualifier value)
SECTION I. DISEASE DIAGNOSES	I	362.5	ICD-9-CM	Macular degeneration (senile) of retina, unspecified [362.50]
SECTION I. DISEASE DIAGNOSES	I	D6-72200	SNOMED CT	I-cell disease (disorder)
SECTION I. DISEASE DIAGNOSES	I	DF-00000	SNOMED CT	Disease (disorder)
Active Diagnoses	[additional items]	DF-00000	SNOMED CT	Disease (disorder)
Active Diagnoses	[additional items]	PA-62006	SNOMED CT	Active listening (procedure)
Active Diagnoses	[additional items]	R-42501	SNOMED CT	Active problem (qualifier value)
Active Diagnoses	[additional items]	G-1004	SNOMED CT	Working diagnosis (contextual qualifier) (qualifier value)
Active Diagnoses	[additional items]	G-1007	SNOMED CT	Principal diagnosis (contextual qualifier) (qualifier value)
COMATOSE	B1	780.01	ICD-9-CM	Coma [780.01]
COMATOSE	B1	DA-13680	SNOMED CT	Persistent vegetative state (disorder)
COMATOSE	B1	DF-00AEA	SNOMED CT	Coma (disorder)
COMATOSE	B1	R-207B7	SNOMED CT	On examination - unconscious/comatose (context-dependent category)
COMATOSE	B1	R-203B8	SNOMED CT	On examination - comatose (context-dependent category)
COMATOSE	B1	DF-00AEA	SNOMED CT	Coma (disorder)
INFECTIONS	I2	136	ICD-9-CM	Other and unspecified infectious and parasitic diseases [136]
INFECTIONS	I2	DE-60051	SNOMED CT	Other trematode infections (disorder)
INFECTIONS	I2	DE-00000	SNOMED CT	Infectious disease (disorder)
DISEASES	I1	001-999.99	ICD-9-CM	DISEASES AND INJURIES [001-999.99]
DISEASES	I1	DA-71040	SNOMED CT	Harada's disease (disorder)
DISEASES	I1	DF-00000	SNOMED CT	Disease (disorder)
Antibiotic resistant infection (e.g., Methicillin resistant s [additional items]	[additional items]	DE-000CD	SNOMED CT	Infection due to resistant organism (disorder)
Antibiotic resistant infection (e.g., Methicillin resistant s [additional items]	[additional items]	DE-000DF	SNOMED CT	Infection due to antimicrobial resistant bacteria (disorder)
Antibiotic resistant infection (e.g., Methicillin resistant s [additional items]	[additional items]	V09.9	ICD-9-CM	Infection with drug-resistant microorganisms, unspecified [V09.9]

Antibiotic resistant infection (e.g., Methicillin resistant s [additional items]		V09.70	ICD-9-CM	Infection with microorganisms resistant to other specified antimycobacterial agents, without mention of resistance to multiple antimycobacterial agents [V09.70]
Antibiotic resistant infection (e.g., Methicillin resistant s [additional items]		V09	ICD-9-CM	Infection with drug-resistant microorganisms [V09]
Tuberculosis	I2i	DE-14800	SNOMED CT	Tuberculosis (disorder)
Tuberculosis	I2i	DF-003B0	SNOMED CT	Avian tuberculosis (disorder)
Tuberculosis	I2i	F-C3712	SNOMED CT	Mantoux: positive (finding)
Tuberculosis	I2i	010-018.99	ICD-9-CM	TUBERCULOSIS [010-018.99]
Respiratory infection	I2f	460-466.99	ICD-9-CM	ACUTE RESPIRATORY INFECTIONS [460-466.99]
Respiratory infection	I2f	DE-300A5	SNOMED CT	Viral respiratory infection (disorder)
Respiratory infection	I2f	D2-0009A	SNOMED CT	Respiratory tract infection (disorder)
Urinary tract infection in last 30 days	I2j	599	ICD-9-CM	Urinary tract infection, site not specified [599.0]
Urinary tract infection in last 30 days	I2j	D7-10030	SNOMED CT	Urinary tract infectious disease (disorder)
Urinary tract infection in last 30 days	I2j	R-42894	SNOMED CT	month (qualifier value)
Urinary tract infection in last 30 days	I2j	R-4251A	SNOMED CT	In the past (qualifier value)
Urinary tract infection in last 30 days	I2j	D7-10030	SNOMED CT	Urinary tract infectious disease (disorder)
Conjunctivitis	I2c	372.3	ICD-9-CM	Conjunctivitis, unspecified [372.30]
Conjunctivitis	I2c	DE-1374C	SNOMED CT	Lyme conjunctivitis (disorder)
Conjunctivitis	I2c	DA-75605	SNOMED CT	Conjunctivitis (disorder)
Viral hepatitis	I2k	DE-38200	SNOMED CT	Viral hepatitis (disorder)
Viral hepatitis	I2k	70	ICD-9-CM	Viral hepatitis [070]
Clostridium difficile (c. diff.)	I2b	41.84	ICD-9-CM	Other anaerobe infection in conditions classified elsewhere and of unspecified site [041.84]
Clostridium difficile (c. diff.)	I2b	P3-6A101	SNOMED CT	Clostridium difficile toxin assay (procedure)
Clostridium difficile (c. diff.)	I2b	8.45	ICD-9-CM	Intestinal infection due to clostridium difficile [008.45]
Clostridium difficile (c. diff.)	I2b	D5-00013	SNOMED CT	Clostridium difficile infection (disorder)
HIV infection	I2d	042-042.99	ICD-9-CM	HUMAN IMMUNODEFICIENCY VIRUS [HIV] INFECTION [042-042.99]
HIV infection	I2d	DE-36300	SNOMED CT	Human immunodeficiency virus infection (disorder)
Pneumonia	I2e	486	ICD-9-CM	Pneumonia, organism unspecified [486]
Pneumonia	I2e	D2-0011E	SNOMED CT	Lobular pneumonia (disorder)
Pneumonia	I2e	D2-0007F	SNOMED CT	Pneumonia (disorder)
Sexually transmitted diseases	I2h	DE-01600	SNOMED CT	Sexually transmitted infectious disease (disorder)
Sexually transmitted diseases	I2h	S-84350	SNOMED CT	Sexually transmitted disease clinic (environment)
Sexually transmitted diseases	I2h	090-099.99	ICD-9-CM	SYPHILIS AND OTHER VENEREAL DISEASES [090-099.99]
Wound infection	I2l	958.3	ICD-9-CM	Posttraumatic wound infection not elsewhere classified [958.3]
Wound infection	I2l	680-686.99	ICD-9-CM	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE [680-686.99]
Wound infection	I2l	DD-66A65	SNOMED CT	Postoperative wound infection (disorder)
Wound infection	I2l	DE-00052	SNOMED CT	Local infection of wound (disorder)

Wound infection	I2I	DE-000A1	SNOMED CT	Post-traumatic wound infection (disorder)
Wound infection	I2I	DD-66A65	SNOMED CT	Postoperative wound infection (disorder)
Wound infection	I2I	DD-62141	SNOMED CT	Posttraumatic wound infection (disorder)
Wound infection	I2I	DE-00050	SNOMED CT	Localized infection (disorder)
				Other local infections of skin and subcutaneous tissue [686]
Wound infection	I2I	686	ICD-9-CM	Unspecified septicemia [038.9]
Septicemia	I2g	38.9	ICD-9-CM	Septicemia (disorder)
Septicemia	I2g	DE-00021	SNOMED CT	Bacterial septicemia (disorder)
Septicemia	I2g	DE-19000	SNOMED CT	Disorder of bone and cartilage, unspecified [733.90]
MUSCULOSKELETAL	[hierarchy]	733.9	ICD-9-CM	Disorder of musculoskeletal system (disorder)
MUSCULOSKELETAL	[hierarchy]	D1-00000	SNOMED CT	Injury of musculoskeletal system (disorder)
MUSCULOSKELETAL	[hierarchy]	DD-100F7	SNOMED CT	Anxiety states [300.0]
PSYCHIATRIC/MOOD	[hierarchy]	300	ICD-9-CM	Mental disorder (disorder)
PSYCHIATRIC/MOOD	[hierarchy]	D9-00000	SNOMED CT	Mood disorder (disorder)
PSYCHIATRIC/MOOD	[hierarchy]	D9-50000	SNOMED CT	Level of mood (observable entity)
PSYCHIATRIC/MOOD	[hierarchy]	F-03C82	SNOMED CT	History of - psychiatric disorder (context-dependent category)
PSYCHIATRIC/MOOD	[hierarchy]	G-024B	SNOMED CT	MENTAL DISORDERS [290-319.99]
PSYCHIATRIC/MOOD	[hierarchy]	290-319.99	ICD-9-CM	DISEASES OF THE CIRCULATORY SYSTEM [390-459.99]
HEART/CIRCULATION	[hierarchy]	390-459.99	ICD-9-CM	Circulation status (observable entity)
HEART/CIRCULATION	[hierarchy]	F-04ABE	SNOMED CT	Disorder of cardiovascular system (disorder)
HEART/CIRCULATION	[hierarchy]	D3-00000	SNOMED CT	Sensory disability (finding)
SENSORY	[hierarchy]	F-00612	SNOMED CT	Sensory disorder (disorder)
SENSORY	[hierarchy]	F-A2200	SNOMED CT	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS [320-389.99]
SENSORY	[hierarchy]	320-389.99	ICD-9-CM	NUTRITIONAL DEFICIENCIES [260-269.99]
ENDOCRINE/METABOLIC/ NUTRITIONAL	[hierarchy]	260-269.99	ICD-9-CM	Endocrine, nutritional and metabolic finding (finding)
ENDOCRINE/METABOLIC/ NUTRITIONAL	[hierarchy]	F-00CC8	SNOMED CT	Nutritional disorder (disorder)
ENDOCRINE/METABOLIC/ NUTRITIONAL	[hierarchy]	D6-10000	SNOMED CT	OTHER METABOLIC AND IMMUNITY DISORDERS [270-279.99]
ENDOCRINE/METABOLIC/ NUTRITIONAL	[hierarchy]	270-279.99	ICD-9-CM	Metabolic disease (disorder)
ENDOCRINE/METABOLIC/ NUTRITIONAL	[hierarchy]	D6-00000	SNOMED CT	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS [240-279.99]
ENDOCRINE/METABOLIC/ NUTRITIONAL	[hierarchy]	240-279.99	ICD-9-CM	Disorder of endocrine system (disorder)
ENDOCRINE/METABOLIC/ NUTRITIONAL	[hierarchy]	DF-0000B	SNOMED CT	DISEASES OF OTHER ENDOCRINE GLANDS [250-259.99]
ENDOCRINE/METABOLIC/ NUTRITIONAL	[hierarchy]	250-259.99	ICD-9-CM	
ENDOCRINE/METABOLIC/ NUTRITIONAL	[hierarchy]	240-246.99	ICD-9-CM	DISORDERS OF THYROID GLAND [240-246.99]
ENDOCRINE/METABOLIC/ NUTRITIONAL	[hierarchy]	240-246.99	ICD-9-CM	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS [240-279.99]
ENDOCRINE/METABOLIC/ NUTRITIONAL	[hierarchy]	240-279.99	ICD-9-CM	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS [320-389.99]
NEUROLOGICAL	[hierarchy]	320-389.99	ICD-9-CM	Neurological event (event)
NEUROLOGICAL	[hierarchy]	R-1019D	SNOMED CT	

NEUROLOGICAL	[hierarchy]	DF-00803	SNOMED CT	Disorder of nervous system (disorder)
OTHER	[hierarchy]	DF-002A4	SNOMED CT	Other disease/injury (disorder)
OTHER	[hierarchy]	DF-00324	SNOMED CT	Unspecified conditions (disorder)
OTHER	[hierarchy]	G-A609	SNOMED CT	Other (qualifier value)
OTHER	[hierarchy]	V13.9	ICD-9-CM	Personal history of unspecified disease [V13.9]
PULMONARY	[hierarchy]	460-519.99	ICD-9-CM	DISEASES OF THE RESPIRATORY SYSTEM [460-519.99]
PULMONARY	[hierarchy]	D2-61100	SNOMED CT	Pulmonary edema (disorder)
PULMONARY	[hierarchy]	D2-50000	SNOMED CT	Disorder of lung (disorder)
Pathological bone fracture	l1p	DD-10099	SNOMED CT	Pathological fracture (disorder)
Pathological bone fracture	l1p	DD-1318B	SNOMED CT	Pathological fracture of femur (disorder)
Pathological bone fracture	l1p	733.1	ICD-9-CM	Pathologic fracture [733.1]
Arthritis	l1l	710-719.99	ICD-9-CM	ARTHROPATHIES AND RELATED DISORDERS [710-719.99]
Arthritis	l1l	D1-201F2	SNOMED CT	Fungal arthritis (disorder)
Arthritis	l1l	D1-20600	SNOMED CT	Rheumatoid arthritis (disorder)
Arthritis	l1l	V13.4	ICD-9-CM	Personal history of arthritis [V13.4]
Arthritis	l1l	D1-201F7	SNOMED CT	Osteoarthritis (disorder)
Arthritis	l1l	714.9	ICD-9-CM	Unspecified inflammatory polyarthropathy [714.9]
Arthritis	l1l	716.5	ICD-9-CM	Unspecified polyarthropathy or polyarthritis, site unspecified [716.50]
Arthritis	l1l	D1-20050	SNOMED CT	Arthritis (disorder)
Hip fracture	l1m	820	ICD-9-CM	Fracture of neck of femur [820]
Hip fracture	l1m	DD-13108	SNOMED CT	Fracture of proximal end of femur (disorder)
Missing limb (e.g., amputation)	l1n	84.91	ICD-9-CM	Amputation, not otherwise specified [84.91]
Missing limb (e.g., amputation)	l1n	DD-300F7	SNOMED CT	Traumatic amputation (disorder)
Missing limb (e.g., amputation)	l1n	P1-030DA	SNOMED CT	Amputation of limb (procedure)
Missing limb (e.g., amputation)	l1n	84	ICD-9-CM	Amputation of upper limb [84.0]
Missing limb (e.g., amputation)	l1n	T-D0300	SNOMED CT	Limb structure (body structure)
Missing limb (e.g., amputation)	l1n	D1-00046	SNOMED CT	Old amputee NOS (disorder)
Missing limb (e.g., amputation)	l1n	V49.70	ICD-9-CM	Status post amputation of lower limb, unspecified level [V49.70]
Missing limb (e.g., amputation)	l1n	DD-3302B	SNOMED CT	Traumatic amputation of limb (disorder)
Osteoporosis	l1o	733	ICD-9-CM	Osteoporosis [733.0]
Osteoporosis	l1o	D1-61500	SNOMED CT	Osteoporosis (disorder)
Depression	l1ee	D9-52000	SNOMED CT	Depressive disorder (disorder)
Depression	l1ee	F-04B12	SNOMED CT	Level of depression (observable entity)
Depression	l1ee	311	ICD-9-CM	Depressive disorder, not elsewhere classified [311]
Schizophrenia	l1gg	295	ICD-9-CM	Schizophrenic disorders [295]
Schizophrenia	l1gg	295.9	ICD-9-CM	Unspecified schizophrenia [295.9]
Schizophrenia	l1gg	D9-40400	SNOMED CT	Undifferentiated schizophrenia (disorder)
Schizophrenia	l1gg	D9-40000	SNOMED CT	Schizophrenia (disorder)
Manic Depression (bipolar disease)	l1ff	296	ICD-9-CM	Episodic mood disorders [296]
Manic Depression (bipolar disease)	l1ff	296.8	ICD-9-CM	Other and unspecified bipolar disorders [296.8]
Manic Depression (bipolar disease)	l1ff	F-028C5	SNOMED CT	Manic-depression association member (finding)
Manic Depression (bipolar disease)	l1ff	D9-51000	SNOMED CT	Bipolar disorder (disorder)
Anxiety disorder	l1dd	D9-00021	SNOMED CT	Anxiety disorder (disorder)

Anxiety disorder	I1dd	300	ICD-9-CM	Anxiety states [300.0]
Other cardiovascular disease	I1k	D3-00000	SNOMED CT	Disorder of cardiovascular system (disorder)
Other cardiovascular disease	I1k	D3-10000	SNOMED CT	Heart disease (disorder)
Other cardiovascular disease	I1k	D8-14365	SNOMED CT	Other cardiovascular disease during pregnancy - baby delivered (disorder)
Other cardiovascular disease	I1k	429.2	ICD-9-CM	Cardiovascular disease, unspecified [429.2]
Hypotension	I1i	458	ICD-9-CM	Hypotension [458]
Hypotension	I1i	D3-04009	SNOMED CT	Iatrogenic hypotension (disorder)
Hypotension	I1i	D3-04000	SNOMED CT	Low blood pressure (disorder)
Peripheral Vascular disease	I1j	443	ICD-9-CM	Other peripheral vascular disease [443]
Peripheral Vascular disease	I1j	D3-8005B	SNOMED CT	Peripheral vascular disease (disorder)
Peripheral Vascular disease	I1j	443.9	ICD-9-CM	Peripheral vascular disease, unspecified [443.9]
Deep vein thrombosis	I1g	D3-87005	SNOMED CT	Deep venous thrombosis (disorder)
Deep vein thrombosis	I1g	453.4	ICD-9-CM	Venous embolism and thrombosis of deep vessels of lower extremity [453.4]
Cardiac dysrhythmias	I1e	D3-30000	SNOMED CT	Conduction disorder of the heart (disorder)
Cardiac dysrhythmias	I1e	427	ICD-9-CM	Cardiac dysrhythmias [427]
Hypertension	I1h	D3-02000	SNOMED CT	Hypertensive disorder, systemic arterial (disorder)
Hypertension	I1h	D3-0200A	SNOMED CT	Hypertension with albuminuria (disorder)
Hypertension	I1h	997.91	ICD-9-CM	Hypertension [997.91]
Arteriosclerotic heart disease (ASHD)	I1d	414	ICD-9-CM	Coronary atherosclerosis [414.0]
Arteriosclerotic heart disease (ASHD)	I1d	D3-13040	SNOMED CT	Coronary arteriosclerosis (disorder)
Congestive heart failure	I1f	D3-16010	SNOMED CT	Congestive heart failure (disorder)
Congestive heart failure	I1f	428	ICD-9-CM	Congestive heart failure, unspecified [428.0]
Cataracts	I1jj	DA-73402	SNOMED CT	Cataract (disorder)
Cataracts	I1jj	DA-73423	SNOMED CT	Morgagnian cataract (disorder)
Cataracts	I1jj	F-035B4	SNOMED CT	Cataract finding (finding)
Cataracts	I1jj	366	ICD-9-CM	Cataract [366]
Diabetic retinopathy	I1kk	362	ICD-9-CM	Diabetic retinopathy [362.0]
Diabetic retinopathy	I1kk	DA-71700	SNOMED CT	Diabetic retinopathy (disorder)
Glaucoma	I1ll	DA-73000	SNOMED CT	Glaucoma (disorder)
Glaucoma	I1ll	DA-73192	SNOMED CT	Hemolytic glaucoma (disorder)
Glaucoma	I1ll	365	ICD-9-CM	Glaucoma [365]
Macular Degeneration	I1mm	362.5	ICD-9-CM	Degeneration of macula and posterior pole of retina [362.5]
Macular Degeneration	I1mm	DA-7199D	SNOMED CT	Macular degeneration (disorder)
Macular Degeneration	I1mm	362.5	ICD-9-CM	Macular degeneration (senile) of retina, unspecified [362.50]
Hyperthyroidism	I1b	242	ICD-9-CM	Thyrotoxicosis with or without goiter [242]
Hyperthyroidism	I1b	DB-80320	SNOMED CT	Thyrotoxicosis factitia (disorder)
Hyperthyroidism	I1b	DB-80200	SNOMED CT	Hyperthyroidism (disorder)
Hypothyroidism	I1c	DB-80400	SNOMED CT	Hypothyroidism (disorder)
Hypothyroidism	I1c	DB-8040D	SNOMED CT	Infant hypothyroidism (disorder)
Hypothyroidism	I1c	244.9	ICD-9-CM	Unspecified hypothyroidism [244.9]
Diabetes mellitus	I1a	DB-61000	SNOMED CT	Diabetes mellitus (disorder)
Diabetes mellitus	I1a	250	ICD-9-CM	Diabetes mellitus [250]
Dementia other than Alzheimer's disease	I1u	D9-20200	SNOMED CT	Dementia (disorder)
Dementia other than Alzheimer's disease	I1u	D9-22054	SNOMED CT	[X]Dementia in Alzheimer's disease (disorder)

Dementia other than Alzheimer's disease	I1u	DE-3B020	SNOMED CT	Jakob-Creutzfeldt disease (disorder)
Dementia other than Alzheimer's disease	I1u	290	ICD-9-CM	Dementias [290]
Dementia other than Alzheimer's disease	I1u	DA-13002	SNOMED CT	Chronic brain syndrome (disorder)
Dementia other than Alzheimer's disease	I1u	331.19	ICD-9-CM	Other frontotemporal dementia [331.19]
Dementia other than Alzheimer's disease	I1u	DA-21120	SNOMED CT	Huntington's chorea (disorder)
Dementia other than Alzheimer's disease	I1u	D9-22300	SNOMED CT	Multi-infarct dementia (disorder)
Seizure disorder	I1aa	345	ICD-9-CM	Epilepsy [345]
Seizure disorder	I1aa	345.9	ICD-9-CM	Epilepsy, unspecified [345.9]
Seizure disorder	I1aa	320-389.99	ICD-9-CM	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS [320-389.99]
Seizure disorder	I1aa	DA-31330	SNOMED CT	Tonic seizure (disorder)
Seizure disorder	I1aa	345.1	ICD-9-CM	Generalized convulsive epilepsy [345.1]
Seizure disorder	I1aa	DA-30001	SNOMED CT	Seizure disorder (disorder)
Traumatic brain injury	I1cc	850	ICD-9-CM	Concussion [850]
Traumatic brain injury	I1cc	854	ICD-9-CM	Intracranial injury of other and unspecified nature [854]
Traumatic brain injury	I1cc	DD-21002	SNOMED CT	Traumatic brain injury (disorder)
Traumatic brain injury	I1cc	800	ICD-9-CM	Closed fracture of vault of skull without mention of intracranial injury [800.0]
Traumatic brain injury	I1cc	852	ICD-9-CM	Subarachnoid, subdural, and extradural hemorrhage, following injury [852]
Traumatic brain injury	I1cc	853	ICD-9-CM	Other and unspecified intracranial hemorrhage following injury [853]
Traumatic brain injury	I1cc	DD-21002	SNOMED CT	Traumatic brain injury (disorder)
Traumatic brain injury	I1cc	800-804.99	ICD-9-CM	FRACTURE OF SKULL [800-804.99]
Traumatic brain injury	I1cc	854	ICD-9-CM	Intracranial injury of other and unspecified nature [854]
Traumatic brain injury	I1cc	850-854.99	ICD-9-CM	INTRACRANIAL INJURY, EXCLUDING THOSE WITH SKULL FRACTURE [850-854.99]
Hemiplegia/Hemiparesis	I1v	DA-26010	SNOMED CT	Hemiplegia (disorder)
Hemiplegia/Hemiparesis	I1v	DA-26016	SNOMED CT	Hemiparesis (disorder)
Hemiplegia/Hemiparesis	I1v	342	ICD-9-CM	Hemiplegia and hemiparesis [342]
Cerebral palsy	I1s	DA-26501	SNOMED CT	Cerebral palsy (disorder)
Cerebral palsy	I1s	DA-2650F	SNOMED CT	Paraplegic cerebral palsy (disorder)
Cerebral palsy	I1s	343	ICD-9-CM	Infantile cerebral palsy [343]
Cerebrovascular accident (stroke)	I1s	DA-26501	SNOMED CT	Cerebral palsy (disorder)
Cerebrovascular accident (stroke)	I1s	343	ICD-9-CM	Infantile cerebral palsy [343]
Quadriplegia	I1z	344	ICD-9-CM	Quadriplegia, unspecified [344.00]
Quadriplegia	I1z	DA-26020	SNOMED CT	Quadriplegia (disorder)
Transient ischemic attack (TIA)	I1bb	D3-8903E	SNOMED CT	Transient ischemic attack (disorder)
Transient ischemic attack (TIA)	I1bb	435	ICD-9-CM	Transient cerebral ischemia [435]
Multiple sclerosis	I1w	C243	MDS	MS
Multiple sclerosis	I1w	DA-25010	SNOMED CT	Multiple sclerosis (disorder)
Multiple sclerosis	I1w	340	ICD-9-CM	Multiple sclerosis [340]
Parkinson's disease	I1y	332	ICD-9-CM	Parkinson's disease [332]
Parkinson's disease	I1y	DF-00230	SNOMED CT	Adult disease (finding)
Parkinson's disease	I1y	DA-21012	SNOMED CT	Parkinson's disease (disorder)
Cerebrovascular accident (stroke)	I1t	434.9	ICD-9-CM	Cerebral artery occlusion, unspecified, without mention of cerebral infarction [434.90]

Cerebrovascular accident (stroke)	I1t	D3-8900D	SNOMED CT	Cerebrovascular accident (disorder)
Cerebrovascular accident (stroke)	I1t	432.9	ICD-9-CM	Unspecified intracranial hemorrhage [432.9]
Aphasia	I1r	438.1	ICD-9-CM	Speech and language deficits as late effect of cerebrovascular disease [438.1]
Aphasia	I1r	784.3	ICD-9-CM	Aphasia [784.3]
Aphasia	I1r	DF-00230	SNOMED CT	Adult disease (finding)
Aphasia	I1r	R-2037B	SNOMED CT	On examination - aphasia (context-dependent category)
Aphasia	I1r	438.1	ICD-9-CM	Speech and language deficit, unspecified, as late effect of cerebrovascular disease [438.10]
Aphasia	I1r	438.11	ICD-9-CM	Aphasia as late effect of cerebrovascular disease [438.11]
Aphasia	I1r	F-A6000	SNOMED CT	Aphasia (finding)
Alzheimer's Disease	I1q	D9-22050	SNOMED CT	Alzheimer's disease (disorder)
Alzheimer's Disease	I1q	331	ICD-9-CM	Alzheimer's disease [331.0]
Paraplegia	I1x	DA-26040	SNOMED CT	Paraplegia (disorder)
Paraplegia	I1x	DA-26530	SNOMED CT	Diplegic cerebral palsy (disorder)
Paraplegia	I1x	344.1	ICD-9-CM	Paraplegia [344.1]
I100 Anemia	I1oo	285	ICD-9-CM	Other and unspecified anemias [285]
I100 Anemia	I1oo	DC-10009	SNOMED CT	Anemia (disorder)
Allergies	I1nn	D5-00310	SNOMED CT	Allergy to nuts (disorder)
Allergies	I1nn	F-C30F9	SNOMED CT	Allergy (disorder)
Allergies	I1nn	V15.06	ICD-9-CM	Allergy to insects [V15.06]
Allergies	I1nn	V15.03	ICD-9-CM	Allergy to eggs [V15.03]
Allergies	I1nn	477	ICD-9-CM	Allergic rhinitis [477]
Allergies	I1nn	287	ICD-9-CM	Allergic purpura [287.0]
Allergies	I1nn	716.2	ICD-9-CM	Allergic arthritis [716.2]
Allergies	I1nn	V15.0	ICD-9-CM	Personal history of allergy, other than to medicinal agents, presenting hazards to health [V15.0]
Allergies	I1nn	558.3	ICD-9-CM	Allergic gastroenteritis and colitis [558.3]
Allergies	I1nn	995.3	ICD-9-CM	Allergy, unspecified, not elsewhere classified [995.3]
Cancer [MDS2]	I1pp	190-199.99	ICD-9-CM	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES [190-199.99]
Cancer [MDS2]	I1pp	R-40583	SNOMED CT	Cancer care plan (qualifier value)
Cancer [MDS2]	I1pp	DF-00400	SNOMED CT	Neoplastic disease (disorder)
Cancer [MDS2]	I1pp	DF-00407	SNOMED CT	Malignant neoplastic disease (disorder)
Renal Failure	I1qq	584	ICD-9-CM	Acute renal failure [584]
Renal Failure	I1qq	586	ICD-9-CM	Renal failure, unspecified [586]
Renal Failure	I1qq	D7-11010	SNOMED CT	Renal failure syndrome (disorder)
Renal Failure	I1qq	585	ICD-9-CM	Chronic renal failure [585]
Renal Failure	I1qq	D7-11010	SNOMED CT	Renal failure syndrome (disorder)
NONE OF ABOVE	I1rr	R-40775	SNOMED CT	None (qualifier value)
NONE OF ABOVE	I1rr	799.89	ICD-9-CM	Other ill-defined conditions [799.89]
NONE OF ABOVE	I1rr	V13.9	ICD-9-CM	Personal history of unspecified disease [V13.9]
Asthma	I1hh	493	ICD-9-CM	Asthma [493]
Asthma	I1hh	F-00D4D	SNOMED CT	Mild asthma (finding)
Asthma	I1hh	D2-00036	SNOMED CT	Asthma (disorder)

Emphysema/COPD	I1ii	490-496.99	ICD-9-CM	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS [490-496.99]
Emphysema/COPD	I1ii	D2-50500	SNOMED CT	Pulmonary emphysema (disorder)
Emphysema/COPD	I1ii	D2-60000	SNOMED CT	Chronic obstructive lung disease (disorder)
Emphysema/COPD	I1ii	P0-10032	SNOMED CT	Admit COPD emergency (procedure)
Emphysema/COPD	I1ii	D2-50000	SNOMED CT	Disorder of lung (disorder)
Emphysema/COPD	I1ii	492	ICD-9-CM	Emphysema [492]
Atherosclerotic heart disease	[additional items]	414	ICD-9-CM	Coronary atherosclerosis [414.0]
Atherosclerotic heart disease	[additional items]	D3-13040	SNOMED CT	Coronary arteriosclerosis (disorder)
Paranoid states/delusional disorders	[additional items]	D9-71000	SNOMED CT	Delusional disorder (disorder)
Paranoid states/delusional disorders	[additional items]	D9-71004	SNOMED CT	Paranoid disorder (disorder)
Paranoid states/delusional disorders	[additional items]	D9-71005	SNOMED CT	Simple paranoid state (disorder)
Paranoid states/delusional disorders	[additional items]	297	ICD-9-CM	Paranoid states (Delusional disorders) [297]
GI bleeding	[additional items]	D5-00100	SNOMED CT	Gastrointestinal hemorrhage (disorder)
GI bleeding	[additional items]	578	ICD-9-CM	Gastrointestinal hemorrhage [578]
Thyroid disorder	[additional items]	D4-60321	SNOMED CT	Lingual thyroid (disorder)
Thyroid disorder	[additional items]	DB-80000	SNOMED CT	Disorder of thyroid gland (disorder)
Thyroid disorder	[additional items]	240-246.99	ICD-9-CM	DISORDERS OF THYROID GLAND [240-246.99]
Hemiplegia	[additional items]	342.9	ICD-9-CM	Hemiplegia, unspecified [342.9]
Hemiplegia	[additional items]	DA-26540	SNOMED CT	Hemiplegic cerebral palsy (disorder)
Hemiplegia	[additional items]	DA-26016	SNOMED CT	Hemiparesis (disorder)
Hemiplegia	[additional items]	DA-26010	SNOMED CT	Hemiplegia (disorder)
Fracture	[additional items]	800-829.99	ICD-9-CM	FRACTURES [800-829.99]
Fracture	[additional items]	DD-11400	SNOMED CT	Fracture of rib (disorder)
Fracture	[additional items]	DD-10001	SNOMED CT	Fracture of bone (disorder)
Dementia/organic psychotic conditions	[additional items]	D9-20001	SNOMED CT	Organic psychotic condition (disorder)
Dementia/organic psychotic conditions	[additional items]	D9-20009	SNOMED CT	Senile and presenile organic psychotic conditions (disorder)
Dementia/organic psychotic conditions	[additional items]	D9-20200	SNOMED CT	Dementia (disorder)
Dementia/organic psychotic conditions	[additional items]	D9-20001	SNOMED CT	Organic psychotic condition (disorder)
Dementia/organic psychotic conditions	[additional items]	290-294.99	ICD-9-CM	ORGANIC PSYCHOTIC CONDITIONS [290-294.99]
Huntington's Chorea	[additional items]	333.4	ICD-9-CM	Huntington's chorea [333.4]
Huntington's Chorea	[additional items]	DA-21120	SNOMED CT	Huntington's chorea (disorder)
Nutritional deficiency	[additional items]	F-60530	SNOMED CT	Nutritional deficiency (finding)
Nutritional deficiency	[additional items]	260-269.99	ICD-9-CM	NUTRITIONAL DEFICIENCIES [260-269.99]
Acute MI in the preceding 30 days	[additional items]	410	ICD-9-CM	Acute myocardial infarction [410]
Acute MI in the preceding 30 days	[additional items]	L-808D7	SNOMED CT	Mi-Ki dog breed (organism)
Acute MI in the preceding 30 days	[additional items]	D3-15100	SNOMED CT	Acute myocardial infarction (disorder)
HIV disease	[additional items]	DE-36300	SNOMED CT	Human immunodeficiency virus infection (disorder)
HIV disease	[additional items]	DE-3630F	SNOMED CT	HIV disease resulting in candidiasis (disorder)
HIV disease	[additional items]	042-042.99	ICD-9-CM	HUMAN IMMUNODEFICIENCY VIRUS [HIV] INFECTION [042-042.99]
COPD & Pulmonary conditions	[additional items]	D2-00000	SNOMED CT	Disorder of respiratory system (disorder)
COPD & Pulmonary conditions	[additional items]	D2-60000	SNOMED CT	Chronic obstructive lung disease (disorder)
COPD & Pulmonary conditions	[additional items]	P0-10032	SNOMED CT	Admit COPD emergency (procedure)

COPD & Pulmonary conditions	[additional items]	460-519.99	ICD-9-CM	DISEASES OF THE RESPIRATORY SYSTEM [460-519.99]
NUMBER OF NEW MEDICATIONS	O1	F-01A82	SNOMED CT	New medication added (finding)
NUMBER OF NEW MEDICATIONS	O1	G-C342	SNOMED CT	Number (attribute)
NUMBER OF NEW MEDICATIONS	O1	P0-04049	SNOMED CT	Change of medication (procedure)
NUMBER OF NEW MEDICATIONS	O1	F-01E3B	SNOMED CT	New medication commenced (finding)
NUMBER OF NEW MEDICATIONS	O1	G-C342	SNOMED CT	Number (attribute)
Diuretic	O4e	C8922	NDF-RT	[CV700] DIURETICS
Diuretic	O4e	F-618AF	SNOMED CT	Diuretic (substance)
Diuretic	O4e	C-72000	SNOMED CT	Diuretic (product)
O4a Antipsychotic	O4a	C-62611	SNOMED CT	Anti-psychotic agent (product)
O4a Antipsychotic	O4a	C-6262D	SNOMED CT	Antipsychotic depot injections (product)
O4a Antipsychotic	O4a	C8878	NDF-RT	[CN700] ANTIPSYCHOTICS
Hypnotic	O4d	C-64014	SNOMED CT	Hypnotics (product)
Hypnotic	O4d	C8856	NDF-RT	[CN300] SEDATIVES/HYPNOTICS
Hypnotic	O4d	F-616EF	SNOMED CT	Hypnotic agent (substance)
O4b Antianxiety	O4b	C8830	NDF-RT	[CN000] CENTRAL NERVOUS SYSTEM MEDICATIONS
O4b Antianxiety	O4b	F-03A14	SNOMED CT	[X]Sedatives, hypnotics and antianxiety drugs causing adverse effects in therapeutic use (finding)
O4b Antianxiety	O4b	C-5008E	SNOMED CT	Anxiolytic (product)
Antidepressant	O4c	C-62100	SNOMED CT	Antidepressant (product)
Antidepressant	O4c	F-61912	SNOMED CT	Antidepressant (substance)
Antidepressant	O4c	C8870	NDF-RT	[CN600] ANTIDEPRESSANTS
FOOT PROBLEMS AND CARE	M6	F-189B0	SNOMED CT	Foot problem (finding)
FOOT PROBLEMS AND CARE	M6	S-20300	SNOMED CT	Problem with care of sick person (finding)
FOOT PROBLEMS AND CARE	M6	T-D9700	SNOMED CT	Foot structure (body structure)
PAIN SITE	J3	F-A260A	SNOMED CT	Burning pain (finding)
PAIN SITE	J3	F-A2629	SNOMED CT	Pain finding at anatomical site (finding)
Mouth pain	K1c	F-51060	SNOMED CT	Painful mouth (finding)
Mouth pain	K1c	F-A2600	SNOMED CT	Pain (finding)
Mouth pain	K1c	T-D0662	SNOMED CT	Mouth region structure (body structure)
Received preventative or protective foot care	M6e	P0-002E6	SNOMED CT	Foot care (regime/therapy)
Received preventative or protective foot care	M6e	P0-04096	SNOMED CT	Foot care management (procedure)
Received preventative or protective foot care	M6e	T-D9700	SNOMED CT	Foot structure (body structure)
Received preventative or protective foot care	M6e	P0-002E6	SNOMED CT	Foot care (regime/therapy)
Resident has one or more foot problems	M6a	DD-1366E	SNOMED CT	Fracture of one or more phalanges of foot NOS (disorder)
Resident has one or more foot problems	M6a	DF-00821	SNOMED CT	Disorder of foot (disorder)
Resident has one or more foot problems	M6a	T-D9700	SNOMED CT	Foot structure (body structure)
Resident has one or more foot problems	M6a	D1-80241	SNOMED CT	Hammer toe (disorder)
Resident has one or more foot problems	M6a	F-189B0	SNOMED CT	Foot problem (finding)
M6d Nails/Calluses trimmed during last 90 days	M6d	T-0160C	SNOMED CT	Nail bed of toe (body structure)
M6d Nails/Calluses trimmed during last 90 days	M6d	T-D9700	SNOMED CT	Foot structure (body structure)
Infection of the foot	M6b	686.9	ICD-9-CM	Unspecified local infection of skin and subcutaneous tissue [686.9]
Infection of the foot	M6b	D0-01302	SNOMED CT	Cellulitis (disorder)
Infection of the foot	M6b	DF-009D4	SNOMED CT	Infection of foot (disorder)

Infection of the foot	M6b	M-36880	SNOMED CT	Purulent discharge (morphologic abnormality)
Infection of the foot	M6b	T-D9700	SNOMED CT	Foot structure (body structure)
Infection of the foot	M6b	DF-009D4	SNOMED CT	Infection of foot (disorder)
Application of dressings	M6f	P0-00A66	SNOMED CT	Application (procedure)
Application of dressings	M6f	P1-40E40	SNOMED CT	Application of dressing (procedure)
Application of dressings	M6f	T-D06E9	SNOMED CT	Region of foot (body structure)
Application of dressings	M6f	T-D9700	SNOMED CT	Foot structure (body structure)
Open lesions on the foot	M6c	DD-146AF	SNOMED CT	Open traumatic dislocation of foot (disorder)
Open lesions on the foot	M6c	DD-33653	SNOMED CT	Open wound of foot (disorder)
Open lesions on the foot	M6c	T-D9700	SNOMED CT	Foot structure (body structure)
Open lesions on the foot	M6c	DF-00A7E	SNOMED CT	Soft tissue lesion of foot region (disorder)
Soft tissue pain (e.g., lesion, muscle)	J3h	DF-00A75	SNOMED CT	Soft tissue lesion of lower leg and ankle (disorder)
Soft tissue pain (e.g., lesion, muscle)	J3h	F-A2600	SNOMED CT	Pain (finding)
Soft tissue pain (e.g., lesion, muscle)	J3h	F-A2629	SNOMED CT	Pain finding at anatomical site (finding)
Soft tissue pain (e.g., lesion, muscle)	J3h	F-11550	SNOMED CT	Muscle pain (finding)
Soft tissue pain (e.g., lesion, muscle)	J3h	T-D03F7	SNOMED CT	Soft tissue (body structure)
Hip pain	J3e	F-18250	SNOMED CT	Hip pain (finding)
Hip pain	J3e	F-A2600	SNOMED CT	Pain (finding)
Hip pain	J3e	F-A2629	SNOMED CT	Pain finding at anatomical site (finding)
Hip pain	J3e	T-D2500	SNOMED CT	Hip region structure (body structure)
Back pain	J3a	D1-23703	SNOMED CT	Back pain (finding)
Back pain	J3a	F-A2600	SNOMED CT	Pain (finding)
Back pain	J3a	T-D0673	SNOMED CT	Back region (body structure)
Chest pain while doing usual activities	J3c	F-021E3	SNOMED CT	Everyday tasks (observable entity)
Chest pain while doing usual activities	J3c	F-37016	SNOMED CT	Squeezing chest pain (finding)
Chest pain while doing usual activities	J3c	F-37000	SNOMED CT	Chest pain (finding)
Chest pain while doing usual activities	J3c	F-A2600	SNOMED CT	Pain (finding)
Chest pain while doing usual activities	J3c	T-D305B	SNOMED CT	Entire chest wall (body structure)
Chest pain while doing usual activities	J3c	F-37040	SNOMED CT	Chest pain at rest (finding)
Incisional pain	J3f	D5-60009	SNOMED CT	Incisional hernia (disorder)
Incisional pain	J3f	F-40142	SNOMED CT	Wound pain (finding)
Incisional pain	J3f	G-C565	SNOMED CT	Site of incision (attribute)
Incisional pain	J3f	F-A2600	SNOMED CT	Pain (finding)
Headache	J3d	F-A2700	SNOMED CT	Headache (finding)
Headache	J3d	T-D1100	SNOMED CT	Head structure (body structure)
Headache	J3d	F-A2600	SNOMED CT	Pain (finding)
Bone pain	J3b	F-12600	SNOMED CT	Bone pain (finding)
Bone pain	J3b	T-D016E	SNOMED CT	Bone structure (body structure)
Bone pain	J3b	F-A2600	SNOMED CT	Pain (finding)
Bone pain	J3b	T-D305B	SNOMED CT	Entire chest wall (body structure)
Stomach pain	J3i	F-A2600	SNOMED CT	Pain (finding)
Stomach pain	J3i	F-A2780	SNOMED CT	Visceral pain (finding)
Stomach pain	J3i	F-A2600	SNOMED CT	Pain (finding)
Stomach pain	J3i	T-57000	SNOMED CT	Stomach structure (body structure)
Joint pain (other than hip)	J3g	F-13100	SNOMED CT	Joint pain (finding)
Joint pain (other than hip)	J3g	F-18250	SNOMED CT	Hip pain (finding)
Joint pain (other than hip)	J3g	F-A2600	SNOMED CT	Pain (finding)
BIRTHDATE*	AA3	C279	HL7V3	Date and Time (10279)

BIRTHDATE*	AA3	C802	HL7V3	birth (10802)
BIRTHDATE*	AA3	F-03D85	SNOMED CT	Date of birth (observable entity)
Black, not of Hispanic origin		C4871	HL7V3	Black (14871)
Black, not of Hispanic origin		G-C173	SNOMED CT	Origin (attribute)
Black, not of Hispanic origin		S-0004A	SNOMED CT	Black, not of hispanic origin (racial group)
Black, not of Hispanic origin		C4980	HL7V3	Not Hispanic or Latino (14980)
Asian/Pacific Islander		C4845	HL7V3	Asian (14845)
Asian/Pacific Islander		S-0004C	SNOMED CT	Asian or Pacific islander (racial group)
Asian/Pacific Islander		C242192	NDF-RT	Native Hawaiian or Other Pacific Islander
Asian/Pacific Islander		S-65080	SNOMED CT	Hawaiians (ethnic group)
Asian/Pacific Islander		C4915	HL7V3	Other Pacific Islander (14915)
GENDER	AA2	C7	HL7V3	AdministrativeGender System
GENDER	AA2	F-00F8C	SNOMED CT	Gender unknown (finding)
GENDER	AA2	F-009C8	SNOMED CT	Gender finding (finding)
White, not of Hispanic origin		C4980	HL7V3	Not Hispanic or Latino (14980)
White, not of Hispanic origin		F-00172	SNOMED CT	White - ethnic group (ethnic group)
White, not of Hispanic origin		G-C173	SNOMED CT	Origin (attribute)
White, not of Hispanic origin		C4916	HL7V3	White (14916)
American Indian/Alaskan Native		S-0004B	SNOMED CT	American Indian or Alaska native (racial group)
American Indian/Alaskan Native		C4018	HL7V3	American Indian or Alaska Native (14018)
Male		F-03CE6	SNOMED CT	Male (finding)
Male		F-04A5C	SNOMED CT	Castrated male (finding)
Male		C383	HL7V3	Male (10383)
SECTION AB. DEMOGRAPHIC INFORMATION [MD\$AB		F-008C9	SNOMED CT	Demographic history detail (observable entity)
SECTION AB. DEMOGRAPHIC INFORMATION [MD\$AB		F-6BB6E	SNOMED CT	Venombin AB (substance)
MARITAL STATUS	A5	C94	HL7V3	MaritalStatus System
MARITAL STATUS	A5	S-1100A	SNOMED CT	Marital status (observable entity)
RACE/ ETHNICITY	AA4	C26	HL7V3	Race System
RACE/ ETHNICITY	AA4	F-014F0	SNOMED CT	Demographic history finding (finding)
RACE/ ETHNICITY	AA4	S-0002B	SNOMED CT	Ethnic group finding (finding)
RACE/ ETHNICITY	AA4	C6453	HL7V3	Race (16453)
Hispanic		C4938	HL7V3	Hispanic or Latino (14938)
Hispanic		F-08696	SNOMED CT	Age more than 40 years, Hispanic-American (finding)
Hispanic		S-00045	SNOMED CT	Hispanic (racial group)
RESIDENT NAME	AA1	C285	HL7V3	Name (10285)
RESIDENT NAME	AA1	J-005E6	SNOMED CT	Resident physician (occupation)
RESIDENT NAME	AA1	R-0025D	SNOMED CT	Patient name (observable entity)
RESIDENT NAME	AA1	C115	HL7V3	EntityNamePartType System
Female		F-03CE5	SNOMED CT	Female (finding)
Female		F-04A5D	SNOMED CT	Spayed female (finding)
Female		C384	HL7V3	Female (10384)
LANGUAGE	AB8	F-04501	SNOMED CT	First language (observable entity)
LANGUAGE	AB8	F-02B21	SNOMED CT	Main spoken language (finding)
LIVED ALONE (PRIOR TO ENTRY)	AB3	S-31221	SNOMED CT	Lives alone (finding)
LIFETIME OCCUPATION(S)	AB6	J-00000	SNOMED CT	Occupation (occupation)
DATE OF ENTRY	AB1	C279	HL7V3	Date and Time (10279)
DATE OF ENTRY	AB1	G-C33F	SNOMED CT	Date (attribute)

DATE OF ENTRY	AB1	R-400FC	SNOMED CT	Administrative information (administrative concept)
DATE OF ENTRY	AB1	F-04942	SNOMED CT	Date of admission (observable entity)
DATE BACK-GROUND INFORMATION COMPLETED	AB11	R-400FC	SNOMED CT	Administrative information (administrative concept)
DATE BACK-GROUND INFORMATION COMPLETED	AB11	C279	HL7V3	Date and Time (10279)
DATE BACK-GROUND INFORMATION COMPLETED	AB11	G-C33F	SNOMED CT	Date (attribute)
ZIP CODE OF PRIOR PRIMARY RESIDENCE	AB4	C791	HL7V3	postal code (10791)
ZIP CODE OF PRIOR PRIMARY RESIDENCE	AB4	F-03D87	SNOMED CT	Patient postal code (observable entity)
ZIP CODE OF PRIOR PRIMARY RESIDENCE	AB4	R-400FC	SNOMED CT	Administrative information (administrative concept)
ZIP CODE OF PRIOR PRIMARY RESIDENCE	AB4	F-03D87	SNOMED CT	Patient postal code (observable entity)
MENTAL HEALTH HISTORY	AB9	F-005E1	SNOMED CT	Frequent mental health care (finding) History of - psychiatric disorder (context-dependent category)
MENTAL HEALTH HISTORY	AB9	G-024B	SNOMED CT	History taking, mental health (procedure)
MENTAL HEALTH HISTORY	AB9	P9-10014	SNOMED CT	Developmental disorder (disorder)
CONDITIONS RELATED TO MR/DD STATUS	AB10	D9-18000	SNOMED CT	[X]Work-related condition (finding)
CONDITIONS RELATED TO MR/DD STATUS	AB10	F-03BB6	SNOMED CT	Mental retardation (disorder)
CONDITIONS RELATED TO MR/DD STATUS	AB10	D9-18300	SNOMED CT	EducationLevel System
EDUCATION (Highest Level Completed)	AB7	C56	HL7V3	Digoxin level high (finding)
EDUCATION (Highest Level Completed)	AB7	F-01707	SNOMED CT	Finding of education received in the past (finding)
EDUCATION (Highest Level Completed)	AB7	F-014F8	SNOMED CT	Patient's Residence (15605)
RESIDENTIAL HISTORY 5 YEARS PRIOR TO ENTR\`	AB5	C5605	HL7V3	Cutaneous yaws (less than 5 years) (disorder)
RESIDENTIAL HISTORY 5 YEARS PRIOR TO ENTR\`	AB5	DE-15532	SNOMED CT	Finding of housing ownership and tenure (finding) Finding of residence and accommodation circumstances (finding)
RESIDENTIAL HISTORY 5 YEARS PRIOR TO ENTR\`	AB5	F-0153D	SNOMED CT	Error entry deleted (finding)
RESIDENTIAL HISTORY 5 YEARS PRIOR TO ENTR\`	AB5	F-01532	SNOMED CT	Administrative information (administrative concept)
ADMITTED FROM (AT ENTRY)	AB2	F-0072E	SNOMED CT	Admission procedure (procedure)
ADMITTED FROM (AT ENTRY)	AB2	R-400FC	SNOMED CT	EncounterAdmissionSource System
ADMITTED FROM (AT ENTRY)	AB2	P0-0010F	SNOMED CT	Language spoken (observable entity)
ADMITTED FROM (AT ENTRY)	AB2	C108	HL7V3	Main spoken language (finding)
Primary Language	AB8a	F-028DC	SNOMED CT	Mother tongue (observable entity)
Primary Language	AB8a	F-02B21	SNOMED CT	First language (observable entity)
Primary Language	AB8a	F-04500	SNOMED CT	LanguageAbilityProficiency System
Primary Language	AB8a	F-04501	SNOMED CT	LanguageAbilityMode System
Primary Language	AB8a	C129	HL7V3	Other specified anemias (disorder)
Primary Language	AB8a	C128	HL7V3	Main spoken language (finding)
other, specify	AB8b	DC-10048	SNOMED CT	not applicable (10762)
other, specify	AB8b	F-02B21	SNOMED CT	Procion brilliant blue MRS stain method (procedure)
Not applicable-no MR/DD	AB10a	C762	HL7V3	Not applicable (qualifier value)
Not applicable-no MR/DD	AB10a	P3-0001E	SNOMED CT	Developmental mental disorder (disorder)
Not applicable-no MR/DD	AB10a	R-400F9	SNOMED CT	Organic psychotic condition (disorder)
MR/DD with organic condition	[hierarchy]	D9-00099	SNOMED CT	Complete trisomy 21 syndrome (disorder)
MR/DD with organic condition	[hierarchy]	D9-20001	SNOMED CT	
Down's syndrome	AB10b	D4-02214	SNOMED CT	

Down's syndrome	AB10b	758	ICD-9-CM	Down's syndrome [758.0]
MR/DD with no organic condition	AB10f	D9-00010	SNOMED CT	No diagnosis on Axis I (finding)
MR/DD with no organic condition	AB10f	D9-1801C	SNOMED CT	Development delay NOS (disorder)
Epilepsy	AB10d	F-04A29	SNOMED CT	Epilepsy severity (finding)
Epilepsy	AB10d	DA-30000	SNOMED CT	Epilepsy (disorder)
Autism	AB10c	D9-18107	SNOMED CT	Autistic disorder (disorder)
Autism	AB10c	F-A5670	SNOMED CT	Coma vigilans (finding)
MH/psychiatric setting	AB5d	C395	HL7V3	Independent Household (10395)
MH/psychiatric setting	AB5d	C591	MDS	AB5e MR/DD setting
MH/psychiatric setting	AB5d	C6678	HL7V3	Psychiatric Care Facility (16678)
MH/psychiatric setting	AB5d	S-80008	SNOMED CT	Mass casualty setting (environment)
MH/psychiatric setting	AB5d	C7403	HL7V3	Psychiatric Hospital (17403)
MH/psychiatric setting	AB5d	R-30275	SNOMED CT	Psychiatry department (environment)
MH/psychiatric setting	AB5d	C741	HL7V3	Psychiatric hospital unit (10741)
MH/psychiatric setting	AB5d	C7151	HL7V3	Psychiatric/Mental Health, Community (17151)
MH/psychiatric setting	AB5d	C5605	HL7V3	Patient's Residence (15605)
MH/psychiatric setting	AB5d	C7075	HL7V3	Psychiatric/Mental Health, Adult (17075)
MH/psychiatric setting	AB5d	C6899	HL7V3	Addiction Psychiatry (16899)
MH/psychiatric setting	AB5d	C6903	HL7V3	Geriatric Psychiatry (16903)
MH/psychiatric setting	AB5d	S-81100	SNOMED CT	Psychiatric hospital (environment)
MH/psychiatric setting	AB5d	C397	HL7V3	Nursing Home (10397)
MH/psychiatric setting	AB5d	C400	HL7V3	Group Home (10400)
MH/psychiatric setting	AB5d	C396	HL7V3	Institution (10396)
MH/psychiatric setting	AB5d	C130	HL7V3	LivingArrangement System
Other residential facility-board and care home, assistec	AB5c	C130	HL7V3	LivingArrangement System
Other residential facility-board and care home, assistec	AB5c	F-048C2	SNOMED CT	Lives in a residential home (finding)
Other residential facility-board and care home, assistec	AB5c	S-840F8	SNOMED CT	Nursing home AND/OR ambulatory care site (environment)
Other residential facility-board and care home, assistec	AB5c	S-31230	SNOMED CT	Living in residential institution (finding)
Other residential facility-board and care home, assistec	AB5c	C396	HL7V3	Institution (10396)
Other residential facility-board and care home, assistec	AB5c	C400	HL7V3	Group Home (10400)
Other residential facility-board and care home, assistec	AB5c	F-048C2	SNOMED CT	Lives in a residential home (finding)
Other residential facility-board and care home, assistec	AB5c	C5605	HL7V3	Patient's Residence (15605)
Other residential facility-board and care home, assistec	AB5c	S-84500	SNOMED CT	Ambulatory care site (environment)
Other residential facility-board and care home, assistec	AB5c	C397	HL7V3	Nursing Home (10397)
Prior stay at this nursing home	AB5a	C397	HL7V3	Nursing Home (10397)
Prior stay at this nursing home	AB5a	PA-63010	SNOMED CT	Home care by visiting nurse (regime/therapy)
Prior stay at this nursing home	AB5a	S-84000	SNOMED CT	Nursing home (environment)
Prior stay at this nursing home	AB5a	C7089	HL7V3	Nursing Home Administrator (17089)
Prior stay at this nursing home	AB5a	C5605	HL7V3	Patient's Residence (15605)
Prior stay at this nursing home	AB5a	F-02772	SNOMED CT	Previous multiple hospital admissions (finding)
Prior stay at this nursing home	AB5a	C588	MDS	AB5b Stay in other nursing home
MR/DD setting	AB5e	C130	HL7V3	LivingArrangement System
MR/DD setting	AB5e	C6956	HL7V3	Mental Retardation & Developmental Disabilities (16956)
MR/DD setting	AB5e	S-80008	SNOMED CT	Mass casualty setting (environment)
MR/DD setting	AB5e	C7329	HL7V3	Day Training, Developmentally Disabled Services (17329)
MR/DD setting	AB5e	C5605	HL7V3	Patient's Residence (15605)

MR/DD setting	AB5e	P0-0055F	SNOMED CT	NHS mental health nursing home/residential care (regime/therapy)
Stay in other nursing home	AB5b	C130	HL7V3	LivingArrangement System
Stay in other nursing home	AB5b	C397	HL7V3	Nursing Home (10397)
Stay in other nursing home	AB5b	PA-63010	SNOMED CT	Home care by visiting nurse (regime/therapy)
Stay in other nursing home	AB5b	S-84000	SNOMED CT	Nursing home (environment)
(Jr/Sr)	AA1d	C801	HL7V3	suffix (10801)
(Jr/Sr)	AA1d	F-CB020	SNOMED CT	Slow reacting substance-A of anaphylaxis (substance)
(First)	AA1a	C798	HL7V3	given (10798)
(First)	AA1a	P0-00903	SNOMED CT	First aid (procedure)
(First)	AA1a	F-03D81	SNOMED CT	Patient forename (observable entity)
(Middle Initial)	AA1b	C5586	HL7V3	initial (15586)
(Middle Initial)	AA1b	R-00588	SNOMED CT	Patient middle initial (observable entity)
(Last)	AA1c	F-02F0A	SNOMED CT	Last fit (finding)
(Last)	AA1c	F-03D82	SNOMED CT	Patient surname (observable entity)
(Last)	AA1c	C797	HL7V3	family (10797)
SPECIAL TREATMENTS AND PROCEDURES	T1	P2-11922	SNOMED CT	Dietary regime (regime/therapy)
SECTION P. SPECIAL TREATMENTS AND PROCEDURES		P0-0000D	SNOMED CT	Palliative procedure (procedure)
SECTION P. SPECIAL TREATMENTS AND PROCEDURES		P0-00B15	SNOMED CT	Caretaking/parenting skills treatments and procedures (regime/therapy)
NUTRITIONAL APPROACHES	K5	F-617E3	SNOMED CT	Nutritional supplement (substance)
NUTRITIONAL APPROACHES	K5	P0-0076F	SNOMED CT	Feeding and dietary regimes (regime/therapy)
ORDERED THERAPIES	T1b	P0-0411B	SNOMED CT	Professional / ancillary services management (procedure)
ORDERED THERAPIES	T1b	PA-60065	SNOMED CT	Medical regimen orders education (regime/therapy)
Through day 15, provide an estimate of the number of	T1c	P0-00A56	SNOMED CT	Professional / ancillary services assessment (regime/therapy)
Through day 15, provide an estimate of the number of	T1c	R-4250E	SNOMED CT	Expected to be stable (qualifier value)
PHYSICIAN ORDERS	P8	J-005E6	SNOMED CT	Resident physician (occupation)
PHYSICIAN ORDERS	P8	P0-04119	SNOMED CT	Medical regimen orders management (procedure)
SPECIAL TREATMENTS, PROCEDURES, AND PROCEDURES	P1	P0-000DC	SNOMED CT	Regimes and therapies (regime/therapy)
SPECIAL TREATMENTS, PROCEDURES, AND PROCEDURES	P1	P7-3000E	SNOMED CT	Home exercise program (regime/therapy)
PHYSICIAN VISITS	P7	F-00799	SNOMED CT	Seen by nurse practitioner (finding)
PHYSICIAN VISITS	P7	F-028EC	SNOMED CT	Seen by health professional (finding)
PHYSICIAN VISITS	P7	J-005E6	SNOMED CT	Resident physician (occupation)
PHYSICIAN VISITS	P7	F-002DD	SNOMED CT	Seen by physician (finding)
PHYSICIAN VISITS	P7	F-03F8D	SNOMED CT	Seen by general practitioner (finding)
PHYSICIAN VISITS	P7	P2-100F7	SNOMED CT	Physician visit with evaluation AND/OR management service (procedure)
NURSING REHABILITATION/ RESTORATIVE CARE	P3	P7-90000	SNOMED CT	Rehabilitation therapy (regime/therapy)
NURSING REHABILITATION/ RESTORATIVE CARE	P3	PA-00000	SNOMED CT	Nursing procedure (procedure)
NURSING REHABILITATION/ RESTORATIVE CARE	P3	PA-00006	SNOMED CT	Intensive nursing care (regime/therapy)
SPECIAL CARE	P1a	R-302A3	SNOMED CT	Special care unit (environment)
THERAPIES	P1b	P0-007D1	SNOMED CT	Therapy (regime/therapy)
THERAPIES	P1b	P9-2013D	SNOMED CT	Trauma therapy (regime/therapy)
TREATMENTS	[hierarchy]	P0-0000E	SNOMED CT	Therapeutic procedure (procedure)

TREATMENTS	[hierarchy]	P0-0017A	SNOMED CT	Specimen care (regime/therapy)
TREATMENTS	[hierarchy]	P2-00100	SNOMED CT	General treatment (procedure)
PROGRAMS	[hierarchy]	P0-00088	SNOMED CT	Intervention regimes (regime/therapy)
PROGRAMS	[hierarchy]	P0-0407C	SNOMED CT	Program development (procedure)
Ventilator or respirator	P1al	A-0091C	SNOMED CT	Ventilator equipment (physical object)
Ventilator or respirator	P1al	P0-0412F	SNOMED CT	Ventilator care management (procedure)
				Weaning from mechanically assisted ventilation (procedure)
Ventilator or respirator	P1al	P2-20003	SNOMED CT	Artificial respiration (procedure)
Ventilator or respirator	P1al	P2-22902	SNOMED CT	Transfusion (procedure)
Transfusions	P1ak	P2-68000	SNOMED CT	Ostomy care (regime/therapy)
Ostomy care	P1af	P0-00914	SNOMED CT	Ostomy care management (procedure)
Ostomy care	P1af	P0-0410F	SNOMED CT	Enterostomy management and care (regime/therapy)
Ostomy care	P1af	P2-52050	SNOMED CT	Oxygen therapy (procedure)
Oxygen therapy	P1ag	P2-22500	SNOMED CT	Dispensing medication (procedure)
IV medication	P1ac	P0-04055	SNOMED CT	Intraspinal analgesic administration (procedure)
IV medication	P1ac	P0-05CA5	SNOMED CT	
IV medication	P1ac	PA-3001D	SNOMED CT	Medication administration: intravenous (procedure)
IV medication	P1ac	P2-450FE	SNOMED CT	Intrathecal administration of treatment (procedure)
IV medication	P1ac	P1-93509	SNOMED CT	Injection of spinal epidural space (procedure)
IV medication	P1ac	P5-00420	SNOMED CT	Injection of contrast media for radiography by catheter (procedure)
IV medication	P1ac	P2-45103	SNOMED CT	Medication administration: intrathecal (procedure)
IV medication	P1ac	P1-38510	SNOMED CT	Introduction of therapeutic substance into vein (procedure)
Dialysis	P1ab	P0-002FA	SNOMED CT	Dialysis care (regime/therapy)
Dialysis	P1ab	P0-05B1F	SNOMED CT	Renal dialysis (procedure)
Suctioning	P1ai	P2-22007	SNOMED CT	Airway suction technique (procedure)
Suctioning	P1ai	P1-26194	SNOMED CT	Nasotracheal aspiration (procedure)
Suctioning	P1ai	PA-12101	SNOMED CT	Nasopharyngeal suction (procedure)
Radiation	P1ah	G-C040	SNOMED CT	Radiating to (attribute)
Radiation	P1ah	P5-C00F8	SNOMED CT	Radiation oncology AND/OR radiotherapy (procedure)
Chemotherapy	P1aa	P0-0058E	SNOMED CT	Chemotherapy (procedure)
Monitoring acute medical condition	P1ae	D8-10064	SNOMED CT	Pregnancy with medical condition NOS (disorder)
Monitoring acute medical condition	P1ae	P2-01563	SNOMED CT	Medical examination for suspected condition (procedure)
Tracheostomy care	P1aj	P0-05CA1	SNOMED CT	Tracheostomy care (regime/therapy)
Intake/output	P1ad	PA-00710	SNOMED CT	Measuring intake and output (procedure)
Pediatric unit	P1ap	G-C279	SNOMED CT	Units (attribute)
Pediatric unit	P1ap	R-30266	SNOMED CT	Pediatric department (environment)
Training in skills required to return to the community	P1ar	P0-A0245	SNOMED CT	Social skills training (regime/therapy)
Training in skills required to return to the community	P1ar	P7-90329	SNOMED CT	Community living skills training (regime/therapy)
Alzheimer's/dementia special care unit	P1an	P0-20602	SNOMED CT	Referral to special care baby service (procedure)
Alzheimer's/dementia special care unit	P1an	R-302A3	SNOMED CT	Special care unit (environment)

Respite care	P1aq	PA-63020	SNOMED CT	Respite care of patient (regime/therapy)
Respite care	P1aq	R-409A7	SNOMED CT	Respite care - specialty (qualifier value)
Alcohol/drug treatment program	P1am	F-04498	SNOMED CT	Drug treatment unknown (finding)
Alcohol/drug treatment program	P1am	P0-00920	SNOMED CT	Substance use therapy (regime/therapy)
Alcohol/drug treatment program	P1am	P9-37030	SNOMED CT	Alcohol rehabilitation and detoxification (regime/therapy)
Alcohol/drug treatment program	P1am	P9-37120	SNOMED CT	Drug rehabilitation and detoxification (regime/therapy)
Alcohol/drug treatment program	P1am	G-0355	SNOMED CT	History of (contextual qualifier) (qualifier value)
Alcohol/drug treatment program	P1am	P0-0055B	SNOMED CT	Mental health addiction programmes (procedure)
NONE OF THE ABOVE	P1as	R-40775	SNOMED CT	None (qualifier value)
Hospice care	P1ao	P0-00930	SNOMED CT	Hospice care (regime/therapy)
Hospice care	P1ao	R-302A3	SNOMED CT	Special care unit (environment)
Speech	P1ba	P7-80200	SNOMED CT	Speech therapy (regime/therapy)
Respiratory therapy	P1bd	P2-22000	SNOMED CT	Respiratory therapy (procedure)
Occupational therapy	P1bb	P7-90300	SNOMED CT	Occupational therapy (regime/therapy)
Occupational therapy	P1bb	R-211F4	SNOMED CT	[V]Occupational therapy and vocational rehabilitation (context-dependent category)
Physical therapy	P1bc	P7-00060	SNOMED CT	Physical therapy procedure (regime/therapy)
Physical therapy	P1bc	PA-6006A	SNOMED CT	Physical therapy education (regime/therapy)
P1baA THERAPIES: Speech: total # of days provided	P1baA	P0-0000F	SNOMED CT	Provision of day care (regime/therapy)
P1baA THERAPIES: Speech: total # of days provided	P1baA	R-421FC	SNOMED CT	Occupational therapy service (qualifier value)
P1baA THERAPIES: Speech: total # of days provided	P1baA	P7-90300	SNOMED CT	Occupational therapy (regime/therapy)
P1baA THERAPIES: Speech: total # of days provided	P1baA	P7-80200	SNOMED CT	Speech therapy (regime/therapy)
THERAPIES : Speech : total # of minutes provided in l:P1baB		F-00F4B	SNOMED CT	Total number of sick days in last year (observable entity)
THERAPIES : Speech : total # of minutes provided in l:P1baB		R-40135	SNOMED CT	mins/week (qualifier value)
THERAPIES : Speech : total # of minutes provided in l:P1baB		P7-80200	SNOMED CT	Speech therapy (regime/therapy)
THERAPIES : Respiratory therapy : # of days administ P1bdA		P2-22000	SNOMED CT	Respiratory therapy (procedure)
THERAPIES : Respiratory therapy : # of days administ P1bdA		P7-000D0	SNOMED CT	Physical medicine massage, initial 30 minutes (regime/therapy)
THERAPIES : Occupational therapy : # of days admini: P1bbA		P7-90300	SNOMED CT	Occupational therapy (regime/therapy)
THERAPIES : Occupational therapy : # of days admini: P1bbA		PA-60069	SNOMED CT	Occupational therapy education (regime/therapy)
THERAPIES : Occupational therapy : # of days admini: P1bbA		F-00809	SNOMED CT	Seen by occupational therapy - service (finding)
THERAPIES : Occupational therapy : # of days admini: P1bbA		R-421FC	SNOMED CT	Occupational therapy service (qualifier value)
THERAPIES : Occupational therapy : # of days admini: P1bbA		P0-0411D	SNOMED CT	Occupational therapy management (procedure)
THERAPIES : Physical therapy : total # of minutes provided P1bcB		F-00F4B	SNOMED CT	Total number of sick days in last year (observable entity)
THERAPIES : Physical therapy : of days administered P1bcA		P7-00060	SNOMED CT	Physical therapy procedure (regime/therapy)
THERAPIES : Physical therapy : of days administered P1bcA		P7-000D0	SNOMED CT	Physical medicine massage, initial 30 minutes (regime/therapy)
THERAPIES : Physical therapy : of days administered P1bcA		P0-0411E	SNOMED CT	Physical therapy management (procedure)
TRAINING AND SKILL PRACTICE IN: [hierarchy]		P0-A0201	SNOMED CT	Training (regime/therapy)
TRAINING AND SKILL PRACTICE IN: [hierarchy]		P7-90421	SNOMED CT	Skills training (regime/therapy)
Splint or brace assistance P3c		A-114E7	SNOMED CT	Arm, brace or splint (physical object)
Splint or brace assistance P3c		P0-02005	SNOMED CT	Assisting - action (qualifier value)

Splint or brace assistance	P3c	P0-05B6C	SNOMED CT	Procedures relating to splintage and immobilization (procedure)
Splint or brace assistance	P3c	P0-050BB	SNOMED CT	Brace removal (procedure)
Splint or brace assistance	P3c	P7-70301	SNOMED CT	Adjusting of splint (procedure)
Splint or brace assistance	P3c	P0-A022D	SNOMED CT	Teaching of skills (regime/therapy)
Splint or brace assistance	P3c	A-12220	SNOMED CT	Splint, device (physical object)
Splint or brace assistance	P3c	P0-0085C	SNOMED CT	Provision of brace (procedure)
Splint or brace assistance	P3c	PA-13210	SNOMED CT	Application of splint (procedure)
Splint or brace assistance	P3c	PA-13214	SNOMED CT	Splint removal (procedure)
Splint or brace assistance	P3c	P0-003CA	SNOMED CT	Splinting procedures (procedure)
Splint or brace assistance	P3c	P0-0085E	SNOMED CT	Checking of splint (procedure)
Range of motion (passive)	P3a	P7-30280	SNOMED CT	Range of motion exercise (regime/therapy)
Range of motion (passive)	P3a	PA-60053	SNOMED CT	Range of motion education (regime/therapy)
Range of motion (passive)	P3a	P7-00098	SNOMED CT	Movement therapy (regime/therapy)
Range of motion (active)	P3b	P7-00098	SNOMED CT	Movement therapy (regime/therapy)
Range of motion (active)	P3b	P7-000A5	SNOMED CT	Active joint movements (regime/therapy)
Range of motion (active)	P3b	P7-90101	SNOMED CT	Range of motion activity (regime/therapy)
Range of motion (active)	P3b	P7-30280	SNOMED CT	Range of motion exercise (regime/therapy)
Eating or swallowing	P3h	F-50193	SNOMED CT	Does eat (finding)
				Facilitating initiation of swallowing exercises (regime/therapy)
Eating or swallowing	P3h	P7-80259	SNOMED CT	
Eating or swallowing	P3h	P7-9033F	SNOMED CT	Eating practice (regime/therapy)
Eating or swallowing	P3h	P7-000B5	SNOMED CT	Swallowing defect amelioration (regime/therapy)
Eating or swallowing	P3h	P7-0008A	SNOMED CT	Swallowing exercises (regime/therapy)
Bed mobility	P3d	F-0A823	SNOMED CT	Impaired bed mobility (finding)
Bed mobility	P3d	P2-0012C	SNOMED CT	Mobility deficit therapy (regime/therapy)
Bed mobility	P3d	P7-20200	SNOMED CT	Transfer training (regime/therapy)
Bed mobility	P3d	F-00527	SNOMED CT	Ability to move in bed (observable entity)
Bed mobility	P3d	A-70504	SNOMED CT	Direction changing (regime/therapy)
Bed mobility	P3d	P7-20001	SNOMED CT	Weight transfer practice (regime/therapy)
Bed mobility	P3d	P0-00B09	SNOMED CT	Mobility/transfers surveillance (regime/therapy)
Bed mobility	P3d	P0-A024F	SNOMED CT	Mobility deficit education (regime/therapy)
				Mobility/transfers teaching, guidance, and counseling (regime/therapy)
Bed mobility	P3d	P0-00A9A	SNOMED CT	
Bed mobility	P3d	P7-30301	SNOMED CT	Joint mobility exercises (regime/therapy)
Dressing or grooming	P3g	F-0A850	SNOMED CT	Self-dressing/grooming deficit (finding)
Dressing or grooming	P3g	P7-20404	SNOMED CT	Training in activities of daily living (regime/therapy)
Dressing or grooming	P3g	P7-90339	SNOMED CT	Dressing practice (regime/therapy)
Transfer	P3e	P0-20301	SNOMED CT	Patient transfer (procedure)
Transfer	P3e	P7-20200	SNOMED CT	Transfer training (regime/therapy)
Transfer	P3e	P7-9033D	SNOMED CT	Transfer practice (regime/therapy)
P3j Communication	P3j	P0-A0225	SNOMED CT	Communication skills training (regime/therapy)
P3j Communication	P3j	P7-80200	SNOMED CT	Speech therapy (regime/therapy)
				Communication teaching, guidance, and counseling (regime/therapy)
P3j Communication	P3j	P0-00AA8	SNOMED CT	Verbal communication interventions (regime/therapy)
P3j Communication	P3j	P7-80202	SNOMED CT	
Amputation/prosthesis care	P3i	P0-00337	SNOMED CT	Amputation care (regime/therapy)

Amputation/prosthesis care	P3i	P7-40241	SNOMED CT	Pneumatic post-amputation mobility aid training (regime/therapy)
Amputation/prosthesis care	P3i	P7-71200	SNOMED CT	Training in use of prosthetic device (regime/therapy)
Amputation/prosthesis care	P3i	P8-00254	SNOMED CT	Maxillofacial prosthesis or appliance care instruction (regime/therapy)
Amputation/prosthesis care	P3i	P7-71204	SNOMED CT	Leg prosthesis use training (regime/therapy)
Amputation/prosthesis care	P3i	P0-00337	SNOMED CT	Amputation care (regime/therapy)
Amputation/prosthesis care	P3i	P7-71202	SNOMED CT	Training in use of an artificial urinary sphincter (regime/therapy)
Amputation/prosthesis care	P3i	P7-71205	SNOMED CT	Upper limb prosthetic training (regime/therapy)
Amputation/prosthesis care	P3i	PA-60015	SNOMED CT	Hearing aid care education (regime/therapy)
Walking	P3f	F-0251B	SNOMED CT	Walking disability (finding)
Walking	P3f	P7-90015	SNOMED CT	Ambulation and gait training (regime/therapy)
Walking	P3f	P7-90018	SNOMED CT	Walking practice (regime/therapy)
Walking	P3f	P7-90003	SNOMED CT	Walking with patient - mobilization (regime/therapy)
Dietary supplement between meals	K5f	C-7120F	SNOMED CT	Dietary supplements - other (product)
Dietary supplement between meals	K5f	F-5020D	SNOMED CT	Eats between meals (finding)
Dietary supplement between meals	K5f	F-60620	SNOMED CT	Caloric intake, function (observable entity)
Dietary supplement between meals	K5f	R-42004	SNOMED CT	Between meals (qualifier value)
Dietary supplement between meals	K5f	F-0303A	SNOMED CT	Parenteral fluid input (observable entity)
Parenteral/IV	K5a	PA-00610	SNOMED CT	Intravenous feeding of patient (regime/therapy)
Parenteral/IV	K5a	R-4071B	SNOMED CT	IV (qualifier value)
Feeding tube	K5b	PA-00620	SNOMED CT	Tube feeding of patient (regime/therapy)
Feeding tube	K5b	PA-00621	SNOMED CT	Orogastric feeding (regime/therapy)
Feeding tube	K5b	PA-00623	SNOMED CT	Nasogastric feeding (regime/therapy)
Feeding tube	K5b	PA-00621	SNOMED CT	Orogastric feeding (regime/therapy)
Therapeutic diet	K5e	C-F2005	SNOMED CT	Therapeutic diets (finding)
Antimicrobials_[TEST CONCEPT]	[test concept]	C23722	NDF-RT	Prednisone
Antimicrobials_[TEST CONCEPT]	[test concept]	C8716	NDF-RT	[AM000] ANTIMICROBIALS
Antimicrobials_[TEST CONCEPT]	[test concept]	C8754	NDF-RT	[AM600] NITROFURANS ANTIMICROBIALS
Antimicrobials_[TEST CONCEPT]	[test concept]	C8756	NDF-RT	[AM650] SULFONAMIDE/RELATED ANTIMICROBIALS
Antimicrobials_[TEST CONCEPT]	[test concept]	C8752	NDF-RT	[AM550] METHENAMINE SALTS ANTIMICROBIALS
THORAZINE_[TEST CONCEPT]	[test concept]	C12752	NDF-RT	CHLORPROMAZINE PREPARATION
Married		S-11010	SNOMED CT	Married (finding)
Married		C2022	HL7V3	Married (12022)
ADL SUPPORT PROVIDED	G1B	F-02C55	SNOMED CT	Finding related to ability to transfer (finding)
ADL SUPPORT PROVIDED	G1B	G-E3FA	SNOMED CT	Nottingham extended ADL index (assessment scale)
ADL SUPPORT PROVIDED	G1B	P0-000DB	SNOMED CT	Support (regime/therapy)
ADL SUPPORT PROVIDED	G1B	P0-04045	SNOMED CT	Assisting with activity of daily living (procedure)
ADL SUPPORT PROVIDED	G1B	F-02052	SNOMED CT	Needs help in toilet (finding)
ADL SUPPORT PROVIDED	G1B	F-500DE	SNOMED CT	Needs help with feeding (finding)
ADL SUPPORT PROVIDED	G1B	F-03662	SNOMED CT	Needs help with cooking (finding)
Significant change in status assessment		P0-00A52	SNOMED CT	Nursing status report assessment (regime/therapy)

Significant change in status assessment	R-10045	SNOMED CT	Significant (qualifier value)
English	F-025C0	SNOMED CT	Main spoken language English (finding)
English	L-D4E12	SNOMED CT	English elm (organism)
USUALLY UNDERSTOOD-difficulty finding words or finishing thoughts	F-A00B9	SNOMED CT	Difficulty finding words (finding)
USUALLY UNDERSTOOD-difficulty finding words or finishing thoughts	F-A0181	SNOMED CT	Difficulty communicating thoughts (finding)
USUALLY UNDERSTOOD-difficulty finding words or finishing thoughts	F-A00B9	SNOMED CT	Difficulty finding words (finding)
USUALLY UNDERSTOOD-difficulty finding words or finishing thoughts	F-A0172	SNOMED CT	Able to make self understood (finding)
Quarterly review assessment	R-214F4	SNOMED CT	Assessment of needs - review (context-dependent category)
Quarterly review assessment	R-400FC	SNOMED CT	Administrative information (administrative concept)
OTHER	G-A609	SNOMED CT	Other (qualifier value)
Separated	F-0273A	SNOMED CT	Marital separation, life event (finding)
Separated	C2021	HL7V3	Legally Separated (12021)
Improved	R-42505	SNOMED CT	Improvement of status (qualifier value)
1501 to 2000 cc/day	F-61477	SNOMED CT	DRB1*1501 (substance)
1501 to 2000 cc/day	G-7030	SNOMED CT	Daily (qualifier value)
1501 to 2000 cc/day	P2-00011	SNOMED CT	Identifying goals (procedure)
1501 to 2000 cc/day	R-428C1	SNOMED CT	mL (qualifier value)
No change	R-4075C	SNOMED CT	No status change (qualifier value)
Discharged-return anticipated	P0-200B7	SNOMED CT	Discharge from establishment (procedure)
Behavior of this type occurred daily or almost daily (4-7 days)	G-7030	SNOMED CT	Daily (qualifier value)
None	F-024F8	SNOMED CT	Not religious (finding)
None	R-40775	SNOMED CT	None (qualifier value)
HIGHLY IMPAIRED/absence of useful hearing	DA-95000	SNOMED CT	Hearing loss (finding)
HIGHLY IMPAIRED/absence of useful hearing	F-F5005	SNOMED CT	Hearing disorder (finding)
HIGHLY IMPAIRED/absence of useful hearing	F-F501C	SNOMED CT	Unable to hear conversational voice (finding)
HIGHLY IMPAIRED/absence of useful hearing	F-F501B	SNOMED CT	Unable to hear whisper (finding)
HIGHLY IMPAIRED/absence of useful hearing	DA-95000	SNOMED CT	Hearing loss (finding)
HIGHLY IMPAIRED/absence of useful hearing	F-F505F	SNOMED CT	Hearing for loud voice impaired (finding)
(Record the number of DAYS during last 7 days; enter "0" if not used. Note - enter "1" for long	R-40130	SNOMED CT	days/week (qualifier value)
(Record the number of DAYS during last 7 days; enter "0" if not used. Note - enter "1" for long	F-616EF	SNOMED CT	Hypnotic agent (substance)
check (Response type)	C354	MDS	If pain present,check all sites that apply inlast 7 days
Private home/apt. with home health services	C1180	HL7V3	Home Health Care (11180)
Private home/apt. with home health services	R-302F4	SNOMED CT	Home (environment)
Private home/apt. with home health services	S-84550	SNOMED CT	Private home-based care (environment)
Private home/apt. with home health services	C776	HL7V3	primary home (10776)
Divorced	C2019	HL7V3	Divorced (12019)
Divorced	S-10200	SNOMED CT	Divorced parents (family) (social concept)
Divorced	S-11021	SNOMED CT	Divorced (finding)
High school	C5936	HL7V3	High School or secondary school degree complete (15936)
High school	F-014F8	SNOMED CT	Finding of education received in the past (finding)
High school	P2-01495	SNOMED CT	School screening NOS (procedure)
ADEQUATE-sees fine detail, including regular print in newspapers/books	DA-749FB	SNOMED CT	Impairment level of vision (disorder)
ADEQUATE-sees fine detail, including regular print in newspapers/books	F-F0001	SNOMED CT	Normal vision (finding)

ADEQUATE-sees fine detail, including regular print in newspapers/books	P0-90370	SNOMED CT	Preparation of detailed report for patient's disability including corrective recommendations (procedure)
SOMETIMES UNDERSTOOD-ability is limited to making concrete requests	F-03A06	SNOMED CT	Ability to communicate needs and wishes (observable entity)
SOMETIMES UNDERSTOOD-ability is limited to making concrete requests	F-A0176	SNOMED CT	Difficulty making self understood (finding)
SOMETIMES UNDERSTOOD-ability is limited to making concrete requests	G-D2FB	SNOMED CT	Requested (qualifier value)
Widowed	C2024	HL7V3	Widowed (12024)
Widowed	S-11040	SNOMED CT	Widowed (finding)
SEVERELY IMPAIRED-never/rarely made decisions	F-90121	SNOMED CT	Difficulty making decisions (finding)
SEVERELY IMPAIRED-never/rarely made decisions	F-90156	SNOMED CT	Unable to use decision-making strategies (finding)
Significant correction of prior full assessment	R-10045	SNOMED CT	Significant (qualifier value)
Year	C814	HL7V3	year (10814)
Year	R-42895	SNOMED CT	year (qualifier value)
Year	C813	HL7V3	year (10813)
Year	R-42895	SNOMED CT	year (qualifier value)
MODERATELY IMPAIRED - limited vision; not able to see newspaper headlines, but can ider	DA-749FE	SNOMED CT	Moderate visual impairment (disorder)
MODERATELY IMPAIRED - limited vision; not able to see newspaper headlines, but can ider	F-F0002	SNOMED CT	Abnormal vision (finding)
MODERATELY IMPAIRED-decisions poor; cues/supervision required	F-03A4B	SNOMED CT	Risk situation requiring placement on supervision regist (finding)
MODERATELY IMPAIRED-decisions poor; cues/supervision required	F-90121	SNOMED CT	Difficulty making decisions (finding)
MODERATELY IMPAIRED-decisions poor; cues/supervision required	F-90414	SNOMED CT	Finding related to ability to make considered choices (finding)
MODERATELY IMPAIRED-decisions poor; cues/supervision required	F-90412	SNOMED CT	Finding related to decision making (finding)
MODERATELY IMPAIRED-decisions poor; cues/supervision required	F-90157	SNOMED CT	Difficulty using decision-making strategies (finding)
MODERATELY IMPAIRED-decisions poor; cues/supervision required	F-90156	SNOMED CT	Unable to use decision-making strategies (finding)
MODERATELY IMPAIRED-decisions poor; cues/supervision required	F-90413	SNOMED CT	Finding related to ability to use decision-making strategies (finding)
MODERATELY IMPAIRED-decisions poor; cues/supervision required	F-90120	SNOMED CT	Difficulty making plans (finding)
1 to 500 cc/day	G-A721	SNOMED CT	One (qualifier value)
1 to 500 cc/day	R-42A74	SNOMED CT	1/2day (qualifier value)
1 to 500 cc/day	R-428C1	SNOMED CT	mL (qualifier value)
1 to 500 cc/day	G-7030	SNOMED CT	Daily (qualifier value)
1 to 500 cc/day	G-D705	SNOMED CT	Volume (property) (qualifier value)
IMPAIRED-sees large print, but not regular print in newspapers/ books	F-04C17	SNOMED CT	Medicine labelling large print required (finding)
IMPAIRED-sees large print, but not regular print in newspapers/ books	DA-749FF	SNOMED CT	Mild visual impairment (disorder)
Significant correction of prior quarterly assessment	R-10045	SNOMED CT	Significant (qualifier value)
Some college	F-014F6	SNOMED CT	Education and/or schooling finding (finding)
Some college	G-A606	SNOMED CT	Some (qualifier value)
Some college	R-300A5	SNOMED CT	College (environment)
Some college	C5937	HL7V3	Some College education (15937)
Indicator of this type exhibited up to five days a week	R-20730	SNOMED CT	Symptom findings in relation to frequency (context-dependent category)
Indicator of this type exhibited up to five days a week	R-410DD	SNOMED CT	Five times weekly (qualifier value)
Indicator of this type exhibited up to five days a week	R-4111D	SNOMED CT	Every five days (qualifier value)
Indicator of this type exhibited up to five days a week	R-410DB	SNOMED CT	Frequency per week (qualifier value)

Acute care hospital	C747	HL7V3	General acute care hospital (10747)
Acute care hospital	P0-099C4	SNOMED CT	Pre-hospital care (context-dependent category)
Acute care hospital	S-81010	SNOMED CT	Primary care hospital (environment)
Discharged-return not anticipated	P0-200B7	SNOMED CT	Discharge from establishment (procedure)
2001 or more cc/day	F-8440A	SNOMED CT	Parity ten or more (finding)
2001 or more cc/day	G-A2FD	SNOMED CT	More (qualifier value)
2001 or more cc/day	R-428C1	SNOMED CT	mL (qualifier value)
2001 or more cc/day	G-7030	SNOMED CT	Daily (qualifier value)
			Climara pro levonorgestrel 0.015mg/day + estradiol 0.045mg/day transdermal system (product)
(Record the number of DAYS injections of any type received during the last 7 days; enter "0" i	C-A070B	SNOMED CT	Injection (procedure)
(Record the number of DAYS injections of any type received during the last 7 days; enter "0" i	P1-05000	SNOMED CT	days/week (qualifier value)
(Record the number of DAYS injections of any type received during the last 7 days; enter "0" i	R-40130	SNOMED CT	Not receiving an education (finding)
No schooling [additional items]	F-04777	SNOMED CT	School screening NOS (procedure)
No schooling [additional items]	P2-01495	SNOMED CT	No formal education (finding)
No schooling [additional items]	F-0476D	SNOMED CT	Main spoken language Spanish (finding)
Spanish	F-025F2	SNOMED CT	Lynx pardinus (organism)
Spanish	L-001E2	SNOMED CT	days/week (qualifier value)
# of days administered for 15 minutes or more	R-40130	SNOMED CT	mins/day (qualifier value)
# of days administered for 15 minutes or more	R-40133	SNOMED CT	3-Aminophenol (product)
3+	C-B062C	SNOMED CT	+3 (qualifier value)
3+	R-40711	SNOMED CT	Three (qualifier value)
3+	G-A723	SNOMED CT	Report status (finding)
Unable to report	F-00FFF	SNOMED CT	Shift report (procedure)
Unable to report	P0-0083E	SNOMED CT	Nursing home (environment)
Nursing home	S-84000	SNOMED CT	Nursing Home (10397)
Nursing home	C397	HL7V3	Eye bath (physical object)
HIGHLY IMPAIRED-object identification in question, but eyes appear to follow objects	A-1071A	SNOMED CT	
HIGHLY IMPAIRED-object identification in question, but eyes appear to follow objects	DA-74930	SNOMED CT	Impairment level: low vision of both eyes (disorder)
HIGHLY IMPAIRED-object identification in question, but eyes appear to follow objects	C649	MDS	IMPAIRED-sees large print, but not regular print in newspapers/ books
HIGHLY IMPAIRED-object identification in question, but eyes appear to follow objects	DA-749FD	SNOMED CT	Severe visual impairment (disorder)
Technical or trade school	F-01BFC	SNOMED CT	Received further education at technical college (finding)
Technical or trade school	J-0052E	SNOMED CT	Other technical assistant (occupation)
Technical or trade school	P7-90404	SNOMED CT	Vocational schooling (regime/therapy)
Technical or trade school	C5938	HL7V3	Associate's or technical degree complete (15938)
76% to 100%	C-B048A	SNOMED CT	Diatrizoate 76% injection solution 100mL vial (product)
76% to 100%	G-D70B	SNOMED CT	Percent (property) (qualifier value)
76% to 100%	G-D7DC	SNOMED CT	% of total (qualifier value)
Psychiatric hospital, MR/DD facility	S-81007	SNOMED CT	Psychiatric day care hospital (environment)
Psychiatric hospital, MR/DD facility	S-81100	SNOMED CT	Psychiatric hospital (environment)
In the LAST 14 DAYS (or since admission if less than 14 days in facility) how many days has	F-04A31	SNOMED CT	Many seizures a day (finding)
In the LAST 14 DAYS (or since admission if less than 14 days in facility) how many days has	P2-014B4	SNOMED CT	General examination of patient (procedure)
HEARS ADEQUATELY-normal talk, TV, phone	F-006F1	SNOMED CT	Failed encounter - phone number unobtainable (finding)

HEARS ADEQUATELY-normal talk, TV, phone	F-F505E	SNOMED CT	Hearing for loud voice normal (finding)
HEARS ADEQUATELY-normal talk, TV, phone	F-F507B	SNOMED CT	Finding of ability to hear (finding)
HEARS ADEQUATELY-normal talk, TV, phone	F-F5061	SNOMED CT	Normal ability to hear voice (finding)
HEARS ADEQUATELY-normal talk, TV, phone	F-F5044	SNOMED CT	Able to hear (finding)
51% to 75%	L-1C425	SNOMED CT	Salmonella IV 51:b- (organism)
51% to 75%	R-40507	SNOMED CT	Total (qualifier value)
51% to 75%	G-D70B	SNOMED CT	Percent (property) (qualifier value)
(free text or number)	C290	HL7V3	Text (10290)
(free text or number)	G-D315	SNOMED CT	Text value (qualifier value)
SEVERELY IMPAIRED-no vision or sees only light, colors, or shapes; eyes do not appear to	F-A213D	SNOMED CT	Blindness or low vision NOS (finding)
SEVERELY IMPAIRED-no vision or sees only light, colors, or shapes; eyes do not appear to	G-A10D	SNOMED CT	Light color (qualifier value)
Graduate degree	C5941	HL7V3	Graduate or professional Degree complete (15941)
Graduate degree	F-04772	SNOMED CT	Received higher education (finding)
Graduate degree	R-422E6	SNOMED CT	Graduate (person)
Discharged-prior to completing initial assessment	P0-200B7	SNOMED CT	Discharge from establishment (procedure)
8th grade/less	C5934	HL7V3	Elementary School (15934)
8th grade/less	F-0476E	SNOMED CT	Only received primary school education (finding)
8th grade/less	R-41E15	SNOMED CT	Grade 3 (qualifier value)
Board and care/assisted living/group home	C7478	HL7V3	Assisted Living Facility (17478)
Board and care/assisted living/group home	F-04682	SNOMED CT	Lives in independent group home (finding)
Board and care/assisted living/group home	PA-63162	SNOMED CT	Personal care assistance at home (procedure)
(number of therapy minutes)	G-A2FC	SNOMED CT	Minute (qualifier value)
(number of therapy minutes)	G-C342	SNOMED CT	Number (attribute)
(number of therapy minutes)	P0-007D1	SNOMED CT	Therapy (regime/therapy)
(number of therapy minutes)	G-D803	SNOMED CT	Count of entities (property) (qualifier value)
UNDERSTOOD	F-02BA0	SNOMED CT	Finding related to ability to comprehend (finding)
UNDERSTOOD	F-048D9	SNOMED CT	Ability to comprehend (observable entity)
UNDERSTOOD	F-A0174	SNOMED CT	Does make self understood (finding)
(For each type of ulcer, code for the highest stage in the last 7 days using scale in item M1 i.e	F-81006	SNOMED CT	Last menstrual period -1st day (observable entity)
(For each type of ulcer, code for the highest stage in the last 7 days using scale in item M1 i.e	R-41DB0	SNOMED CT	Stage 3 (qualifier value)
(For each type of ulcer, code for the highest stage in the last 7 days using scale in item M1 i.e	R-41DB4	SNOMED CT	Stage 4 (qualifier value)
(For each type of ulcer, code for the highest stage in the last 7 days using scale in item M1 i.e	R-41DA8	SNOMED CT	Stage 1 (qualifier value)
(For each type of ulcer, code for the highest stage in the last 7 days using scale in item M1 i.e	R-10030	SNOMED CT	Stage 3 or 4 pressure ulcers acquired after admission to a healthcare facility (event)
(For each type of ulcer, code for the highest stage in the last 7 days using scale in item M1 i.e	P0-000B6	SNOMED CT	Pressure sore assessment (regime/therapy)
MINIMAL DIFFICULTYwhen not in quiet setting	F-8611D	SNOMED CT	Fetal heart sounds quiet (finding)
MINIMAL DIFFICULTYwhen not in quiet setting	F-F505B	SNOMED CT	Hearing for whisper impaired (finding)
Month	R-42894	SNOMED CT	month (qualifier value)
Month	C815	HL7V3	month of the year (10815)
Month	C816	HL7V3	month of the year (10816)
In other facility	R-300DA	SNOMED CT	Sports facility (environment)
Bachelor's degree	F-014F8	SNOMED CT	Finding of education received in the past (finding)
Bachelor's degree	G-C1A9	SNOMED CT	Degree (attribute)
Bachelor's degree	F-04775	SNOMED CT	Received higher education college education (finding)

Bachelor's degree		C5939	HL7V3	College or baccalaureate degree complete (15939)
26% to 50%		G-D70B	SNOMED CT	Percent (property) (qualifier value)
26% to 50%		R-423F7	SNOMED CT	26 (qualifier value)
26% to 50%		R-40507	SNOMED CT	Total (qualifier value)
Reentry		P0-10850	SNOMED CT	Hospital re-admission (procedure)
1% to 25%		C-8023C	SNOMED CT	Ramipril 1.25mg tablet (product)
1% to 25%		G-D70B	SNOMED CT	Percent (property) (qualifier value)
1% to 25%		G-A721	SNOMED CT	One (qualifier value)
Record the number of ulcers at each ulcer stage-regardless of cause.If none present at a stage		F-038ED	SNOMED CT	Number of ulcers (observable entity)
(number of days)		G-C342	SNOMED CT	Number (attribute)
Indicator not exhibited in last 30 days		G-A613	SNOMED CT	Not seen (qualifier value)
Indicator not exhibited in last 30 days		R-209E4	SNOMED CT	Symptom lasts days (context-dependent category)
Indicator not exhibited in last 30 days		R-40777	SNOMED CT	Not detected (qualifier value)
Indicator of this type exhibited daily or almost daily (6, 7 days a week)		G-7030	SNOMED CT	Daily (qualifier value)
Indicator of this type exhibited daily or almost daily (6, 7 days a week)		R-410DB	SNOMED CT	Frequency per week (qualifier value)
Indicator of this type exhibited daily or almost daily (6, 7 days a week)		G-7030	SNOMED CT	Daily (qualifier value)
Rehabilitation hospital		S-81120	SNOMED CT	Rehabilitation hospital (environment)
Rehabilitation hospital		C751	HL7V3	Rehabilitation hospital (10751)
MODIFIED INDEPENDENCE-some difficulty in new situations only		F-90412	SNOMED CT	Finding related to decision making (finding)
MODIFIED INDEPENDENCE-some difficulty in new situations only		P0-00144	SNOMED CT	Treatment modification (procedure)
MODIFIED INDEPENDENCE-some difficulty in new situations only		R-3006E	SNOMED CT	Unfamiliar environment (environment)
Private home/apt with no home health services		R-302F4	SNOMED CT	Home (environment)
501 to 1000 cc/day		C-A4425	SNOMED CT	Niacin 1000mg tablet (product)
501 to 1000 cc/day		R-428C1	SNOMED CT	mL (qualifier value)
501 to 1000 cc/day		G-7030	SNOMED CT	Daily (qualifier value)
Record the NUMBER OF DAYS each of the following rehabilitation or restorative techniques		P7-90000	SNOMED CT	Rehabilitation therapy (regime/therapy)
Record the NUMBER OF DAYS each of the following rehabilitation or restorative techniques		R-429B8	SNOMED CT	/day (qualifier value)
Record the NUMBER OF DAYS each of the following rehabilitation or restorative techniques		R-40130	SNOMED CT	days/week (qualifier value)
Admission assessment (required by day 14)		P0-009F1	SNOMED CT	Admission assessment (regime/therapy)
ADL SELF-PERFORMANCE	G1A	F-00DB4	SNOMED CT	Ability to perform personal care activity (observable entity)
ADL SELF-PERFORMANCE	G1A	F-02000	SNOMED CT	Activity of daily living (observable entity)
ADL SELF-PERFORMANCE	G1A	F-00D11	SNOMED CT	Ability to perform activities of everyday life (observable entity)
No pain		F-A2605	SNOMED CT	No pain (context-dependent category)
No pain		F-A2640	SNOMED CT	No sensitivity to pain (finding)
9-11 grades		C5935	HL7V3	Some secondary or high school education (15935)
9-11 grades		D5-30112	SNOMED CT	Esophagitis grade I (disorder)
HEARS IN SPECIAL SITUATIONS ONLY-speaker has to adjust tonal quality and speak distir		F-94837	SNOMED CT	Finding of quality of speech (finding)
HEARS IN SPECIAL SITUATIONS ONLY-speaker has to adjust tonal quality and speak distir		F-F5004	SNOMED CT	Decreased hearing (finding)
HEARS IN SPECIAL SITUATIONS ONLY-speaker has to adjust tonal quality and speak distir		DA-95000	SNOMED CT	Hearing loss (finding)
Day		DA-7006B	SNOMED CT	Day blindness (disorder)
Day		R-42891	SNOMED CT	day (qualifier value)
Day		C821	HL7V3	day of the month (10821)
(zip code)		F-03D87	SNOMED CT	Patient postal code (observable entity)
(zip code)		C791	HL7V3	postal code (10791)

French	S-61140	SNOMED CT	French (ethnic group)
French	F-025C1	SNOMED CT	Main spoken language French (finding)
Deteriorated	R-42506	SNOMED CT	Deterioration of status (qualifier value)
total # of minutes provided in last 7 days	R-40133	SNOMED CT	mins/day (qualifier value)
total # of minutes provided in last 7 days	R-40135	SNOMED CT	mins/week (qualifier value)
total # of minutes provided in last 7 days	R-40507	SNOMED CT	Total (qualifier value)
total # of minutes provided in last 7 days	P0-00096	SNOMED CT	Care provision regimes (regime/therapy)
Never married	S-11034	SNOMED CT	Marital status: single, never married (finding)
Never married	C2023	HL7V3	Never Married (12023)
1001 to 1500 cc/day	F-614B2	SNOMED CT	DRB1*1001 (substance)
1001 to 1500 cc/day	P2-00011	SNOMED CT	Identifying goals (procedure)
1001 to 1500 cc/day	G-7030	SNOMED CT	Daily (qualifier value)
1001 to 1500 cc/day	R-428C1	SNOMED CT	mL (qualifier value)
INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days	F-04A3B	SNOMED CT	Time of call for help (observable entity)
INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days	R-402AE	SNOMED CT	Independently able (qualifier value)
RARELY/NEVER UNDERSTOOD	F-02BA0	SNOMED CT	Finding related to ability to comprehend (finding)
RARELY/NEVER UNDERSTOOD	F-50302	SNOMED CT	Never thirsty (finding)
RARELY/NEVER UNDERSTOOD	F-A0175	SNOMED CT	Does not make self understood (finding)
No setup or physical help from staff	F-0101F	SNOMED CT	No help available from lay carer (finding)
No setup or physical help from staff	R-402AE	SNOMED CT	Independently able (qualifier value)
No setup or physical help from staff	F-04AB4	SNOMED CT	Ability to perform instrumental activities of daily living (observable entity)
One person physical assist	A-11103	SNOMED CT	Cardiac assist implant (physical object)
ADL activity itself did not occur during entire 7 days	F-01009	SNOMED CT	Finding of activity of daily living (finding)
ADL activity itself did not occur during entire 7 days	G-D32A	SNOMED CT	Did not attend (qualifier value)
Setup help only	S-10197	SNOMED CT	Only son (person)
Two+ persons physical assist	A-01109	SNOMED CT	Two plane mold (physical object)
Check if problem present in last 7 days	R-412F4	SNOMED CT	Every seven days (qualifier value)
If resident exhibits pain behaviors, check all that apply: [additional items]	F-9323C	SNOMED CT	Finding related to pain control behavior (finding)
If resident exhibits pain behaviors, check all that apply: [additional items]	J-005E6	SNOMED CT	Resident physician (occupation)
(Check all that apply in last 7 days)	R-412F4	SNOMED CT	Every seven days (qualifier value)
(Check all that apply. If all information UNKNOWN, check last box only)	C-F030F	SNOMED CT	All bran (substance)
(Billing Office to indicate; check all that apply in last 30 days)	DE-1421F	SNOMED CT	Streptococcus group B infection of the infant - age less than 30 days (disorder)
Check all problems present in last 7 days unless other time frame is indicated)	DF-00000	SNOMED CT	Disease (disorder)
Check all problems present in last 7 days unless other time frame is indicated)	R-4252D	SNOMED CT	All times past (qualifier value)
Check all problems present in last 7 days unless other time frame is indicated)	R-4251A	SNOMED CT	In the past (qualifier value)
Check all problems present in last 7 days unless other time frame is indicated)	P0-0013D	SNOMED CT	Assessment of past history (regime/therapy)
Check all problems present in last 7 days unless other time frame is indicated)	R-42893	SNOMED CT	week (qualifier value)
(Check all setting sresident lived in during 5 years prior to date of entry given in item AB1 above)	F-0A1FC	SNOMED CT	Consistent and comparable level of care given across all settings (finding)
(If pain present, check all sites that apply in last 7 days)	R-412F4	SNOMED CT	Every seven days (qualifier value)
For those items with supporting documentation in the medical record, check all that apply	R-002F6	SNOMED CT	Device applied to patient (finding)
Check only those diseases that have a relationship to current ADL status, cognitive status, mental status	F-04A41	SNOMED CT	Risk assessment status (finding)
Check appropriate time periods over last 7 days)	F-81006	SNOMED CT	Last menstrual period -1st day (observable entity)
Check appropriate time periods over last 7 days)	R-407D9	SNOMED CT	Temporal periods of day (qualifier value)
Check appropriate time periods over last 7 days)	R-42893	SNOMED CT	week (qualifier value)
Mental status changes-confusion, distress, [additional items]	F-90000	SNOMED CT	Mental state finding (finding)

Mental status changes-confusion, distress, [additional items]	F-90002	SNOMED CT	Abnormal mental state (finding)
Mental status changes-confusion, distress, [additional items]	F-A5563	SNOMED CT	Acute confusion (finding)
Mental status changes-confusion, distress, [additional items]	F-920FA	SNOMED CT	Mental distress (finding)
Mental status changes-confusion, distress, [additional items]	F-90000	SNOMED CT	Mental state finding (finding)
Non-verbal sounds (crying, whining, moaning, groaning) [additional items]	F-04352	SNOMED CT	Non-verbal communication observable (observable entity)
Non-verbal sounds (crying, whining, moaning, groaning) [additional items]	F-A0101	SNOMED CT	Does not use non-verbal communication (finding)
Non-verbal sounds (crying, whining, moaning, groaning) [additional items]	R-20737	SNOMED CT	Pain and sensation symptom findings (context-dependent category)
Bracing, guarding, rubbing, massaging a body part/are [additional items]	F-9342F	SNOMED CT	Repetitive rubbing of body parts (finding)
Change in interpersonal interactions [additional items]	F-0B381	SNOMED CT	Socialization alteration (finding)
Change in interpersonal interactions [additional items]	P9-000F2	SNOMED CT	Recording interpersonal interactions (procedure)
Change in interpersonal interactions [additional items]	S-00006	SNOMED CT	Interpersonal relationship finding (finding)
Restlessness, agitation, combativeness, fidgeting, paci [additional items]	F-90000	SNOMED CT	Mental state finding (finding)
Restlessness, agitation, combativeness, fidgeting, paci [additional items]	F-90004	SNOMED CT	Restlessness and agitation (finding)
Restlessness, agitation, combativeness, fidgeting, paci [additional items]	F-93400	SNOMED CT	Behavior showing increased motor activity (finding)
Restlessness, agitation, combativeness, fidgeting, paci [additional items]	F-93188	SNOMED CT	Fighting (finding)
Restlessness, agitation, combativeness, fidgeting, paci [additional items]	F-92540	SNOMED CT	Feeling agitated (finding)
Restlessness, agitation, combativeness, fidgeting, paci [additional items]	R-00350	SNOMED CT	Patient paced (finding)
Restlessness, agitation, combativeness, fidgeting, paci [additional items]	F-9013B	SNOMED CT	Withdrawn (finding)
Restlessness, agitation, combativeness, fidgeting, paci [additional items]	F-92543	SNOMED CT	Fidgeting (finding)
Facial expressions-grimaces, wincen, wrinkled forehea [additional items]	F-A0069	SNOMED CT	Finding of facial expression (finding)
Facial expressions-grimaces, wincen, wrinkled forehea [additional items]	F-51077	SNOMED CT	Clenching teeth (finding)
Facial expressions-grimaces, wincen, wrinkled forehea [additional items]	F-03CE4	SNOMED CT	Facial expression (observable entity)
Facial expressions-grimaces, wincen, wrinkled forehea [additional items]	F-F7760	SNOMED CT	Facial grimacing (finding)
LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided i	A-00FA7	SNOMED CT	Guide help (physical object)
LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided i	P0-0403C	SNOMED CT	Assisting with activity (procedure)
LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided i	R-4047F	SNOMED CT	Limited (qualifier value)
LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided i	R-402AD	SNOMED CT	Assisted (qualifier value)
LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided i	P0-04001	SNOMED CT	Assisting (procedure)
TOTAL DEPENDENCE	F-0070A	SNOMED CT	Dependent patient (finding)
TOTAL DEPENDENCE	P0-05C83	SNOMED CT	Total phalangectomy (procedure)
TOTAL DEPENDENCE	R-402AF	SNOMED CT	Dependent (qualifier value)
TOTAL DEPENDENCE	F-00110	SNOMED CT	Physical functional dependency (finding)
TOTAL DEPENDENCE	G-0240	SNOMED CT	Patient dependence on (contextual qualifier) (qualifier value)
TOTAL DEPENDENCE	R-40507	SNOMED CT	Total (qualifier value)
TOTAL DEPENDENCE	F-02053	SNOMED CT	Dependent in toilet (finding)
TOTAL DEPENDENCE	R-403E0	SNOMED CT	Dependence (qualifier value)
EXTENSIVE ASSISTANCE	G-A340	SNOMED CT	Extensive (qualifier value)
EXTENSIVE ASSISTANCE	G-C51A	SNOMED CT	Assists (attribute)
SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last 7 d	P0-0007E	SNOMED CT	Supervision (regime/therapy)
SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last 7 d	R-410E0	SNOMED CT	One to two times a day (qualifier value)
SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last 7 d	PA-00007	SNOMED CT	Nursing supervision (procedure)
ACTIVITY DID NOT OCCUR during entire 7 days	R-412F4	SNOMED CT	Every seven days (qualifier value)
INDEPENDENT-decisions consistent/reasonable	F-90412	SNOMED CT	Finding related to decision making (finding)

INDEPENDENT-decisions consistent/reasonable	F-90413	SNOMED CT	Finding related to ability to use decision-making strategies (finding)
INDEPENDENT-decisions consistent/reasonable	G-2005	SNOMED CT	Consistent with (qualifier value)
INDEPENDENT-decisions consistent/reasonable	F-90161	SNOMED CT	Able to make considered choices (finding)
INDEPENDENT-decisions consistent/reasonable	F-90414	SNOMED CT	Finding related to ability to make considered choices (finding)
AGGREGATE severity [and alterability? Timeframe?] [additional items]	DC-61976	SNOMED CT	Isolated collagen aggregation defect (disorder)
Severe pain (6-7 on NRS; Face #4; Severe VDS; Severe PT)	F-A2603	SNOMED CT	Severe pain (finding)
Did not occur	F-03FAE	SNOMED CT	Failed encounter (finding)
Did not occur	G-D32A	SNOMED CT	Did not attend (qualifier value)
Partial support required	F-04AAC	SNOMED CT	Requires communication partner (finding)
Partial support required	P0-000DB	SNOMED CT	Support (regime/therapy)
Unsteady, but rebalances self	F-180A6	SNOMED CT	Unsteady gait (finding)
Unsteady, but rebalances self	F-A1824	SNOMED CT	Unsteady when turning (finding)
Unsteady, but rebalances self	F-18050	SNOMED CT	Unsteady when walking (finding)
SEVERELY IMPAIRED-Unable to make decisions	F-90121	SNOMED CT	Difficulty making decisions (finding)
SEVERELY IMPAIRED-Unable to make decisions	F-90162	SNOMED CT	Unable to make considered choices (finding)
Steady, maintains position	F-A4196	SNOMED CT	Able to maintain a position (finding)
Steady, maintains position	F-A4197	SNOMED CT	Does maintain a position (finding)
Not expressed or demonstrated	F-9490B	SNOMED CT	Able to express self (finding)
Not expressed or demonstrated	G-0009	SNOMED CT	No evidence of (contextual qualifier) (qualifier value)
c. End of life care	G-D316	SNOMED CT	Ended (qualifier value)
c. End of life care	P2-00203	SNOMED CT	Dying care (regime/therapy)
	C-924E7	SNOMED CT	Anthralin 0.25% (product)
	R-41E04	SNOMED CT	0 (qualifier value)
Breakthrough pain	F-A2600	SNOMED CT	Pain (finding)
Breakthrough pain	F-A260A	SNOMED CT	Burning pain (finding)
Breakthrough pain	R-403B3	SNOMED CT	Breakthrough (qualifier value)
Very poor: further decline is imminent	F-02630	SNOMED CT	Mobility very poor (finding)
Very poor: further decline is imminent	F-0309D	SNOMED CT	Prognosis bad (finding)
Mild pain (1-3 NRS; Face #2; Mild VDS; Slight/mild PT)	F-A2601	SNOMED CT	Mild pain (finding)
	C-54622	SNOMED CT	Amoxicillin [2] (product)
	R-40710	SNOMED CT	+2 (qualifier value)
Expressed or demonstrated up to four days a week	R-410DC	SNOMED CT	Four times weekly (qualifier value)
Expressed or demonstrated up to four days a week	R-4111B	SNOMED CT	Every four days (qualifier value)
Expressed or demonstrated up to four days a week	R-209E8	SNOMED CT	Symptom frequency (context-dependent category)
Constant/persistent	F-001E8	SNOMED CT	Chronic intractable pain (finding)
Constant/persistent	F-03809	SNOMED CT	Other chronic pain (finding)
Constant/persistent	P0-0098C	SNOMED CT	Constant observation (regime/therapy)
Short term medical rehabilitation with goal to return home	F-96171	SNOMED CT	Short-term memory within normal limits (finding)
Good: Partial recovery is expected	F-0309C	SNOMED CT	Prognosis good (finding)
Good: Partial recovery is expected	R-4250E	SNOMED CT	Expected to be stable (qualifier value)
Fair: Little recovery is expected but resident stable	P0-30920	SNOMED CT	Fair prognosis (finding)
Fair: Little recovery is expected but resident stable	R-4250E	SNOMED CT	Expected to be stable (qualifier value)
Excellent: Full or almost full recovery is expected	DD-52429	SNOMED CT	Full thickness burn of the wrist or hand NOS (disorder)
Excellent: Full or almost full recovery is expected	F-0309C	SNOMED CT	Prognosis good (finding)

Excellent: Full or almost full recovery is expected		R-4250E	SNOMED CT	Expected to be stable (qualifier value)
	1	R-4070D	SNOMED CT	-1 (qualifier value)
	1	R-4070F	SNOMED CT	+1 (qualifier value)
Moderate pain (4-5 NRS; Face #3; Moderate VDS; Moderate PT)		F-A2602	SNOMED CT	Moderate pain (finding)
Yes, scheduled pain medication		P0-04139	SNOMED CT	Pain control management (procedure)
Yes, scheduled pain medication		R-0038D	SNOMED CT	Yes (qualifier value)
Behavioral Symptom frequency in the last 7 days	[additional items]	R-2072F	SNOMED CT	Symptom findings in relation to time lasts (context-dependent category)
Behavioral Symptom frequency in the last 7 days	[additional items]	R-209E4	SNOMED CT	Symptom lasts days (context-dependent category)
Behavioral Symptom frequency in the last 7 days	[additional items]	R-209E8	SNOMED CT	Symptom frequency (context-dependent category)
Unstable: resident's cognitive/ ADL, mood or behavior patterns unstable but stabilization is pr		F-03C66	SNOMED CT	Patient's condition unstable (finding)
Unstable: resident's cognitive/ ADL, mood or behavior patterns unstable but stabilization is pr		R-424F2	SNOMED CT	Unstable course (qualifier value)
Restrictions on artificial feeding		F-5000D	SNOMED CT	Demand fed (finding)
Restrictions on artificial feeding		P0-00AE6	SNOMED CT	Nutrition / feeding management (regime/therapy)
Yes, PRN regimen only		R-0038D	SNOMED CT	Yes (qualifier value)
Activity did not occur (resident confined to bed)		G-D32A	SNOMED CT	Did not attend (qualifier value)
Unknown		F-00F8C	SNOMED CT	Gender unknown (finding)
Unknown		R-41198	SNOMED CT	Unknown (qualifier value)
Comes and goes		G-A397	SNOMED CT	Intermittent (qualifier value)
Comes and goes		P7-00042	SNOMED CT	Timed up and go mobility test (procedure)
Long-term care for medical, functional and/or cognitive impairments		P0-0082B	SNOMED CT	Admission for long-term care (procedure)
Long-term care for medical, functional and/or cognitive impairments		S-81050	SNOMED CT	Long term care hospital (environment)
Very severe; horrible pain (80 on NRS; Face #5 Very severe/Worst possible pain VDS; E DA-7170E			SNOMED CT	Very severe nonproliferative diabetic retinopathy (disorder)
Very severe; horrible pain (80 on NRS; Face #5 Very severe/Worst possible pain VDS; E F-A2603			SNOMED CT	Severe pain (finding)
Very severe; horrible pain (80 on NRS; Face #5 Very severe/Worst possible pain VDS; E F-A2623			SNOMED CT	Horrible present pain (finding)
Full support required or does not do without help		F-03E55	SNOMED CT	Finding of functional performance and activity (finding)
Full support required or does not do without help		F-A0945	SNOMED CT	Does not bend to pick up object without falling (finding)
Yes, scheduled pain medications and other pain therapy modalities		P0-04046	SNOMED CT	Procedure related to management of drug administration (procedure)
Yes, scheduled pain medications and other pain therapy modalities		P0-000EA	SNOMED CT	Pain management (procedure)
Expressed or demonstrated daily or almost daily		R-209E8	SNOMED CT	Symptom frequency (context-dependent category)
Expressed or demonstrated daily or almost daily		R-410D8	SNOMED CT	Six times daily (qualifier value)
Expressed or demonstrated daily or almost daily		G-7030	SNOMED CT	Daily (qualifier value)
Easily altered	[mds3]	F-04B2E	SNOMED CT	Compliance behavior (observable entity)
Easily altered	[mds3]	F-0B55A	SNOMED CT	Alteration in parenting (finding)
Not easily altered, does cause distress to resident, staff or others		F-50212	SNOMED CT	Does not know what food he or she wants (finding)
Not easily altered, does not cause distress to resident, staff, or others		F-40055	SNOMED CT	Does not bruise easily (finding)
Behavior not exhibited in last 7 days		R-40775	SNOMED CT	None (qualifier value)
Behavior not exhibited in last 7 days		R-410DB	SNOMED CT	Frequency per week (qualifier value)
Behavior not exhibited in last 7 days		R-412F4	SNOMED CT	Every seven days (qualifier value)
Behavior not exhibited in last 7 days		R-40777	SNOMED CT	Not detected (qualifier value)
Behavior not exhibited in last 7 days		G-A613	SNOMED CT	Not seen (qualifier value)

Behavior not exhibited in last 7 days		G-A204	SNOMED CT	Absent (qualifier value)
Behavior of this type occurred 1 to 3 days in last 7 days		R-40142	SNOMED CT	Three times weekly (qualifier value)
Behavior of this type occurred 1 to 3 days in last 7 days		R-410E1	SNOMED CT	One to three times a day (qualifier value)
Behavior of this type occurred 1 to 3 days in last 7 days		R-40B27	SNOMED CT	Once a week (qualifier value)
Behavior of this type occurred 1 to 3 days in last 7 days		R-20A0C	SNOMED CT	Symptom pattern (context-dependent category)
Behavior of this type occurred 1 to 3 days in last 7 days		R-209E8	SNOMED CT	Symptom frequency (context-dependent category)
MDS Question Version Unspecified		F-A019E	SNOMED CT	Does ask questions (finding)
Prognosis	[additional items]	F-0309B	SNOMED CT	Prognosis/outlook (observable entity)
Prognosis	[additional items]	F-0309C	SNOMED CT	Prognosis good (finding)
Prognosis	[additional items]	F-009BB	SNOMED CT	Prognosis/outlook finding (finding)
Cognitive Skills for Daily Decision Making (v2)	B4	F-03E75	SNOMED CT	Ability to use decision-making strategies (observable entity)
Cognitive Skills for Daily Decision Making (v2)	B4	PA-62131	SNOMED CT	Decision making encouragement (procedure)
Goals for Remainder of Stay	[additional items]	F-02B42	SNOMED CT	Goal not achieved (finding)
Goals for Remainder of Stay	[additional items]	R-4251D	SNOMED CT	Goal context (qualifier value)
Goals for Remainder of Stay	[additional items]	P9-2200C	SNOMED CT	Mutual goal setting (regime/therapy)
Goals for Remainder of Stay	[additional items]	P0-00167	SNOMED CT	Discharge planning including patient and support person (procedure)
Pain Assessment (report duration/frequency for each I	[additional items]	F-04999	SNOMED CT	Pain level (observable entity)
Pain Assessment (report duration/frequency for each I	[additional items]	G-C097	SNOMED CT	Frequency (attribute)
Pain Assessment (report duration/frequency for each I	[additional items]	P0-000BC	SNOMED CT	Pain assessment (regime/therapy)
Pain Assessment (report duration/frequency for each I	[additional items]	G-7290	SNOMED CT	Duration (attribute)
Behavioral & Psychotic Symptoms	[additional items]	F-04316	SNOMED CT	Mental state, behavior / psychosocial function observable (observable entity)
Behavioral & Psychotic Symptoms	[additional items]	F-9009D	SNOMED CT	Psychotic symptom finding (finding)
Indicators of Possible Depression, Sad Mood	E1	F-92300	SNOMED CT	Depression (finding)
Indicators of Possible Depression, Sad Mood	E1	F-94157	SNOMED CT	Symptoms of depression (finding)
FALLS	[additional items]	A-A1800	SNOMED CT	Fall (finding)
FALLS	[additional items]	P0-009EF	SNOMED CT	Falls assessment (regime/therapy)
FALLS	[additional items]	F-01FC9	SNOMED CT	Number of falls (observable entity)
Resident's goal for remainder of stay Coding: Select or	[additional items]	P0-00167	SNOMED CT	Discharge planning including patient and support person (procedure)
Family's goal for remainder of stay	[additional items]	P0-00167	SNOMED CT	Discharge planning including patient and support person (procedure)
Family's goal for remainder of stay	[additional items]	P2-00011	SNOMED CT	Identifying goals (procedure)
Does the resident show nonverbal signs of pain?	[additional items]	F-1896B	SNOMED CT	Footwear shows signs of locomotor abnormal (finding)
Does the resident show nonverbal signs of pain?	[additional items]	F-A0061	SNOMED CT	Finding relating to non-verbal communication (finding)
Delirium	[additional items]	293	ICD-9-CM	Delirium due to conditions classified elsewhere [293.0]
Delirium	[additional items]	D9-22015	SNOMED CT	Senile dementia with delirium (disorder)
Delirium	[additional items]	290.11	ICD-9-CM	Presenile dementia with delirium [290.11]
Delirium	[additional items]	D9-20100	SNOMED CT	Delirium (disorder)
Behavioral Patterns	[additional items]	F-93330	SNOMED CT	Habit (finding)
Behavioral Patterns	[additional items]	G-C029	SNOMED CT	Pattern (attribute)
Hallucinations/Delusions	[additional items]	F-94420	SNOMED CT	Delusions (finding)
Hallucinations/Delusions	[additional items]	F-95300	SNOMED CT	Hallucinations (finding)

Does the resident show evidence of new onset of agita [additional items]	F-93028	SNOMED CT	Inappropriate behavior (finding) On examination - agitated (context-dependent category)
Does the resident show evidence of new onset of agita [additional items]	R-20A44	SNOMED CT	Adult dyssocial behavior (finding)
Does the resident show evidence of new onset of agita [additional items]	F-93041	SNOMED CT	Acute onset (qualifier value)
Does the resident show evidence of new onset of agita [additional items]	R-424BE	SNOMED CT	Unstable status (qualifier value)
Is there evidence of an acute change in mental status f [additional items]	R-420FD	SNOMED CT	Mental state finding (finding)
Is there evidence of an acute change in mental status f [additional items]	F-90000	SNOMED CT	Abnormal mental state (finding)
Is there evidence of an acute change in mental status f [additional items]	F-90002	SNOMED CT	Baseline state (finding)
Is there evidence of an acute change in mental status f [additional items]	F-01602	SNOMED CT	Changed status (qualifier value)
Is there evidence of an acute change in mental status f [additional items]	R-42058	SNOMED CT	Sensation as if diarrhea will start (finding)
Would you rate this resident as lethargic? [additional items]	F-A214B	SNOMED CT	Evaluation procedure (procedure)
Would you rate this resident as lethargic? [additional items]	P0-009B4	SNOMED CT	Lethargy (finding)
Would you rate this resident as lethargic? [additional items]	R-F86DF	SNOMED CT	Fetus OR newborn affected by malpresentation, malposition AND/OR disproportion during labor AND/OR delivery (disorder)
Did the (abnormal) thinking fluctuate during the day, th: [additional items]	D8-61710	SNOMED CT	Fluctuation (finding)
Did the (abnormal) thinking fluctuate during the day, th: [additional items]	F-01430	SNOMED CT	Delirium (disorder)
Did the (abnormal) thinking fluctuate during the day, th: [additional items]	D9-20100	SNOMED CT	Disturbance in content of thought (finding)
Did the (abnormal) thinking fluctuate during the day, th: [additional items]	F-94410	SNOMED CT	Easily distracted (finding)
Did the patient have difficulty focusing or paying attent [additional items]	F-91305	SNOMED CT	Disturbance of attention (finding)
Did the patient have difficulty focusing or paying attent [additional items]	F-91310	SNOMED CT	Has focus (attribute)
Did the patient have difficulty focusing or paying attent [additional items]	G-C0E7	SNOMED CT	Odour symptom (finding)
Behavioral Symptom [additional items]	F-02B88	SNOMED CT	Behavior finding (finding)
Behavioral Symptom [additional items]	F-93000	SNOMED CT	Physically unfit to return to work (finding)
PHYSICALLY AGGRESSIVE BEHAVIORAL SYMPTO [additional items]	F-019A9	SNOMED CT	Aggressive behavior (finding)
PHYSICALLY AGGRESSIVE BEHAVIORAL SYMPTO [additional items]	F-93032	SNOMED CT	Pushing other person (finding)
PHYSICALLY AGGRESSIVE BEHAVIORAL SYMPTO [additional items]	F-930CB	SNOMED CT	Fighting (finding)
PHYSICALLY AGGRESSIVE BEHAVIORAL SYMPTO [additional items]	F-93188	SNOMED CT	Hitting other person (finding)
PHYSICALLY AGGRESSIVE BEHAVIORAL SYMPTO [additional items]	F-930C6	SNOMED CT	Scratching other person (finding)
PHYSICALLY AGGRESSIVE BEHAVIORAL SYMPTO [additional items]	F-930D0	SNOMED CT	Grabbing hold of other person (finding)
PHYSICALLY AGGRESSIVE BEHAVIORAL SYMPTO [additional items]	F-930CA	SNOMED CT	Sexually abusive behavior (finding)
PHYSICALLY AGGRESSIVE BEHAVIORAL SYMPTO [additional items]	F-9303B	SNOMED CT	Violent acts towards others (finding)
PHYSICALLY AGGRESSIVE BEHAVIORAL SYMPTO [additional items]	F-93233	SNOMED CT	Physical aggression (finding)
PHYSICALLY AGGRESSIVE BEHAVIORAL SYMPTO [additional items]	F-93187	SNOMED CT	Chronic aggressive viral hepatitis (disorder)
VERBALLY AGGRESSIVE BEHAVIORAL SYMPTOM: [additional items]	DE-38260	SNOMED CT	Verbal aggression (finding)
VERBALLY AGGRESSIVE BEHAVIORAL SYMPTOM: [additional items]	F-93186	SNOMED CT	Screaming attack (finding)
VERBALLY AGGRESSIVE BEHAVIORAL SYMPTOM: [additional items]	F-F7839	SNOMED CT	Verbally abusive behavior (finding)
VERBALLY AGGRESSIVE BEHAVIORAL SYMPTOM: [additional items]	F-9303C	SNOMED CT	Verbally threatening behavior (finding)
VERBALLY AGGRESSIVE BEHAVIORAL SYMPTOM: [additional items]	F-930AD	SNOMED CT	Odour symptom (finding)
NON-AGGRESSIVE BEHAVIORAL SYMPTOMS [additional items]	F-02B88	SNOMED CT	Problem behavior (finding)
NON-AGGRESSIVE BEHAVIORAL SYMPTOMS [additional items]	F-93002	SNOMED CT	Finding relating to complex and social behaviors (finding)
NON-AGGRESSIVE BEHAVIORAL SYMPTOMS [additional items]	F-93078	SNOMED CT	Hallucinations (finding)
Hallucinations (abnormal experiences of sounds, visior [additional items]	F-95300	SNOMED CT	Delusions (finding)
Delusions J1e	F-94420	SNOMED CT	Depression (finding)
SADNESS [additional items]	F-92300	SNOMED CT	Bladder irritability (finding)
IRRITABILITY [additional items]	F-7216F	SNOMED CT	Feeling irritable (finding)
IRRITABILITY [additional items]	F-92230	SNOMED CT	At risk for hopelessness (finding)
HOPELESSNESS [additional items]	F-04BA6	SNOMED CT	

HOPELESSNESS	[additional items]	F-0B341	SNOMED CT	Feeling hopeless (finding)
WORTHLESSNESS	[additional items]	F-0B366	SNOMED CT	Self-depreciation (finding)
WORTHLESSNESS	[additional items]	F-0B30A	SNOMED CT	Poor self-image (finding)
WORTHLESSNESS	[additional items]	F-0B365	SNOMED CT	Poor self-esteem (finding)
WORTHLESSNESS	[additional items]	F-0B366	SNOMED CT	Self-depreciation (finding)
WORTHLESSNESS	[additional items]	F-0B30A	SNOMED CT	Poor self-image (finding)
WORTHLESSNESS	[additional items]	F-0B365	SNOMED CT	Poor self-esteem (finding)
ANHEDONIA	[additional items]	F-92530	SNOMED CT	Anhedonia (finding)
ANHEDONIA	[additional items]	F-9B741	SNOMED CT	Does not enjoy having sex (finding)
INSOMNIA or change in usual sleep pattern	[additional items]	D9-74100	SNOMED CT	Dyssomnia (disorder)
INSOMNIA or change in usual sleep pattern	[additional items]	D9-74130	SNOMED CT	Sleep-wake schedule disorder (disorder)
INSOMNIA or change in usual sleep pattern	[additional items]	F-04A74	SNOMED CT	Sleep behavior (observable entity)
INSOMNIA or change in usual sleep pattern	[additional items]	F-0B00B	SNOMED CT	Sleep pattern finding (finding)
INSOMNIA or change in usual sleep pattern	[additional items]	F-0B005	SNOMED CT	Poor sleep pattern (finding)
INSOMNIA or change in usual sleep pattern	[additional items]	R-F2737	SNOMED CT	Insomnia (disorder)
HELPLESSNESS	[additional items]	F-0B350	SNOMED CT	Feeling powerless (finding)
Pervasive ANXIETY OR PANIC	[additional items]	F-0B326	SNOMED CT	Severe anxiety (panic) (finding)
Pervasive ANXIETY OR PANIC	[additional items]	F-92560	SNOMED CT	Panic (finding)
Pervasive ANXIETY OR PANIC	[additional items]	F-94111	SNOMED CT	Chronic anxiety (finding)
Unsteady gait	[additional items]	F-18050	SNOMED CT	Unsteady when walking (finding)
Unsteady gait	[additional items]	F-180A6	SNOMED CT	Unsteady gait (finding)
Number & Classification of Falls	[additional items]	G-C342	SNOMED CT	Number (attribute)
Number & Classification of Falls	[additional items]	P0-009EF	SNOMED CT	Falls assessment (regime/therapy)
BALANCE	[additional items]	F-0362D	SNOMED CT	Ability to balance (observable entity)
BALANCE	[additional items]	F-A0079	SNOMED CT	Finding related to ability to balance (finding)
BALANCE	[additional items]	F-0362D	SNOMED CT	Ability to balance (observable entity)
Dizziness/vertigo/light-headed or Fainting	[additional items]	F-06006	SNOMED CT	Dizziness and giddiness (finding)
Dizziness/vertigo/light-headed or Fainting	[additional items]	F-06016	SNOMED CT	Vertigo (finding)
Dizziness/vertigo/light-headed or Fainting	[additional items]	F-A5579	SNOMED CT	Lightheadedness (finding)
Dizziness/vertigo/light-headed or Fainting	[additional items]	F-06017	SNOMED CT	Dizziness (finding)
Dizziness/vertigo/light-headed or Fainting	[additional items]	D3-00006	SNOMED CT	Syncope (disorder)
Unsteady gait subitems	[additional items]	F-18050	SNOMED CT	Unsteady when walking (finding)
Unsteady gait subitems	[additional items]	F-180A6	SNOMED CT	Unsteady gait (finding)
Balance while standing	G3a	F-100E0	SNOMED CT	Finding of standing balance (finding)
Balance while standing	G3a	F-042F8	SNOMED CT	Feature of standing balance (observable entity)
Balance while standing	G3a	F-100E0	SNOMED CT	Finding of standing balance (finding)
Balance while standing	G3a	F-042F8	SNOMED CT	Feature of standing balance (observable entity)
Balance with transition sit to stand	[additional items]	F-012F5	SNOMED CT	Finding related to ability to stand from sitting (finding)
Balance with transition sit to stand	[additional items]	F-93465	SNOMED CT	Alternately sitting and standing (finding)
Balance while sitting	G3b	F-10088	SNOMED CT	Finding of sitting balance (finding)
Balance while sitting	G3b	F-0362E	SNOMED CT	Ability to balance when sitting (observable entity)
Balance while walking (including change in direction)	[additional items]	F-100E1	SNOMED CT	Finding of turning balance when walking (finding)
Balance while walking (including change in direction)	[additional items]	F-A58FF	SNOMED CT	Blank, staring face whilst sleep walking (finding)
Number and Type of Falls	[additional items]	F-042D2	SNOMED CT	Frequency of falls (observable entity)
Number and Type of Falls	[additional items]	G-C342	SNOMED CT	Number (attribute)
Minor or moderate injury e.g. skin tears, abrasions or lacerations	[additional items]	DD-00086	SNOMED CT	Superficial bruising (disorder)
Minor or moderate injury e.g. skin tears, abrasions or lacerations	[additional items]	F-01FC4	SNOMED CT	Finding related to falls (finding)

Minor or moderate injury e.g. skin tears, abrasions or lacerations [additional items]		M-10055	SNOMED CT	Minor injury (morphologic abnormality)
Minor or moderate injury e.g. skin tears, abrasions or lacerations [additional items]		F-03E8B	SNOMED CT	Falling injury (finding)
Number of Falls [additional items]		F-01FC9	SNOMED CT	Number of falls (observable entity)
Number of Falls [additional items]		G-C342	SNOMED CT	Number (attribute)
				Closed fracture of base of skull with intracranial injury, with less than 1 hour loss of consciousness (disorder)
Major injury e.g. bone fractures, joint dislocations, closed fractures [additional items]		DD-10197	SNOMED CT	Major injury (morphologic abnormality)
Major injury e.g. bone fractures, joint dislocations, closed fractures [additional items]		M-10070	SNOMED CT	No evidence of (contextual qualifier) (qualifier value)
No Injury-No evidence of any injury is noted during physical examination [additional items]		G-0009	SNOMED CT	Injury (disorder)
No Injury-No evidence of any injury is noted during physical examination [additional items]		DD-00001	SNOMED CT	Clinical history and observation findings (finding)
SECTION J. HEALTH CONDITIONS		F-00E39	SNOMED CT	Immediately dangerous to life and health condition (event)
SECTION J. HEALTH CONDITIONS		R-10249	SNOMED CT	Respiratory finding (finding)
RESPIRATORY CONDITIONS [additional items]		F-200F1	SNOMED CT	Condition course (attribute)
RESPIRATORY CONDITIONS [additional items]		G-C516	SNOMED CT	Fluid balance observable (observable entity)
FLUID STATUS [mds3]		F-045D1	SNOMED CT	Fluid overload status (observable entity)
FLUID STATUS [mds3]		F-04AD6	SNOMED CT	Disorder of respiratory system (disorder)
CARDIAC/PULMONARY (v3) [mds3]		D2-00000	SNOMED CT	Acute cardiac pulmonary edema (disorder)
CARDIAC/PULMONARY (v3) [mds3]		D2-6110B	SNOMED CT	Disorder of cardiovascular system (disorder)
CARDIAC/PULMONARY (v3) [mds3]		D3-00000	SNOMED CT	Pain assessment (regime/therapy)
Pain Assessment [mds3]		P0-000BC	SNOMED CT	Pain management (procedure)
PAIN MANAGEMENT		P0-000EA	SNOMED CT	Pain management (specialty) (qualifier value)
PAIN MANAGEMENT		R-40912	SNOMED CT	Other (qualifier value)
OTHER [mds3]		G-A609	SNOMED CT	Unable to breath (finding)
Inability to lie flat due to shortness of breath J1b		F-2017C	SNOMED CT	Dyspnea (finding)
Inability to lie flat due to shortness of breath J1b		F-201B3	SNOMED CT	Due to (attribute)
Inability to lie flat due to shortness of breath J1b		G-C001	SNOMED CT	Unable to lie down (finding)
Inability to lie flat due to shortness of breath J1b		F-A093B	SNOMED CT	Pain intensity (observable entity)
Pain Assessment (separate intensity and duration item) [mds3]		F-04AFA	SNOMED CT	Finding of present pain intensity (finding)
Pain Assessment (separate intensity and duration item) [mds3]		F-0043C	SNOMED CT	Feature of present pain intensity (observable entity)
Pain Assessment (separate intensity and duration item) [mds3]		F-047DE	SNOMED CT	Recurrent (qualifier value)
Recurrent lung aspirations in last 90 days [additional items]		G-A39A	SNOMED CT	
Recurrent lung aspirations in last 90 days [additional items]		R-209E4	SNOMED CT	Symptom lasts days (context-dependent category)
Recurrent lung aspirations in last 90 days [additional items]		F-29200	SNOMED CT	Pulmonary aspiration (finding)
Recurrent lung aspirations in last 90 days [additional items]		F-201E4	SNOMED CT	Aspiration into respiratory tract (finding)
Shortness of breath with exertion (e.g. taking a bath) [mds3]		F-20050	SNOMED CT	Dyspnea on exertion (finding)
Shortness of breath at rest [mds3]		F-20173	SNOMED CT	Dyspnea at rest (finding)
Difficulty coughing and clearing airway [mds3]		F-0A910	SNOMED CT	Ineffective airway clearance (finding)
Difficulty coughing and clearing airway [mds3]		F-201A1	SNOMED CT	No obstruction of airway (context-dependent category)
Difficulty coughing and clearing airway [mds3]		F-20195	SNOMED CT	Difficulty expectorating (finding)
Vomiting J1o		536.2	ICD-9-CM	Persistent vomiting [536.2]
Vomiting J1o		F-50251	SNOMED CT	Finding of vomiting (finding)
Vomiting J1o		F-52780	SNOMED CT	Bilious vomiting (disorder)
Vomiting J1o		F-5277B	SNOMED CT	Persistent vomiting (disorder)
Vomiting J1o		F-52782	SNOMED CT	Persistent vomiting NOS (disorder)

Vomiting	J1o	F-52880	SNOMED CT	Regurgitation (finding)
Vomiting (w/ weight loss and fever?)	[mds3]	F-036D0	SNOMED CT	Weight decreasing (finding)
Vomiting (w/ weight loss and fever?)	[mds3]	F-52770	SNOMED CT	Vomiting (disorder)
Vomiting (w/ weight loss and fever?)	[mds3]	F-0A44A	SNOMED CT	Fever (finding)
Vomiting (w/ weight loss and fever?)	[mds3]	F-0495F	SNOMED CT	Weight loss from baseline weight (observable entity)
Dehydration	[mds3]	D6-20650	SNOMED CT	Dehydration (disorder)
Insufficient fluid:Insufficient fluid; did NOT consume all/ J1d		C-F0A3C	SNOMED CT	Provide liquid (product)
Insufficient fluid:Insufficient fluid; did NOT consume all/ J1d		F-0298D	SNOMED CT	Not taking fluids (finding)
Insufficient fluid:Insufficient fluid; did NOT consume all/ J1d		F-50137	SNOMED CT	Finding of insufficient fluid intake (finding)
Insufficient fluid:Insufficient fluid; did NOT consume all/ J1d		F-0298C	SNOMED CT	Reduced fluid intake (finding)
Chest pain/pressure on exertion	[mds3]	F-37050	SNOMED CT	Chest pain on exertion (finding)
Chest pain/pressure on exertion	[mds3]	F-37160	SNOMED CT	Tight chest (finding)
Chest pain/pressure on exertion	[mds3]	F-37050	SNOMED CT	Chest pain on exertion (finding)
Edema	J1g	F-04247	SNOMED CT	Edema (finding)
Chest pain/pressure at rest	[mds3]	F-37040	SNOMED CT	Chest pain at rest (finding)
Pain Presence	[additional items]	F-840B8	SNOMED CT	Period pain present (finding)
Pain Presence	[additional items]	F-A2600	SNOMED CT	Pain (finding)
Does the resident report pain?	[additional items]	R-2128D	SNOMED CT	[V]Institution resident (context-dependent category)
Does pain interfere with resident's normal activities?	[additional items]	F-01364	SNOMED CT	Finding related to ability to perform activities of everyday life (finding)
Time Period for Pain Assessment and Pain Management	[additional items]	F-0078B	SNOMED CT	Seen by pain management nurse (finding)
Time Period for Pain Assessment and Pain Management	[additional items]	R-407E4	SNOMED CT	Time periods (qualifier value)
Time Period for Pain Assessment and Pain Management	[additional items]	P0-000EA	SNOMED CT	Pain management (procedure)
Time Period for Pain Assessment and Pain Management	[additional items]	P0-000BC	SNOMED CT	Pain assessment (regime/therapy)
Time Period for Pain Assessment and Pain Management	[additional items]	P0-04139	SNOMED CT	Pain control management (procedure)
Is resident on pain management regimen?	[additional items]	P0-00A54	SNOMED CT	Medical regimen orders assessment (regime/therapy)
Is resident on pain management regimen?	[additional items]	R-421E5	SNOMED CT	Pain management service (qualifier value)
Fever	J1h	F-0A44A	SNOMED CT	Fever (finding)
Internal bleeding	J1j	D3-87222	SNOMED CT	Bleeding internal hemorrhoids (disorder)
Internal bleeding	J1j	D5-00100	SNOMED CT	Gastrointestinal hemorrhage (disorder)
Internal bleeding	J1j	F-D0740	SNOMED CT	Bleeding (finding)
Fractures (from any source)	[mds3]	DD-10001	SNOMED CT	Fracture of bone (disorder)
Fractures (from any source)	[mds3]	R-10034	SNOMED CT	Patient death or serious disability associated with a burn incurred from any source while being cared for in a healthcare facility (event)
SECTION .AB, AC, AD - Background (Face Sheet) Info	[hierarchy]	R-400FC	SNOMED CT	Administrative information (administrative concept)
SECTION T.THERAPY SUPPLEMENT FOR MEDICAID		C-D2651	SNOMED CT	DURAMUNE DA2PP+CvK/LCI (product)
SECTION T.THERAPY SUPPLEMENT FOR MEDICAID		P0-0411B	SNOMED CT	Professional / ancillary services management (procedure)
SECTION AC. CUSTOMARY ROUTINE	AC	C-D4069	SNOMED CT	MEq-AC TABLETS (product)
SECTION AC. CUSTOMARY ROUTINE	AC	F-01975	SNOMED CT	Regular daily routine (finding)
Customary Routine	AC1	F-029F0	SNOMED CT	Eating routine (observable entity)
AC1k Use of alcoholic beverage(s) at least weekly	AC1k	F-50065	SNOMED CT	Finding of pattern of alcohol consumption through week (finding)
AC1k Use of alcoholic beverage(s) at least weekly	AC1k	R-42AF9	SNOMED CT	alcohol units/week (qualifier value)

AC1k Use of alcoholic beverage(s) at least weekly	AC1k	F-02787	SNOMED CT	Pattern of alcohol consumption through week (observable entity)
SECTION AA. IDENTIFICATION INFORMATION	AA	F-008C9	SNOMED CT	Demographic history detail (observable entity)
SECTION AA. IDENTIFICATION INFORMATION	AA	P0-00137	SNOMED CT	Patient identification (procedure)
SECTION AA. IDENTIFICATION INFORMATION	AA	P1-86310	SNOMED CT	Cesarean section (procedure)
SOCIAL SECURITY* AND MEDICARE NUMBERS	AA5	F-00FEC	SNOMED CT	Social security number (observable entity)
SOCIAL SECURITY* AND MEDICARE NUMBERS	AA5	R-400FC	SNOMED CT	Administrative information (administrative concept)
MEDICAID NO.	AA7	R-00339	SNOMED CT	No (qualifier value)
MEDICAID NO.	AA7	R-400FC	SNOMED CT	Administrative information (administrative concept)
MEDICAID NO.	AA7	F-0052E	SNOMED CT	Identification number (observable entity)
MEDICAID NO.	AA7	C284	HL7V3	Number (10284)
FACILITY PROVIDER NO.	AA6	C284	HL7V3	Number (10284)
FACILITY PROVIDER NO.	AA6	R-42B99	SNOMED CT	Provider comment report (qualifier value)
FACILITY PROVIDER NO.	AA6	F-0052E	SNOMED CT	Identification number (observable entity)
FACILITY PROVIDER NO.	AA6	R-400FC	SNOMED CT	Administrative information (administrative concept)
REASONS FOR ASSESSMENT	AA8	G-03C3	SNOMED CT	Reason for (attribute)
REASONS FOR ASSESSMENT	AA8	P0-009B4	SNOMED CT	Evaluation procedure (procedure)
REASONS FOR ASSESSMENT	AA8	G-03C3	SNOMED CT	Reason for (attribute)
Social Security Number	AA5a	C284	HL7V3	Number (10284)
Social Security Number	AA5a	F-00FEC	SNOMED CT	Social security number (observable entity)
Medicare number (or comparable railroad insurance n	AA5b	G-C342	SNOMED CT	Number (attribute)
Medicare number (or comparable railroad insurance n	AA5b	R-400FC	SNOMED CT	Administrative information (administrative concept)
Medicare number (or comparable railroad insurance n	AA5b	F-0052E	SNOMED CT	Identification number (observable entity)
Medicare number (or comparable railroad insurance n	AA5b	C284	HL7V3	Number (10284)
Federal No.	AA6b	F-0052E	SNOMED CT	Identification number (observable entity)
Federal No.	AA6b	R-00339	SNOMED CT	No (qualifier value)
Federal No.	AA6b	C284	HL7V3	Number (10284)
Federal No.	AA6b	R-400FC	SNOMED CT	Administrative information (administrative concept)
State No.	AA6a	R-305C7	SNOMED CT	State (environment)
State No.	AA6a	R-400FC	SNOMED CT	Administrative information (administrative concept)
State No.	AA6a	C789	HL7V3	state or province (10789)
State No.	AA6a	F-0052E	SNOMED CT	Identification number (observable entity)
State No.	AA6a	C284	HL7V3	Number (10284)
Codes for assessments required for Medicare PPS or t	AA8b	R-400FC	SNOMED CT	Administrative information (administrative concept)
Codes for assessments required for Medicare PPS or t	AA8b	R-400FD	SNOMED CT	Coding schema (administrative concept)
Codes for assessments required for Medicare PPS or t	AA8b	R-42811	SNOMED CT	Patient record types (administrative concept)
Primary reason for assessment	AA8a	G-03C3	SNOMED CT	Reason for (attribute)
SECTION A. IDENTIFICATION AND BACKGROUND	IA	F-014F0	SNOMED CT	Demographic history finding (finding)
SECTION E. MOOD AND BEHAVIOR PATTERNS	E	F-92244	SNOMED CT	Indifference (finding)
SECTION E. MOOD AND BEHAVIOR PATTERNS	E	F-940F8	SNOMED CT	Mood finding (finding)
SECTION E. MOOD AND BEHAVIOR PATTERNS	E	F-93330	SNOMED CT	Habit (finding)
SECTION O. MEDICATIONS	O	P1-86310	SNOMED CT	Cesarean section (procedure)

SECTION O. MEDICATIONS	O	P2-45110	SNOMED CT	Administration of prescribed medications and solutions (procedure)
SECTION O. MEDICATIONS	O	R-003EB	SNOMED CT	Pharmaceutical / biologic product (product)
SECTION L. ORAL/DENTAL STATUS	L	F-51001	SNOMED CT	Oral cavity finding (finding)
SECTION L. ORAL/DENTAL STATUS	L	R-41DC6	SNOMED CT	Lymphatic tumor invasion status stages (tumor staging)
SECTION B. COGNITIVE PATTERNS	B	F-0B1F9	SNOMED CT	Finding of cognitive perceptual pattern (finding)
SECTION B. COGNITIVE PATTERNS	B	P8-70800	SNOMED CT	Case patterns section (procedure)
SECTION M. SKIN CONDITION	M	F-40058	SNOMED CT	Poor skin condition (finding)
SECTION M. SKIN CONDITION	M	F-400F1	SNOMED CT	Integumentary system finding (finding)
SECTION G. PHYSICAL FUNCTIONING AND STRUCG		F-046D6	SNOMED CT	Regional structure observable (observable entity)
SECTION G. PHYSICAL FUNCTIONING AND STRUCG		F-E0500	SNOMED CT	Non structural gene (substance)
SECTION J. HEALTH CONDITIONS	[hierarchy]	F-00E39	SNOMED CT	Clinical history and observation findings (finding)
SECTION J. HEALTH CONDITIONS	[hierarchy]	R-10249	SNOMED CT	Immediately dangerous to life and health condition (event)
SECTION K. ORAL/NUTRITIONAL STATUS	K	F-041C6	SNOMED CT	Nutritional finding (finding)
SECTION K. ORAL/NUTRITIONAL STATUS	K	F-60513	SNOMED CT	Nutritional status: food and fluid intake (observable entity)
SECTION K. ORAL/NUTRITIONAL STATUS	K	F-60510	SNOMED CT	Nutritional status (observable entity)
SECTION N. ACTIVITY PURSUIT PATTERNS	N	F-0A8F9	SNOMED CT	Finding of activity exercise pattern (finding)
SECTION D. VISION PATTERNS	D	F-A20FC	SNOMED CT	Finding of vision of eye (finding)
SECTION D. VISION PATTERNS	D	P8-70800	SNOMED CT	Case patterns section (procedure)
SECTION H. CONTINENCE IN LAST 14 DAYS	[hierarchy]	F-0A6F9	SNOMED CT	Finding of elimination pattern (finding)
SECTION H. CONTINENCE IN LAST 14 DAYS	[hierarchy]	G-0111	SNOMED CT	History of - Heart failure in last year (context-dependent category)
SECTION H. CONTINENCE IN LAST 14 DAYS	[hierarchy]	P0-003ED	SNOMED CT	Bladder continence assessment (regime/therapy)
SECTION C. COMMUNICATION/HEARING PATTERN C		F-F5003	SNOMED CT	Hearing finding (finding)
SECTION C. COMMUNICATION/HEARING PATTERN C		P8-70800	SNOMED CT	Case patterns section (procedure)
SECTION C. COMMUNICATION/HEARING PATTERN C		F-01366	SNOMED CT	Finding related to ability to communicate (finding)
SECTION C. COMMUNICATION/HEARING PATTERN C		F-048D9	SNOMED CT	Ability to comprehend (observable entity)
CURRENT PAYMENT SOURCES FOR N.H. STAY	A7	F-0002D	SNOMED CT	Patient encounter status (finding)
CURRENT PAYMENT SOURCES FOR N.H. STAY	A7	F-02186	SNOMED CT	[X]Exposure to other specified electric current (finding)
CURRENT PAYMENT SOURCES FOR N.H. STAY	A7	F-00FC1	SNOMED CT	Primary insurer (observable entity)
Medicaid per diem	A7a	C5530	HL7V3	Payor Contact (15530)
Medicaid per diem	A7a	F-00FC1	SNOMED CT	Primary insurer (observable entity)
Medicaid per diem	A7a	T-D0155	SNOMED CT	PER (body structure)
Medicare per diem	A7b	C5530	HL7V3	Payor Contact (15530)
Medicare per diem	A7b	F-00FC1	SNOMED CT	Primary insurer (observable entity)
Medicare ancillary part B	A7d	C5530	HL7V3	Payor Contact (15530)
Medicare ancillary part B	A7d	F-00FC1	SNOMED CT	Primary insurer (observable entity)
Medicare ancillary part B	A7d	F-BB59D	SNOMED CT	Vitamin B>12b< (substance)
Medicaid resident liability or Medicare co-payment	A7h	A-A1F61	SNOMED CT	Fall on or from stairs or steps (finding)
Medicaid resident liability or Medicare co-payment	A7h	C5530	HL7V3	Payor Contact (15530)
Medicaid resident liability or Medicare co-payment	A7h	F-00FC1	SNOMED CT	Primary insurer (observable entity)
Other per diem	A7j	C5530	HL7V3	Payor Contact (15530)

Other per diem	A7j	F-00FC1	SNOMED CT	Primary insurer (observable entity)
Other per diem	A7j	T-D0155	SNOMED CT	PER (body structure)
Medicare ancillary part A	A7c	C5530	HL7V3	Payor Contact (15530)
Medicare ancillary part A	A7c	F-00FC1	SNOMED CT	Primary insurer (observable entity)
Medicare ancillary part A	A7c	F-D5100	SNOMED CT	Hemoglobin A,a (substance)
VA per diem	A7f	C5530	HL7V3	Payor Contact (15530)
VA per diem	A7f	F-00FC1	SNOMED CT	Primary insurer (observable entity)
VA per diem	A7f	T-D0155	SNOMED CT	PER (body structure)
Private insurance per diem (including co-payment)	A7i	C5530	HL7V3	Payor Contact (15530)
Private insurance per diem (including co-payment)	A7i	F-00FC1	SNOMED CT	Primary insurer (observable entity)
Private insurance per diem (including co-payment)	A7i	F-02048	SNOMED CT	Patient has private medical insurance (finding)
Private insurance per diem (including co-payment)	A7i	P0-0056A	SNOMED CT	Insurance authorization (procedure)
Private insurance per diem (including co-payment)	A7i	F-00143	SNOMED CT	Private health insurance held (finding)
Self or family pays for full per diem	A7g	C5530	HL7V3	Payor Contact (15530)
Self or family pays for full per diem	A7g	F-003EA	SNOMED CT	Suicide or self injury by exposure to cold (finding)
Self or family pays for full per diem	A7g	F-00FC1	SNOMED CT	Primary insurer (observable entity)
CHAMPUS per diem	A7e	C5530	HL7V3	Payor Contact (15530)
CHAMPUS per diem	A7e	F-00FC1	SNOMED CT	Primary insurer (observable entity)
CHAMPUS per diem	A7e	T-D0155	SNOMED CT	PER (body structure)
INDICATORS OF DEPRESSION, ANXIETY, SAD MOI E1		F-94157	SNOMED CT	Symptoms of depression (finding)
INDICATORS OF DEPRESSION, ANXIETY, SAD MOI E1		P0-00B1F	SNOMED CT	Signs/symptoms-mental/emotional surveillance (regime/therapy)
BEHAVIORAL SYMPTOMS	E4	F-01C19	SNOMED CT	Color symptom NOS (finding)
BEHAVIORAL SYMPTOMS	E4	F-93000	SNOMED CT	Behavior finding (finding)
DISTRESS MAY ALSO BE EXPRESSED NON-VERB/ [hierarchy]		F-06400	SNOMED CT	Distress (finding)
DISTRESS MAY ALSO BE EXPRESSED NON-VERB/ [hierarchy]		P0-00B1F	SNOMED CT	Signs/symptoms-mental/emotional surveillance (regime/therapy)
DISTRESS MAY ALSO BE EXPRESSED NON-VERB/ [hierarchy]		F-920F8	SNOMED CT	Emotional state finding (finding)
VERBAL EXPRESSIONS OF DISTRESS [hierarchy]		F-06400	SNOMED CT	Distress (finding)
VERBAL EXPRESSIONS OF DISTRESS [hierarchy]		F-06401	SNOMED CT	Post-accident distress (finding)
LOSS OF INTEREST [hierarchy]		F-9013A	SNOMED CT	Loss of interest (finding)
SLEEP-CYCLE ISSUES [hierarchy]		F-0299F	SNOMED CT	Cognitive safety issue (finding)
SLEEP-CYCLE ISSUES [hierarchy]		F-0B000	SNOMED CT	Sleep pattern disturbance (finding)
SLEEP-CYCLE ISSUES [hierarchy]		F-0B0F9	SNOMED CT	Finding of sleep rest pattern (finding)
SLEEP-CYCLE ISSUES [hierarchy]		S-31113	SNOMED CT	Sleeping out (finding)
SAD, APATHETIC, ANXIOUS APPEARANCE [hierarchy]		F-0B335	SNOMED CT	Anxiety about appearing ridiculous (finding)
SAD, APATHETIC, ANXIOUS APPEARANCE [hierarchy]		F-90164	SNOMED CT	Personal appearance, function (observable entity)
SAD, APATHETIC, ANXIOUS APPEARANCE [hierarchy]		F-92244	SNOMED CT	Indifference (finding)
SAD, APATHETIC, ANXIOUS APPEARANCE [hierarchy]		F-04B14	SNOMED CT	Level of anxiety (observable entity)
Reduced social interaction	E1p	F-00769	SNOMED CT	Interaction with others (observable entity)
Reduced social interaction	E1p	F-04B2B	SNOMED CT	Social involvement behavior (observable entity)
Reduced social interaction	E1p	F-9013A	SNOMED CT	Loss of interest (finding)
Reduced social interaction	E1p	F-0B533	SNOMED CT	Social interaction alteration (finding)
Reduced social interaction	E1p	S-00032	SNOMED CT	Social withdrawal (finding)
Reduced social interaction	E1p	S-30020	SNOMED CT	Disturbance in life pattern associated with family (finding)
Reduced social interaction	E1p	F-9013B	SNOMED CT	Withdrawn (finding)

Reduced social interaction	E1p	F-9315F	SNOMED CT	Withdrawn behavior (finding)
Reduced social interaction	E1p	S-30040	SNOMED CT	Disturbance in life pattern associated with recreation (finding)
Reduced social interaction	E1p	F-9008D	SNOMED CT	Finding of interaction with others (finding)
Reduced social interaction	E1p	S-00001	SNOMED CT	Social context finding (finding)
Reduced social interaction	E1p	F-00769	SNOMED CT	Interaction with others (observable entity)
Reduced social interaction	E1p	F-9013A	SNOMED CT	Loss of interest (finding)
Reduced social interaction	E1p	F-0B531	SNOMED CT	Social interaction finding (finding)
Reduced social interaction	E1p	F-9008E	SNOMED CT	Finding related to ability to interact with others (finding)
Withdrawal from activities of interest-e.g., no interest in	E1o	F-5006B	SNOMED CT	No interest in food (finding)
Withdrawal from activities of interest-e.g., no interest in	E1o	F-9013A	SNOMED CT	Loss of interest (finding)
Withdrawal from activities of interest-e.g., no interest in	E1o	F-9315F	SNOMED CT	Withdrawn behavior (finding)
Withdrawal from activities of interest-e.g., no interest in	E1o	F-9013B	SNOMED CT	Withdrawn (finding)
Withdrawal from activities of interest-e.g., no interest in	E1o	S-00032	SNOMED CT	Social withdrawal (finding)
Unpleasant mood in morning	E1j	G-7014	SNOMED CT	Morning (qualifier value)
Unpleasant mood in morning	E1j	F-92220	SNOMED CT	Dysphoric mood (finding)
Unpleasant mood in morning	E1j	F-94124	SNOMED CT	Depression worse in morning (finding)
Unpleasant mood in morning	E1j	F-92213	SNOMED CT	Becomes angry very easily (finding)
Unpleasant mood in morning	E1j	F-92240	SNOMED CT	Feeling angry (finding)
Unpleasant mood in morning	E1j	F-92230	SNOMED CT	Feeling irritable (finding)
Insomnia/change in usual sleep pattern	E1k	D9-74100	SNOMED CT	Dyssomnia (disorder)
Insomnia/change in usual sleep pattern	E1k	F-04A74	SNOMED CT	Sleep behavior (observable entity)
Insomnia/change in usual sleep pattern	E1k	F-0B005	SNOMED CT	Poor sleep pattern (finding)
Insomnia/change in usual sleep pattern	E1k	F-0B00B	SNOMED CT	Sleep pattern finding (finding)
Insomnia/change in usual sleep pattern	E1k	R-4250A	SNOMED CT	Change patterns (qualifier value)
Insomnia/change in usual sleep pattern	E1k	R-F2737	SNOMED CT	Insomnia (disorder)
Insomnia/change in usual sleep pattern	E1k	F-0B000	SNOMED CT	Sleep pattern disturbance (finding)
Repetitive physical movements-e.g., pacing, hand wrin	E1n	F-933FA	SNOMED CT	Repetitive routines (finding)
Repetitive physical movements-e.g., pacing, hand wrin	E1n	F-9340F	SNOMED CT	Restlessness (finding)
Repetitive physical movements-e.g., pacing, hand wrin	E1n	F-93442	SNOMED CT	Palikinesia (finding)
Repetitive physical movements-e.g., pacing, hand wrin	E1n	F-93462	SNOMED CT	Repetitive hand wringing (finding)
Repetitive physical movements-e.g., pacing, hand wrin	E1n	P0-02216	SNOMED CT	Pacing - action (qualifier value)
Repetitive physical movements-e.g., pacing, hand wrin	E1n	F-90004	SNOMED CT	Restlessness and agitation (finding)
Repetitive physical movements-e.g., pacing, hand wrin	E1n	F-93463	SNOMED CT	Pacing up and down (finding)
Repetitive physical movements-e.g., pacing, hand wrin	E1n	F-933F9	SNOMED CT	Motor function behavior finding (finding)
Repetitive physical movements-e.g., pacing, hand wrin	E1n	F-92543	SNOMED CT	Fidgeting (finding)
Repetitive physical movements-e.g., pacing, hand wrin	E1n	F-93462	SNOMED CT	Repetitive hand wringing (finding)
Sad, pained, worried facial expressions-e.g., furrowed	E1l	DA-4102F	SNOMED CT	Pain in face (finding)
Sad, pained, worried facial expressions-e.g., furrowed	E1l	F-A0069	SNOMED CT	Finding of facial expression (finding)
Sad, pained, worried facial expressions-e.g., furrowed	E1l	P9-00024	SNOMED CT	Evaluation of facial expression (procedure)
Sad, pained, worried facial expressions-e.g., furrowed	E1l	F-92236	SNOMED CT	Worried (finding)
Sad, pained, worried facial expressions-e.g., furrowed	E1l	F-90164	SNOMED CT	Personal appearance, function (observable entity)
Crying, tearfulness	E1m	F-9315B	SNOMED CT	Cries easily (finding)
Crying, tearfulness	E1m	F-931D2	SNOMED CT	Crying (finding)
Crying, tearfulness	E1m	R-20779	SNOMED CT	C/O tearfulness (context-dependent category)
Crying, tearfulness	E1m	F-9305B	SNOMED CT	Crying associated with mood (finding)
Repetitive anxious complaints/concerns (non-health re	E1i	F-0B320	SNOMED CT	Anxiety (finding)

Repetitive anxious complaints/concerns (non-health re E1i		F-94112	SNOMED CT	Recurrent anxiety (finding)
Repetitive anxious complaints/concerns (non-health re E1i		F-94111	SNOMED CT	Chronic anxiety (finding)
Repetitive questions E1b		F-94830	SNOMED CT	Verbal repetition (finding)
Repetitive questions E1b		P0-009DA	SNOMED CT	Direct questioning (procedure)
Repetitive questions E1b		F-94832	SNOMED CT	Repetition of phrases (finding)
Repetitive questions E1b		F-933FA	SNOMED CT	Repetitive routines (finding)
Recurrent statements that something terrible is about t E1g		F-0B300	SNOMED CT	Fear (finding)
Recurrent statements that something terrible is about t E1g		F-0B334	SNOMED CT	Anxiety about having a heart attack (finding)
Recurrent statements that something terrible is about t E1g		F-94112	SNOMED CT	Recurrent anxiety (finding)
Recurrent statements that something terrible is about t E1g		F-0B334	SNOMED CT	Anxiety about having a heart attack (finding)
Recurrent statements that something terrible is about t E1g		F-0B321	SNOMED CT	Death anxiety (finding)
Recurrent statements that something terrible is about t E1g		G-7194	SNOMED CT	Impending (qualifier value)
E1d Persistent anger with self or others E1d		F-0B300	SNOMED CT	Fear (finding)
E1d Persistent anger with self or others E1d		R-2090B	SNOMED CT	[D]Irritability and anger (context-dependent category)
E1d Persistent anger with self or others E1d		S-840F8	SNOMED CT	Nursing home AND/OR ambulatory care site (environment)
E1d Persistent anger with self or others E1d		F-90003	SNOMED CT	Irritability and anger (finding)
E1d Persistent anger with self or others E1d		F-92240	SNOMED CT	Feeling angry (finding)
E1d Persistent anger with self or others E1d		G-A278	SNOMED CT	Persistent (qualifier value)
E1d Persistent anger with self or others E1d		F-92213	SNOMED CT	Becomes angry very easily (finding)
E1d Persistent anger with self or others E1d		R-2020E	SNOMED CT	C/O - feeling unhappy (context-dependent category)
E1d Persistent anger with self or others E1d		F-9716E	SNOMED CT	Tends to turn anger against self (finding)
Self deprecation-e.g., I am nothing; I am of no use to a E1e		F-0B308	SNOMED CT	Uses 'I' statements (finding)
Self deprecation-e.g., I am nothing; I am of no use to a E1e		F-0B366	SNOMED CT	Self-depreciation (finding)
Resident made negative statements-e.g., Nothing matt E1a		F-94157	SNOMED CT	Symptoms of depression (finding)
Resident made negative statements-e.g., Nothing matt E1a		G-A2FF	SNOMED CT	Has length (qualifier value)
Resident made negative statements-e.g., Nothing matt E1a		F-9200D	SNOMED CT	Wanting to die (finding)
Resident made negative statements-e.g., Nothing matt E1a		F-9211B	SNOMED CT	Finding of expression of emotions (finding)
Resident made negative statements-e.g., Nothing matt E1a		F-920F8	SNOMED CT	Emotional state finding (finding)
Expressions of what appear to be unrealistic fears-e.g. E1f		F-94106	SNOMED CT	Fear of being left alone (finding)
Expressions of what appear to be unrealistic fears-e.g. E1f		F-90166	SNOMED CT	Phobia (finding)
Repetitive health complaints-e.g., persistently seeks m E1h		F-0B347	SNOMED CT	Anxiety about body function or health (finding)
Repetitive health complaints-e.g., persistently seeks m E1h		F-930C4	SNOMED CT	Health seeking behavior alteration (finding)
Repetitive questions-e.g., Where do I go;What do I do? E1c		F-94830	SNOMED CT	Verbal repetition (finding)
Repetitive questions-e.g., Where do I go;What do I do? E1c		G-D32A	SNOMED CT	Did not attend (qualifier value)
RESISTS CARE E4e		F-02692	SNOMED CT	Vascular resistance (observable entity)
RESISTS CARE E4e		F-931A9	SNOMED CT	Uncooperative behavior (finding)
RESISTS CARE E4e		R-21507	SNOMED CT	Patient non-compliant - refused service (context-dependent category)
RESISTS CARE E4e		R-21506	SNOMED CT	Patient non-compliant - refused intervention / support (context-dependent category)
RESISTS CARE E4e		F-0A130	SNOMED CT	Noncompliance (finding)
RESISTS CARE E4e		S-20051	SNOMED CT	Difficulty complying with treatment (finding)
RESISTS CARE E4e		F-931AA	SNOMED CT	Non-compliant behavior (finding)
SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIO E4d		F-04A1F	SNOMED CT	Inappropriate referral (finding)
SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIO E4d		F-93028	SNOMED CT	Inappropriate behavior (finding)

SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIOR	E4d	F-93078	SNOMED CT	Finding relating to complex and social behaviors (finding)
WANDERING	E4a	F-93350	SNOMED CT	Wandering (finding)
WANDERING	E4a	P0-040BD	SNOMED CT	Wandering precautions (procedure)
PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS	E4c	F-9303E	SNOMED CT	Physically abusive behavior (finding)
VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS [M	E4b	F-9303C	SNOMED CT	Verbally abusive behavior (finding)
RESISTS CARE: Behavioralsymptom frequency in last	E4eA	F-931AA	SNOMED CT	Non-compliant behavior (finding)
RESISTS CARE: Behavioralsymptom frequency in last	E4eA	P0-0036F	SNOMED CT	Psychological therapies - Part day : day care (procedure)
RESISTS CARE: Behavioralsymptom frequency in last	E4eA	R-21506	SNOMED CT	Patient non-compliant - refused intervention / support (context-dependent category)
RESISTS CARE: Behavioralsymptom frequency in last	E4eA	R-41D76	SNOMED CT	Non-compliant (qualifier value)
RESISTS CARE: Behavioralsymptom frequency in last	E4eA	R-410DB	SNOMED CT	Frequency per week (qualifier value)
RESISTS CARE: Behavioralsymptom frequency in last	E4eA	R-21507	SNOMED CT	Patient non-compliant - refused service (context-dependent category)
RESISTS CARE: Behavioralsymptom frequency in last	E4eA	G-C097	SNOMED CT	Frequency (attribute)
RESISTS CARE: Behavioralsymptom frequency in last	E4eA	S-20051	SNOMED CT	Difficulty complying with treatment (finding)
Socially inappropriate:Socially inappropriate: Frequenc	E4dA	F-5422C	SNOMED CT	Frequent defecation (finding)
Socially inappropriate:Socially inappropriate: Frequenc	E4dA	F-93078	SNOMED CT	Finding relating to complex and social behaviors (finding)
Socially inappropriate:Socially inappropriate: Frequenc	E4dA	F-931AB	SNOMED CT	Disruptive behavior (finding)
Socially inappropriate:Socially inappropriate: Frequenc	E4dA	F-93028	SNOMED CT	Inappropriate behavior (finding)
Socially inappropriate:Socially inappropriate: Frequenc	E4dA	R-205A7	SNOMED CT	Symptom frequency NOS (context-dependent category)
Wandering: Behavioralsymptom frequency in last 7 da	E4aA	F-93350	SNOMED CT	Wandering (finding)
Wandering: Behavioralsymptom frequency in last 7 da	E4aA	R-410DB	SNOMED CT	Frequency per week (qualifier value)
Wandering: Behavioralsymptom frequency in last 7 da	E4aA	R-412F4	SNOMED CT	Every seven days (qualifier value)
Wandering: Behavioralsymptom frequency in last 7 da	E4aA	R-209E8	SNOMED CT	Symptom frequency (context-dependent category)
Wandering: Behavioralsymptom frequency in last 7 da	E4aA	R-205A7	SNOMED CT	Symptom frequency NOS (context-dependent category)
Physical abuse: Behavioralsymptom frequency in last	E4cA	DF-D163C	SNOMED CT	Physical abuse of adult (finding)
Physical abuse: Behavioralsymptom frequency in last	E4cA	F-9303E	SNOMED CT	Physically abusive behavior (finding)
Physical abuse: Behavioralsymptom frequency in last	E4cA	R-209E8	SNOMED CT	Symptom frequency (context-dependent category)
Verbal abuse: Frequency	E4bA	DF-D1007	SNOMED CT	Victim of verbal abuse (finding)
Verbal abuse: Frequency	E4bA	F-9303C	SNOMED CT	Verbally abusive behavior (finding)
Verbal abuse: Frequency	E4bA	R-209E8	SNOMED CT	Symptom frequency (context-dependent category)
Verbal abuse: Frequency	E4bA	R-209E8	SNOMED CT	Symptom frequency (context-dependent category)
O3 INJECTIONS	O3	C-10114	SNOMED CT	Ozone (substance)
O3 INJECTIONS	O3	R-40130	SNOMED CT	days/week (qualifier value)
O3 INJECTIONS	O3	P0-02068	SNOMED CT	Injection - action (qualifier value)
O3 INJECTIONS	O3	P1-05000	SNOMED CT	Injection (procedure)
DAYS RECEIVED THE FOLLOWING MEDICATION	O4	F-04921	SNOMED CT	Appropriate medication administered safely during the perioperative period (context-dependent category)

DAYS RECEIVED THE FOLLOWING MEDICATION	O4	G-02D0	SNOMED CT	History of - regular medication (context-dependent category)
DAYS RECEIVED THE FOLLOWING MEDICATION	O4	R-40130	SNOMED CT	days/week (qualifier value)
ORAL STATUS AND DISEASE PREVENTION	L1	F-51001	SNOMED CT	Oral cavity finding (finding)
ORAL STATUS AND DISEASE PREVENTION	L1	G-C09F	SNOMED CT	Bulky disease status (attribute)
Broken, loose, or carious teeth	L1d	D5-100F7	SNOMED CT	Disorder of teeth AND/OR supporting structures (disorder)
Broken, loose, or carious teeth	L1d	F-51111	SNOMED CT	Mobile tooth (finding)
Broken, loose, or carious teeth	L1d	D5-13131	SNOMED CT	Loosening of tooth (disorder)
Broken, loose, or carious teeth	L1d	D5-13112	SNOMED CT	Fracture of tooth (disorder)
Broken, loose, or carious teeth	L1d	D5-13111	SNOMED CT	Injury of teeth (disorder)
Inflamed gums (gingiva); swollen or bleeding gums; or	L1e	C-50709	SNOMED CT	Oral gum (product)
Inflamed gums (gingiva); swollen or bleeding gums; or	L1e	D5-21000	SNOMED CT	Disorder of oral soft tissues (disorder)
COGNITIVE SKILLS FOR DAILY DECISION-MAKING	B4	F-03E75	SNOMED CT	Ability to use decision-making strategies (observable entity)
COGNITIVE SKILLS FOR DAILY DECISION-MAKING	B4	PA-62131	SNOMED CT	Decision making encouragement (procedure)
COGNITIVE SKILLS FOR DAILY DECISION-MAKING	B4	R-4089B	SNOMED CT	Absence findings (qualifier value)
COGNITIVE SKILLS FOR DAILY DECISION-MAKING	B4	R-42E6A	SNOMED CT	Skills relating to cognitive functions (observable entity)
COGNITIVE SKILLS FOR DAILY DECISION-MAKING	B4	F-04C3D	SNOMED CT	Ability to make decisions (observable entity)
MEMORY	B2	F-00A15	SNOMED CT	Procedural memory (observable entity)
MEMORY	B2	F-96143	SNOMED CT	Finding of memory performance (finding)
MEMORY	B2	F-9614A	SNOMED CT	Memory assessment finding (finding)
MEMORY	B2	F-960F9	SNOMED CT	Memory finding (finding)
Short-term memory OK-seems/appears to recall after	£ B2a	F-00046	SNOMED CT	Memory assessment (observable entity)
Short-term memory OK-seems/appears to recall after	£ B2a	F-96171	SNOMED CT	Short-term memory within normal limits (finding)
Short-term memory OK-seems/appears to recall after	£ B2a	F-96172	SNOMED CT	Poor short-term memory (finding)
Short-term memory OK-seems/appears to recall after	£ B2a	G-E288	SNOMED CT	Short-term memory test (assessment scale)
Short-term memory OK-seems/appears to recall after	£ B2a	F-9618A	SNOMED CT	Memory impairment (finding)
Long-term memory OK-seems/appears to recall long	p B2b	F-037AA	SNOMED CT	Long-term memory performance (observable entity)
Long-term memory OK-seems/appears to recall long	p B2b	F-9616F	SNOMED CT	Long-term memory within normal limits (finding)
HISTORY OF RESOLVED ULCERS	M3	G-028B	SNOMED CT	History of - skin disorder (context-dependent category)
HISTORY OF RESOLVED ULCERS	M3	G-03A8	SNOMED CT	History of - venous leg ulcer (context-dependent category)
HISTORY OF RESOLVED ULCERS	M3	M-38005	SNOMED CT	Healed ulcer (morphologic abnormality)
SKIN TREATMENTS	M5	F-44060	SNOMED CT	Dry skin (finding)
SKIN TREATMENTS	M5	P0-0009D	SNOMED CT	Skin care (regime/therapy)
OTHER SKIN PROBLEMS OR LESIONS PRESENT	M4	F-4003F	SNOMED CT	Skin problem (finding)
OTHER SKIN PROBLEMS OR LESIONS PRESENT	M4	P1-40C2E	SNOMED CT	Other destruction of skin lesion (procedure)
OTHER SKIN PROBLEMS OR LESIONS PRESENT	M4	D0-00050	SNOMED CT	Skin lesion (disorder)
ULCERS	M1	D0-60100	SNOMED CT	Skin ulcer (disorder)
ULCERS	M1	D0-6012D	SNOMED CT	Stasis ulcer (disorder)
ULCERS	M1	F-038ED	SNOMED CT	Number of ulcers (observable entity)
TYPE OF ULCER	M2	D0-60100	SNOMED CT	Skin ulcer (disorder)
TYPE OF ULCER	M2	F-50874	SNOMED CT	Ulcer-type pain (finding)
Application of dressings (with or without topical medica	M5g	DD-50642	SNOMED CT	Abrasion AND/OR friction burn of foot without infection (disorder)

Application of dressings (with or without topical medica	M5g	P1-40E5B	SNOMED CT	Dressing of wound (procedure)
Application of dressings (with or without topical medica	M5g	P1-40E59	SNOMED CT	Wound dressing NOS (procedure)
Turning/repositioning program	M5c	F-A41C7	SNOMED CT	Does turn (finding)
Turning/repositioning program	M5c	P0-099B5	SNOMED CT	Pressure point protection by inspection and turning of patient (procedure)
Turning/repositioning program	M5c	P7-90306	SNOMED CT	Positioning - therapy (regime/therapy)
Turning/repositioning program	M5c	P0-099B5	SNOMED CT	Pressure point protection by inspection and turning of patient (procedure)
Turning/repositioning program	M5c	P2-0011B	SNOMED CT	Turning patient in bed (procedure)
Turning/repositioning program	M5c	PA-00401	SNOMED CT	Repositioning (procedure)
Application of ointments/medications (other than to fee	M5h	DF-D0298	SNOMED CT	Drowning in liquid other than water (finding)
Application of ointments/medications (other than to fee	M5h	P0-001A3	SNOMED CT	Skin care: topical treatments (regime/therapy)
Pressure relieving device(s) for bed	M5b	A-010B2	SNOMED CT	Pressure relief equipment (physical object)
Pressure relieving device(s) for bed	M5b	R-40991	SNOMED CT	Relieves (qualifier value)
Ulcer care	M5e	D0-60100	SNOMED CT	Skin ulcer (disorder)
Ulcer care	M5e	PA-11211	SNOMED CT	Pressure sore care (regime/therapy)
Other preventative or protective skin care (other than t	M5i	D4-14032	SNOMED CT	Other deformities of feet (disorder)
Other preventative or protective skin care (other than t	M5i	P0-0009D	SNOMED CT	Skin care (regime/therapy)
Other preventative or protective skin care (other than t	M5i	P2-4000A	SNOMED CT	Skin breakdown control management (procedure)
Surgical wound care	M5f	P1-40E5B	SNOMED CT	Dressing of wound (procedure)
Surgical wound care	M5f	PA-11212	SNOMED CT	Post-surgical wound care (procedure)
Surgical wound care	M5f	P1-40E77	SNOMED CT	Soaking off dressing (procedure)
Surgical wound care	M5f	P1-03170	SNOMED CT	Removal of suture (procedure)
Surgical wound care	M5f	P0-050F5	SNOMED CT	Skin cleansing procedure (regime/therapy)
Surgical wound care	M5f	P1-05051	SNOMED CT	Irrigation of wound (procedure)
Nutrition or hydration intervention to manage skin prob	M5d	P0-00839	SNOMED CT	Nutrition management (regime/therapy)
Nutrition or hydration intervention to manage skin prob	M5d	P0-040D2	SNOMED CT	Hydration balance regulation management (procedure)
Nutrition or hydration intervention to manage skin prob	M5d	D0-00004	SNOMED CT	Disorder of skin (disorder)
Nutrition or hydration intervention to manage skin prob	M5d	P2-50051	SNOMED CT	Rehydration therapy (procedure)
Nutrition or hydration intervention to manage skin prob	M5d	P0-00839	SNOMED CT	Nutrition management (regime/therapy)
Pressure relieving device(s) for chair	M5a	A-010B2	SNOMED CT	Pressure relief equipment (physical object)
Pressure relieving device(s) for chair	M5a	A-80002	SNOMED CT	Pressure - physical agent (physical force)
Pressure relieving device(s) for chair	M5a	R-40991	SNOMED CT	Relieves (qualifier value)
Pressure relieving device(s) for chair	M5a	A-010A9	SNOMED CT	Wheelchair seating (physical object)
Pressure relieving device(s) for chair	M5a	P0-099B7	SNOMED CT	Pressure point protection (procedure)
Skin desensitized to pain or pressure	M4e	F-40116	SNOMED CT	Skin or mucosa lesion (finding)
Skin desensitized to pain or pressure	M4e	F-A2016	SNOMED CT	Tactile hypesthesia (finding)
Skin desensitized to pain or pressure	M4e	F-A2198	SNOMED CT	Reduced sensation of skin (finding)
Open lesions other than ulcers, rashes, cuts (e.g., can	M4c	DE-1441F	SNOMED CT	Oral mucous membrane lesion due to late syphilis (disorder)
Open lesions other than ulcers, rashes, cuts (e.g., can	M4c	P1-71C0A	SNOMED CT	Other specified open extirpation of renal lesion (procedure)
Open lesions other than ulcers, rashes, cuts (e.g., can	M4c	F-03FCD	SNOMED CT	Finding of lesion (finding)
M4a Abrasions, bruises	M4a	DD-003C9	SNOMED CT	Abrasion (disorder)
M4a Abrasions, bruises	M4a	DD-00086	SNOMED CT	Superficial bruising (disorder)
Surgical wounds	M4g	DD-66A65	SNOMED CT	Postoperative wound infection (disorder)
Surgical wounds	M4g	F-401B1	SNOMED CT	Non-healing surgical wound (finding)

Surgical wounds	M4g	M-14020	SNOMED CT	Surgical wound (morphologic abnormality)
Surgical wounds	M4g	M-14026	SNOMED CT	Surgical wound, recent (morphologic abnormality)
Rashes-e.g., intertrigo, eczema, drug rash, heat rash, itchy rash	M4d	D0-00058	SNOMED CT	Eruption of skin (disorder)
Rashes-e.g., intertrigo, eczema, drug rash, heat rash, itchy rash	M4d	F-4009F	SNOMED CT	Blanching rash (finding)
Skin tears or cuts (other than surgery)	M4f	D0-00158	SNOMED CT	Broken skin (disorder)
Skin tears or cuts (other than surgery)	M4f	F-930D3	SNOMED CT	Cutting other person (finding)
Skin tears or cuts (other than surgery)	M4f	T-00000	SNOMED CT	Integumentary system structure (body structure)
Skin tears or cuts (other than surgery)	M4f	DD-30005	SNOMED CT	Cut - accidental (disorder)
Skin tears or cuts (other than surgery)	M4f	A-A103A	SNOMED CT	Accidental wound (finding)
Burns (second or third degree)	M4b	DD-520BB	SNOMED CT	Second degree burn (disorder)
Burns (second or third degree)	M4b	DD-520BC	SNOMED CT	Third degree burn (disorder)
Stage 1	M1a	PA-11213	SNOMED CT	Pressure ulcer Stage 1 care (regime/therapy)
Stage 1	M1a	R-41DA8	SNOMED CT	Stage 1 (qualifier value)
Stage 1	M1a	P0-00476	SNOMED CT	Pressure ulcer Stage 1 care assessment (regime/therapy)
Stage 3	M1c	P0-00478	SNOMED CT	Pressure ulcer Stage 3 care assessment (regime/therapy)
Stage 3	M1c	R-41DB0	SNOMED CT	Stage 3 (qualifier value)
Stage 3	M1c	D0-6014B	SNOMED CT	Decubitus ulcer (disorder)
Stage 2	M1b	P0-00477	SNOMED CT	Pressure ulcer Stage 2 care assessment (regime/therapy)
Stage 2	M1b	R-41DAC	SNOMED CT	Stage 2 (qualifier value)
Stage 2	M1b	D0-6014B	SNOMED CT	Decubitus ulcer (disorder)
Stage 4	M1d	D0-6014B	SNOMED CT	Decubitus ulcer (disorder)
Stage 4	M1d	R-41DB4	SNOMED CT	Stage 4 (qualifier value)
Stage 4	M1d	P0-00479	SNOMED CT	Pressure ulcer Stage 4 care assessment (regime/therapy)
Pressure ulcer	M2a	F-0A390	SNOMED CT	Decubitus ulcer (finding)
Pressure ulcer	M2a	PA-60018	SNOMED CT	Pressure ulcer care education (regime/therapy)
Pressure ulcer	M2a	D0-6014B	SNOMED CT	Decubitus ulcer (disorder)
Pressure ulcer	M2a	707	ICD-9-CM	Decubitus ulcer [707.0]
Pressure ulcer	M2a	D0-6012F	SNOMED CT	Pressure sore (disorder)
M2b Stasis ulcer-open lesion caused by poor circulation	M2b	D0-6012D	SNOMED CT	Stasis ulcer (disorder)
M2b Stasis ulcer-open lesion caused by poor circulation	M2b	454	ICD-9-CM	Varicose veins of lower extremities with ulcer [454.0]
EATING	G1h	F-50027	SNOMED CT	Finding of eating ability (finding)
EATING	G1h	F-9360E	SNOMED CT	Compulsive eating pattern (finding)
EATING	G1h	F-03A7B	SNOMED CT	Ability to eat (observable entity)
TOILET USE	G1i	F-00DE2	SNOMED CT	Ability to perform toileting activities (observable entity)
TOILET USE	G1i	F-0141A	SNOMED CT	Finding related to ability to adjust clothing for toilet (finding)
TOILET USE	G1i	P1-05056	SNOMED CT	Toilet (procedure)
TOILET USE	G1i	F-01416	SNOMED CT	Finding related to ability to use commode (finding)
TOILET USE	G1i	F-01418	SNOMED CT	Finding related to ability to use bedpan (finding)
TRANSFER	G1b	F-047FD	SNOMED CT	Ability to transfer (observable entity)

TRANSFER	G1b	P0-20301	SNOMED CT	Patient transfer (procedure)
TRANSFER	G1b	F-02C55	SNOMED CT	Finding related to ability to transfer (finding)
BED MOBILITY	G1a	F-00527	SNOMED CT	Ability to move in bed (observable entity)
BED MOBILITY	G1a	F-013C7	SNOMED CT	Finding related to ability to get on and off a bed (finding)
BED MOBILITY	G1a	F-042D3	SNOMED CT	Mobility (observable entity)
BED MOBILITY	G1a	F-0A823	SNOMED CT	Impaired bed mobility (finding)
BED MOBILITY	G1a	F-013A6	SNOMED CT	Finding related to ability to mobilize (finding)
EATING : ADL SELF-PERFORMANCE	G1hA	F-50027	SNOMED CT	Finding of eating ability (finding)
EATING : ADL SELF-PERFORMANCE	G1hA	G-E25A	SNOMED CT	Rivermead ADL index (assessment scale)
EATING : ADL SELF-PERFORMANCE	G1hA	F-03A7B	SNOMED CT	Ability to eat (observable entity)
EATING : ADL SELF-PERFORMANCE	G1hA	F-50028	SNOMED CT	Finding related to ability to eat (finding)
EATING : ADL SUPPORT PROVIDED	G1hB	F-50027	SNOMED CT	Finding of eating ability (finding)
EATING : ADL SUPPORT PROVIDED	G1hB	F-50028	SNOMED CT	Finding related to ability to eat (finding)
TOILET USE : ADL SUPPORT PROVIDED	G1iB	F-00DE4	SNOMED CT	Ability to use toilet (observable entity)
TOILET USE : ADL SUPPORT PROVIDED	G1iB	F-01412	SNOMED CT	Finding related to ability to use toilet (finding)
TOILET USE : ADL SUPPORT PROVIDED	G1iB	F-02052	SNOMED CT	Needs help in toilet (finding)
TOILET USE : ADL SUPPORT PROVIDED	G1iB	F-02053	SNOMED CT	Dependent in toilet (finding)
TOILET USE : ADL SUPPORT PROVIDED	G1iB	F-03233	SNOMED CT	Toilet dependency (finding)
TOILET USE : ADL SELF-PERFORMANCE	G1iA	F-00DE2	SNOMED CT	Ability to perform toileting activities (observable entity)
TOILET USE : ADL SELF-PERFORMANCE	G1iA	F-00DE4	SNOMED CT	Ability to use toilet (observable entity)
TOILET USE : ADL SELF-PERFORMANCE	G1iA	F-02053	SNOMED CT	Dependent in toilet (finding)
TOILET USE : ADL SELF-PERFORMANCE	G1iA	F-02051	SNOMED CT	Independent in toilet (finding)
TRANSFER : ADL SELF-PERFORMANCE	G1bA	F-047FD	SNOMED CT	Ability to transfer (observable entity)
TRANSFER : ADL SELF-PERFORMANCE	G1bA	G-E3FB	SNOMED CT	Nottingham ten-point ADL index (assessment scale)
TRANSFER : ADL SELF-PERFORMANCE	G1bA	P0-040E7	SNOMED CT	Self-care assistance: transfer (procedure)
TRANSFER : ADL SUPPORT PROVIDED	G1bB	F-047FD	SNOMED CT	Ability to transfer (observable entity)
BED MOBILITY : SUPPORT	G1aB	F-013CA	SNOMED CT	Finding related to ability to move in bed (finding)
BED MOBILITY : SUPPORT	G1aB	F-0A823	SNOMED CT	Impaired bed mobility (finding)
BED MOBILITY : SUPPORT	G1aB	P0-02005	SNOMED CT	Assisting - action (qualifier value)
BED MOBILITY : SUPPORT	G1aB	F-0A823	SNOMED CT	Impaired bed mobility (finding)
BED MOBILITY : SUPPORT	G1aB	F-00527	SNOMED CT	Ability to move in bed (observable entity)
BED MOBILITY : ADL SELF-PERF	G1aA	F-00527	SNOMED CT	Ability to move in bed (observable entity)
BED MOBILITY : ADL SELF-PERF	G1aA	F-A412F	SNOMED CT	Independent: chair/bed transfer (finding)
BED MOBILITY : ADL SELF-PERF	G1aA	F-013CA	SNOMED CT	Finding related to ability to move in bed (finding)
BED MOBILITY : ADL SELF-PERF	G1aA	F-A412E	SNOMED CT	Minimal help: chair/bed transfer (finding)
BED MOBILITY : ADL SELF-PERF	G1aA	F-A087F	SNOMED CT	Dependent: chair/bed transfer (finding)
G6a] Bedfast all or most of time	G6a	F-100F6	SNOMED CT	Bed-ridden (finding)
PROBLEM CONDITION	J1	F-01000	SNOMED CT	Problem (finding)
PROBLEM CONDITION	J1	F-04BF1	SNOMED CT	Physical health problems (finding)
PROBLEM CONDITION	J1	P2-060AA	SNOMED CT	Health problem screening (procedure)
PAIN SYMPTOMS	J2	F-A2600	SNOMED CT	Pain (finding)
PAIN SYMPTOMS	J2	P0-00572	SNOMED CT	Pain and symptom management (procedure)
OTHER	[hierarchy]	G-A609	SNOMED CT	Other (qualifier value)
INDICATORS OF FLUID STATUS	[hierarchy]	F-045D1	SNOMED CT	Fluid balance observable (observable entity)
INDICATORS OF FLUID STATUS	[hierarchy]	F-04AD6	SNOMED CT	Fluid overload status (observable entity)

INDICATORS OF FLUID STATUS	[hierarchy]	P0-00927	SNOMED CT	Hydration status regulation assessment (regime/therapy)
Unsteady gait	J1n	F-18050	SNOMED CT	Unsteady when walking (finding)
Unsteady gait	J1n	F-180A6	SNOMED CT	Unsteady gait (finding)
Dizziness/Vertigo	J1f	F-06006	SNOMED CT	Dizziness and giddiness (finding)
Dizziness/Vertigo	J1f	F-06017	SNOMED CT	Dizziness (finding)
Dizziness/Vertigo	J1f	F-06016	SNOMED CT	Vertigo (finding)
Dizziness/Vertigo	J1f	F-06006	SNOMED CT	Dizziness and giddiness (finding)
Shortness of breath	J1l	F-201B3	SNOMED CT	Dyspnea (finding)
Syncope (fainting)	J1m	D3-00006	SNOMED CT	Syncope (disorder)
Hallucinations	J1i	F-95300	SNOMED CT	Hallucinations (finding)
Hallucinations	J1i	F-95340	SNOMED CT	Gustatory hallucinations (finding)
Dehydrated; output exceeds input	J1c	D6-20650	SNOMED CT	Dehydration (disorder)
Dehydrated; output exceeds input	J1c	DD-66027	SNOMED CT	High output stoma (disorder)
Dehydrated; output exceeds input	J1c	F-0A360	SNOMED CT	Fluid volume deficit (finding)
Dehydrated; output exceeds input	J1c	F-0A350	SNOMED CT	At risk for deficient fluid volume (finding)
Weight gain or loss of 3 or more pounds within a 7 day	J1a	F-01970	SNOMED CT	Weight change finding (finding)
Weight gain or loss of 3 or more pounds within a 7 day	J1a	F-84317	SNOMED CT	Postpartum period, 7 days (finding)
FREQUENCY with which resident complains or shows	J2a	F-003D5	SNOMED CT	Finding of pattern of pain (finding)
FREQUENCY with which resident complains or shows	J2a	F-04BA9	SNOMED CT	Complaint (finding)
FREQUENCY with which resident complains or shows	J2a	F-A2600	SNOMED CT	Pain (finding)
FREQUENCY with which resident complains or shows	J2a	R-410FA	SNOMED CT	Frequency interval (qualifier value)
J2b INTENSITY of pain	J2b	F-04AFA	SNOMED CT	Pain intensity (observable entity)
pain with movement [Draft]	[draft]	F-1310D	SNOMED CT	Pain on joint movement (finding)
intermittant pain [Draft]	[draft]	F-A264C	SNOMED CT	Intermittent pain (finding)
chronic pain [Draft]	[draft]	F-A2950	SNOMED CT	Chronic pain (finding)
generalized pain [Draft]	[draft]	F-01230	SNOMED CT	Generalized aches and pains (finding)
generalized pain [Draft]	[draft]	R-20905	SNOMED CT	[D]Pain, generalized (context-dependent category)
physical discomfort [Draft]	[draft]	F-A265B	SNOMED CT	Discomfort (finding)
physical discomfort [Draft]	[draft]	G-B110	SNOMED CT	Physical (qualifier value)
pain finding [Draft]	[draft]	F-A2600	SNOMED CT	Pain (finding)
physical pain [Draft]	[draft]	F-047D5	SNOMED CT	Characteristic of pain at anatomical site (observable entity)
physical pain [Draft]	[draft]	F-A2637	SNOMED CT	Sympathetically maintained pain (finding)
acute pain [Draft]	[draft]	F-001E7	SNOMED CT	Acute pain (finding)
pain at rest [Draft]	[draft]	F-A2920	SNOMED CT	Rest pain (finding)
localized pain [Draft]	[draft]	F-A2880	SNOMED CT	Localized pain (finding)
continuous pain [Draft]	[draft]	F-001E8	SNOMED CT	Chronic intractable pain (finding)
continuous pain [Draft]	[draft]	R-40377	SNOMED CT	Continuous (qualifier value)
continuous pain [Draft]	[draft]	F-A2600	SNOMED CT	Pain (finding)
WEIGHT CHANGE	K3	F-01970	SNOMED CT	Weight change finding (finding)
PARENTERAL OR ENTERAL INTAKE	K6	F-03039	SNOMED CT	Enteral fluid input (observable entity)
PARENTERAL OR ENTERAL INTAKE	K6	P2-00003	SNOMED CT	Enteral feeding (regime/therapy)
PARENTERAL OR ENTERAL INTAKE	K6	F-0303A	SNOMED CT	Parenteral fluid input (observable entity)
PARENTERAL OR ENTERAL INTAKE	K6	C-F2850	SNOMED CT	Parenteral nutrient (finding)
ORAL PROBLEMS	K1	F-01000	SNOMED CT	Problem (finding)
ORAL PROBLEMS	K1	F-510FA	SNOMED CT	Oral cavity problem (finding)
Weight loss	K3a	F-01804	SNOMED CT	Weight loss finding (finding)

Weight loss	K3a	F-036D0	SNOMED CT	Weight decreasing (finding)
Weight loss	K3a	F-03D61	SNOMED CT	Percentage weight loss (observable entity)
Weight loss	K3a	F-042D6	SNOMED CT	Weight loss (amount) (observable entity)
Weight loss	K3a	F-036D0	SNOMED CT	Weight decreasing (finding)
Weight loss	K3a	F-01E68	SNOMED CT	Abnormal weight loss (finding)
Weight loss	K3a	F-02A06	SNOMED CT	Excessive weight loss (finding)
				Weight loss from baseline weight (observable entity)
Weight loss	K3a	F-0495F	SNOMED CT	Parenteral fluid input (observable entity)
Code the average fluid intake per day by IV or tube in I K6b		F-0303A	SNOMED CT	/day (qualifier value)
Code the average fluid intake per day by IV or tube in I K6b		R-429B8	SNOMED CT	Finding of measures of oral fluid intake (finding)
Code the average fluid intake per day by IV or tube in I K6b		F-5005A	SNOMED CT	Fluid monitoring (regime/therapy)
Code the average fluid intake per day by IV or tube in I K6b		P0-00904	SNOMED CT	Enteral fluid input (observable entity)
Code the average fluid intake per day by IV or tube in I K6b		F-03039	SNOMED CT	Measure of fluid intake (observable entity)
Code the average fluid intake per day by IV or tube in I K6b		F-045D4	SNOMED CT	Fluid intake (observable entity)
Code the average fluid intake per day by IV or tube in I K6b		F-03150	SNOMED CT	Total number of sick days in last year (observable entity)
				% daily total food energy intake (qualifier value)
Code the proportion of total calories the resident receive	K6a	F-00F4B	SNOMED CT	Dietary calorie intake [139806001]
Code the proportion of total calories the resident receive	K6a	G-D7BA	SNOMED CT	Callosity due to biting and/or chewing (disorder)
Code the proportion of total calories the resident receive	K6a	R-F3428	SNOMED CT Inactive	Masticatory dysfunction (finding)
Chewing problem	K1a	D0-75049	SNOMED CT	Unable to chew (finding)
Chewing problem	K1a	F-51502	SNOMED CT	Swallowing problem (finding)
Chewing problem	K1a	F-51504	SNOMED CT	Consciousness related finding (finding)
Swallowing problem	K1b	F-50275	SNOMED CT	Time (property) (qualifier value)
TIME AWAKE	N1	F-A55F9	SNOMED CT	Awake (finding)
TIME AWAKE	N1	G-D7FF	SNOMED CT	Mental alertness (observable entity)
TIME AWAKE	N1	F-A55FC	SNOMED CT	Wakefulness finding (finding)
TIME AWAKE	N1	F-03D18	SNOMED CT	Morning (qualifier value)
TIME AWAKE	N1	F-9007A	SNOMED CT	Evening (qualifier value)
TIME AWAKE	N1	G-7014	SNOMED CT	Consciousness related finding (finding)
Evening	N1c	G-7017	SNOMED CT	Wakefulness finding (finding)
Evening	N1c	F-A55F9	SNOMED CT	Mental alertness (observable entity)
Evening	N1c	F-9007A	SNOMED CT	Consciousness related finding (finding)
Evening	N1c	F-03D18	SNOMED CT	Awake (finding)
Evening	N1c	F-A55FC	SNOMED CT	Awake (finding)
Morning	N1a	F-9007A	SNOMED CT	During afternoon (qualifier value)
Morning	N1a	G-7014	SNOMED CT	Abnormal vision (finding)
Morning	N1a	F-03D18	SNOMED CT	Visual aid (procedure)
Morning	N1a	F-A55F9	SNOMED CT	Eye / vision finding (finding)
Morning	N1a	F-A55FC	SNOMED CT	Vision screening (procedure)
Afternoon	N1b	F-A55FC	SNOMED CT	Decreased peripheral vision (finding)
Afternoon	N1b	R-4035D	SNOMED CT	Sees flashes (finding)
VISUAL LIMITATIONS/ DIFFICULTIES	D2	F-F0002	SNOMED CT	Interference with vision (finding)
VISUAL LIMITATIONS/ DIFFICULTIES	D2	P2-A501A	SNOMED CT	Sees haloes around lights (finding)
VISION	D1	F-01061	SNOMED CT	
VISION	D1	P2-A00A1	SNOMED CT	
Side vision problems-decreased peripheral vision	D2a	F-F0044	SNOMED CT	
D2b Experiences any of following: sees halos or rings : D2b		F-A211A	SNOMED CT	
D2b Experiences any of following: sees halos or rings : D2b		F-A212C	SNOMED CT	
D2b Experiences any of following: sees halos or rings : D2b		F-F0058	SNOMED CT	

D2b Experiences any of following: sees halos or rings ; D2b		F-A211B	SNOMED CT	Floaters in visual field (finding)
D2b Experiences any of following: sees halos or rings ; D2b		F-F0058	SNOMED CT	Sees haloes around lights (finding)
H1 CONTINENCE SELF-CONTROL CATEGORIES	[hierarchy]	F-013F6	SNOMED CT	Finding related to ability to perform personal hygiene activity (finding)
H1 CONTINENCE SELF-CONTROL CATEGORIES	[hierarchy]	F-02020	SNOMED CT	Maintaining continence (observable entity)
APPLIANCES AND PROGRAMS	[hierarchy]	A-010BC	SNOMED CT	Appliance (physical object)
APPLIANCES AND PROGRAMS	[hierarchy]	P2-740F8	SNOMED CT	Urinary bladder training AND/OR rehabilitation procedure (regime/therapy)
H2 BOWEL ELIMINATION PATTERN	[hierarchy]	F-54213	SNOMED CT	Frequency of bowel action (observable entity)
H4 CHANGE IN URINARY CONTINENCE	H4	P0-003ED	SNOMED CT	Bladder continence assessment (regime/therapy)
H1a BOWEL CONTINENCE	H1a	F-5025D	SNOMED CT	Finding of bowel continence (finding)
H1a BOWEL CONTINENCE	H1a	T-50101	SNOMED CT	Gastrointestinal tract structure (body structure)
H1b BLADDER CONTINENCE	H1b	P0-003ED	SNOMED CT	Bladder continence assessment (regime/therapy)
H1b BLADDER CONTINENCE	H1b	T-74000	SNOMED CT	Urinary bladder structure (body structure)
H1a.0 [Draft]: Bowel Continence; Continent	[draft-H1a]	F-54240	SNOMED CT	Bowels: fully continent (finding)
H1a.0 [Draft]: Bowel Continence; Continent	[draft-H1a]	T-50101	SNOMED CT	Gastrointestinal tract structure (body structure)
H1a.1 [Draft]: Bowel Continence; Usually Continent	[draft-H1a]	F-5016D	SNOMED CT	Bowels: occasional accident (finding)
H1a.1 [Draft]: Bowel Continence; Usually Continent	[draft-H1a]	T-50101	SNOMED CT	Gastrointestinal tract structure (body structure)
H1a.2 [Draft]: Bowel Continence; Occasionally Incontinent	[draft-H1a]	T-50101	SNOMED CT	Gastrointestinal tract structure (body structure)
H1a.3 [Draft]: Bowel Continence; Frequently Incontinent	[draft-H1a]	F-0A620	SNOMED CT	Incontinence of feces (finding)
H1a.3 [Draft]: Bowel Continence; Frequently Incontinent	[draft-H1a]	R-40949	SNOMED CT	Incontinent (qualifier value)
H1a.3 [Draft]: Bowel Continence; Frequently Incontinent	[draft-H1a]	T-50101	SNOMED CT	Gastrointestinal tract structure (body structure)
H1a.3 [Draft]: Bowel Continence; Frequently Incontinent	[draft-H1a]	G-A306	SNOMED CT	High frequency (qualifier value)
H1a.4 [Draft]: Bowel Continence; Incontinent	[draft-H1a]	F-0A620	SNOMED CT	Incontinence of feces (finding)
H1a.4 [Draft]: Bowel Continence; Incontinent	[draft-H1a]	T-50101	SNOMED CT	Gastrointestinal tract structure (body structure)
H1b [Draft] Bladder Continence; Continent	[draft-H1b]	F-72050	SNOMED CT	Continent of urine (finding)
H1b [Draft] Bladder Continence; Continent	[draft-H1b]	F-72052	SNOMED CT	Abnormal bladder continence (finding)
H1b [Draft] Bladder Continence; Continent	[draft-H1b]	T-74000	SNOMED CT	Urinary bladder structure (body structure)
H1b [Draft] Bladder Continence; Continent	[draft-H1b]	F-72145	SNOMED CT	Control of micturition normal (finding)
H1b [Draft] Bladder Continence; Frequently Incontinent	[draft-H1b]	F-72058	SNOMED CT	Urinary incontinence (finding)
H1b [Draft] Bladder Continence; Frequently Incontinent	[draft-H1b]	T-74000	SNOMED CT	Urinary bladder structure (body structure)
H1b [Draft] Bladder Continence; Frequently Incontinent	[draft-H1b]	G-A306	SNOMED CT	High frequency (qualifier value)
H1b [Draft] Bladder Continence; Occasionally Incontinent	[draft-H1b]	T-74000	SNOMED CT	Urinary bladder structure (body structure)
H1b [Draft] Bladder Continence; Occasionally Incontinent	[draft-H1b]	F-72058	SNOMED CT	Urinary incontinence (finding)
H1b [Draft] Bladder Continence; Occasionally Incontinent	[draft-H1b]	G-A307	SNOMED CT	Low frequency (qualifier value)
H1b [Draft] Bladder Continence; Occasionally Incontinent	[draft-H1b]	F-00AE1	SNOMED CT	Frequency of incontinence (observable entity)
H1b [Draft] Bladder Continence; Incontinent	[draft-H1b]	F-72058	SNOMED CT	Urinary incontinence (finding)
H1b [Draft] Bladder Continence; Incontinent	[draft-H1b]	T-74000	SNOMED CT	Urinary bladder structure (body structure)
H1b [Draft] Bladder Continence; Usually Continent	[draft-H1b]	P0-003ED	SNOMED CT	Bladder continence assessment (regime/therapy)
H1b [Draft] Bladder Continence; Usually Continent	[draft-H1b]	T-74000	SNOMED CT	Urinary bladder structure (body structure)
H1b [Draft] Bladder Continence; Usually Continent	[draft-H1b]	G-A306	SNOMED CT	High frequency (qualifier value)
H1b [Draft] Bladder Continence; Usually Continent	[draft-H1b]	F-72050	SNOMED CT	Continent of urine (finding)
H3d Indwelling catheter	H3d	A-26870	SNOMED CT	Urinary catheter, device (physical object)
Any scheduled toileting plan	H3a	P0-00A27	SNOMED CT	Scheduling (procedure)
Any scheduled toileting plan	H3a	P2-74003	SNOMED CT	Urinary habit training (regime/therapy)
Any scheduled toileting plan	H3a	G-D200	SNOMED CT	Scheduled (qualifier value)

Any scheduled toileting plan	H3a	P2-74002	SNOMED CT	Prompted voiding (regime/therapy)
Any scheduled toileting plan	H3a	P0-000A4	SNOMED CT	Toileting regimes (regime/therapy)
Any scheduled toileting plan	H3a	P1-05056	SNOMED CT	Toilet (procedure)
Any scheduled toileting plan	H3a	P0-000A3	SNOMED CT	Planned voiding (regime/therapy)
H3g Pads/briefs used	H3g	A-18160	SNOMED CT	Diaper, device (physical object)
Bladder retraining program	H3b	P2-74002	SNOMED CT	Prompted voiding (regime/therapy)
Bladder retraining program	H3b	P2-74040	SNOMED CT	Bladder retraining (regime/therapy)
Bladder retraining program	H3b	P2-74003	SNOMED CT	Urinary habit training (regime/therapy)
Bladder retraining program	H3b	P0-000A3	SNOMED CT	Planned voiding (regime/therapy)
H3c External (condom) catheter	H3c	A-0092A	SNOMED CT	Urinary incontinence appliance (physical object)
H3i Ostomy present	H3i	A-2C120	SNOMED CT	Ostomy appliance, device (physical object)
H3e Intermittent catheter	H3e	P0-052C0	SNOMED CT	Intermittent urethral catheterization (procedure)
H3f Did not use toilet room/ commode/urinal	H3f	F-01CFA	SNOMED CT	Does not use toilet (finding)
H3h Enemas/irrigation	H3h	P1-05050	SNOMED CT	Irrigation (procedure)
H3h Enemas/irrigation	H3h	PA-00800	SNOMED CT	Giving patient an enema (procedure)
				Alteration in bowel elimination: constipation (finding)
H2b Constipation	H2b	F-0A600	SNOMED CT	Frequency of bowel action (observable entity)
H2a Bowel elimination pattern regular-at least one mov	H2a	F-54213	SNOMED CT	Frequent defecation (finding)
H2a Bowel elimination pattern regular-at least one mov	H2a	F-5422C	SNOMED CT	Regular (qualifier value)
H2a Bowel elimination pattern regular-at least one mov	H2a	G-A403	SNOMED CT	Not constipated (finding)
H2a Bowel elimination pattern regular-at least one mov	H2a	F-54229	SNOMED CT	Bowels: fully continent (finding)
H2a Bowel elimination pattern regular-at least one mov	H2a	F-54240	SNOMED CT	Impaction of colon (disorder)
H2d Fecal impaction	H2d	D5-42310	SNOMED CT	Fecal impaction (morphologic abnormality)
H2d Fecal impaction	H2d	M-33110	SNOMED CT	Fecal impaction of colon (disorder)
H2d Fecal impaction	H2d	D5-42350	SNOMED CT	Fecal impaction (disorder)
H2d Fecal impaction	H2d	D5-42360	SNOMED CT	Alteration in bowel elimination: diarrhea (finding)
H2c Diarrhea	H2c	F-0A610	SNOMED CT	Finding related to ability to make self understood (finding)
MAKING SELF UNDERSTOOD	C4	F-01397	SNOMED CT	Does make self understood (finding)
MAKING SELF UNDERSTOOD	C4	F-A0174	SNOMED CT	Hearing finding (finding)
HEARING	C1	F-F5003	SNOMED CT	Finding of ability to hear (finding)
HEARING	C1	F-F507B	SNOMED CT	Hearing examination (procedure)
HEARING	C1	P2-A8511	SNOMED CT	Finding of satellite potentials (finding)
DISCHARGE POTENTIAL	Q1	F-11813	SNOMED CT	Evaluation procedure (procedure)
DISCHARGE POTENTIAL	Q1	P0-009B4	SNOMED CT	Readiness for discharge (observable entity)
DISCHARGE POTENTIAL	Q1	F-03EB0	SNOMED CT	Duration of inpatient stay (observable entity)
Q1c Stay projected to be of a short duration-discharge	Q1c	F-04821	SNOMED CT	True projection (qualifier value)
Q1c Stay projected to be of a short duration-discharge	Q1c	R-4088C	SNOMED CT	Short duration (qualifier value)
Q1c Stay projected to be of a short duration-discharge	Q1c	R-4076B	SNOMED CT	Discharge by person (procedure)
Resident has a support person who is positive towards	Q1b	P0-20154	SNOMED CT	Blood group antigen To^a^ (substance)
Resident expresses/indicates preference to return to th	Q1a	F-DC236	SNOMED CT	

MAKING THE “MINIMUM DATA SET” COMPLIANT WITH HEALTH INFORMATION TECHNOLOGY STANDARDS

PDF Files Available for This Report

- Main Report <http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT.pdf>
- ATTACHMENT A: BIPA, Sec. 545. Development of Patient Assessment Instruments
<http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-A.pdf>
- ATTACHMENT B: Encoding Nursing Home Resident MDS Observation and
Assessment Data: Do HL7 Messaging Standards Support its Transmission?
<http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-B.pdf>
- ATTACHMENT C: Side-by-side depiction of MDSv2 and Content Matching Results
<http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-C.pdf>
- ATTACHMENT D: Additional Item Matching (emerging MDSv3 items)
<http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-D.pdf>
- ATTACHMENT E: NLM/UMLS to Maintain Links between LOINC coded Assessment
Question and Answers and Codeable Vocabularies -- An Alternative
<http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-E.pdf>
- ATTACHMENT F: The specific vocabulary codes that correspond with each of the
standardized vocabulary matches identified in Attachments C and D
<http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-F.pdf>
- This Attachment is also available as an **Excel** file at:
<http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT-F.xls>

This full report and links are also available in **HTML** format at:
<http://aspe.hhs.gov/daltcp/reports/2006/MDS-HIT.htm>