



U.S. Department of Health and Human Services
Assistant Secretary for Planning and Evaluation
Office of Disability, Aging and Long-Term Care Policy



OPPORTUNITIES FOR ENGAGING LONG-TERM AND POST-ACUTE CARE PROVIDERS IN HEALTH INFORMATION EXCHANGE ACTIVITIES:

EXCHANGING INTEROPERABLE PATIENT ASSESSMENT INFORMATION

APPENDIX E: ROSETTA STONE OASIS

December 2011

TABLE OF CONTENTS

OVERVIEW OF OASIS-C ROSETTA STONE.....	E-2
OASIS-C ITEMS MAPPING -- MODEL OF USE	E-5
OASIS-C ITEMS MAPPING -- MODEL OF MEANING.....	E-22

OVERVIEW OF OASIS-C ROSETTA STONE

The Rosetta Stone spreadsheet was designed for the Department of Health and Human Services Office of the Assistant Secretary for Planning and Evaluation (ASPE) as a tool to assist long term care providers and clinicians in the transition to using Logical Object Identifiers Names and Codes (LOINC) and SNOMED CT as the terminology of choice for the documentation and conveyance of OASIS-C (based on CMS OASIS-C data specifications v2.00, Revision 3, October 2009) assessment content. The Rosetta Stone is a tool that can be used for various mapping scenarios:

- a. **Map from OASIS-C in CMS format to corresponding Model of Use LOINC representation:** In this scenario, one uses the Rosetta Stone "Model of Use" tab. For each OASIS-C question and answer, there is a corresponding LOINC question and answer code.
- b. **Map from OASIS-C in CMS format to corresponding Model of Meaning representation:** In this scenario, one uses the Rosetta Stone "Model of Meaning" tab. For each OASIS-C question and answer, there is a corresponding code from a standard terminology such as SNOMED CT or code set such as CVX. OASIS-C data items were also evaluated against other standard terminologies such as RxNorm. However, these other terminologies were not compatible with the data captured in this CMS standardized assessment instrument.

Rosetta Stone Resources	
CMS Outcome & Assessment Information Set (OASIS-C)	<p>OASIS-C:</p> <ul style="list-style-type: none"> • Maintained by the Centers for Medicare and Medicaid Service (CMS) • Updated as needed • Data specifications can be accessed at http://www.cms.gov/OASIS/04_DataSpecifications.asp
Codes for Vaccine Administered (CVX)	<p>CVX codes:</p> <ul style="list-style-type: none"> • Are maintained by CDC's National Center of Immunization and Respiratory Diseases (NCIRD) • Are updated as needed • Can be accessed at http://www2a.cdc.gov/nip/IIS/IISStandards/vaccines.asp?rpt=cvx
Logical Object Identifiers Names and Codes (LOINC)	<p>LOINC codes:</p> <ul style="list-style-type: none"> • Are maintained by Regenstrief Institute, Inc. • Are updated as needed • Can be accessed through the Regenstrief LOINC Mapping Assistant (RELMA) at http://loinc.org/relma
Standardized Nomenclature of Medicine - Clinical Terms (SNOMED CT)	<p>SNOMED CT codes:</p> <ul style="list-style-type: none"> • Are maintained by the International Health Terminology Standards Development Organisation (IHTSDO) • Are updated twice a year in January and July • Can be accessed through a variety of free browsers listed by the Unified Medical Language System (UMLS) at http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html

OASIS-C ITEMS MAPPING -- MODEL OF USE

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
PATIENT TRACKING						
M0010_CCN		CMS Certification Number		46456-0		
M0014_BRANCH_STATE		Branch State		46494-1		
M0016_BRANCH_ID		Branch ID (Optional)		46495-8		
M0018_PHYSICIAN_ID		Primary Referring Physician National Provider ID (NPI)		44954-6		
M0018_PHYSICIAN_UK		Primary Referring Physician NPI: Unknown				
M0020_PAT_ID		Patient ID Number		46496-6		
M0030_START_CARE_DT		Start of Care Date		46497-4		
M0032_ROC_DT		Resumption of Care Date		46498-2		
M0032_ROC_DT_NA	NA	No Resumption of Care Date				
M0040_PAT_FNAME		Patient's First Name		45392-8		
M0040_PAT_MI		Patient's Middle Initial		45393-6		
M0040_PAT_LNAME		Patient's Last Name		45394-4		
M0040_PAT_SUFFIX		Patient's Suffix		45395-1		
M0050_PAT_ST		Patient State of Residence		46499-0		
M0060_PAT_ZIP		Patient Zip Code		45401-7		
M0063_MEDICARE_NUM		Medicare Number, Including Suffix		45397-7		
M0063_MEDICARE_NA	NA	No Medicare Number				
M0064_SSN		Patient's Social Security Number		45396-9		
M0064_SSN_UK	UK	No Social Security Number				
M0065_MEDICAID_NUM		Medicaid Number		45400-9		
M0065_MEDICAID_NA	NA	No Medicaid Number				
M0066_PAT_BIRTH_DT		Date of Birth		21112-8		
M0069_PAT_GENDER		Gender		46607-8		
M0069_PAT_GENDER	1	Male		46607-8	LA2-8	1.3.6.1.4.1.12009.10.1.138
M0069_PAT_GENDER	2	Female		46607-8	LA3-6	1.3.6.1.4.1.12009.10.1.138
M0140_ETHNIC_AI_AN	1	Race/Ethnicity: American Indian or Alaska Native				2.16.840.1.113883.1.11.15836
M0140_ETHNIC_ASIAN	2	Race/Ethnicity: Asian				2.16.840.1.113883.1.11.15836
M0140_ETHNIC_BLACK	3	Race/Ethnicity: Black or African-American				2.16.840.1.113883.1.11.15836
M0140_ETHNIC_HISP	4	Race/Ethnicity: Hispanic or Latino				2.16.840.1.113883.1.11.15836
M0140_ETHNIC_NH_PI	5	Race/Ethnicity: Native Hawaiian or Pacific Islander				2.16.840.1.113883.1.11.15836
M0140_ETHNIC_WHITE	6	Race/Ethnicity: White				2.16.840.1.113883.1.11.15836
M0150		<i>Current payment sources for home care</i>	Question row added to facilitate message format.	57199-2		
M0150_CPAY_NONE	0	Current Payment Sources for Home Care: None; no charge for current services		57199-2	LA12090-9	1.3.6.1.4.1.12009.10.1.80
M0150_CPAY_MCARE_FFS	1	Current Payment Sources for Home Care: Medicare Traditional Fee-for-Service		57199-2	LA6259-1	1.3.6.1.4.1.12009.10.1.80
M0150_CPAY_MCARE_HMO	2	Current Payment Sources for Home Care: Medicare HMO/Managed Care		57199-2	LA12092-5	1.3.6.1.4.1.12009.10.1.80
M0150_CPAY_MCAID_FFS	3	Current Payment Sources for Home Care: Medicaid Traditional Fee-for-Service		57199-2	LA6257-5	1.3.6.1.4.1.12009.10.1.80
M0150_CPAY_MCAID_HMO	4	Current Payment Sources for Home Care: Medicaid HMO/Managed Care		57199-2	LA6256-7	1.3.6.1.4.1.12009.10.1.80
M0150_CPAY_WRKCOMP	5	Current Payment Sources for Home Care: Worker's Compensation		57199-2	LA6452-2	1.3.6.1.4.1.12009.10.1.80
M0150_CPAY_TITLEPGMS	6	Current Payment Sources for Home Care: Title Programs		57199-2	LA6398-7	1.3.6.1.4.1.12009.10.1.80
M0150_CPAY_OTH_GOVVT	7	Current Payment Sources for Home Care: Other Government		57199-2	LA10049-7	1.3.6.1.4.1.12009.10.1.80
M0150_CPAY_PRIV_INS	8	Current Payment Sources for Home Care: Private Insurance		57199-2	LA6350-8	1.3.6.1.4.1.12009.10.1.80
M0150_CPAY_PRIV_HMO	9	Current Payment Sources for Home Care: Private HMO/Managed Care		57199-2	LA6349-0	1.3.6.1.4.1.12009.10.1.80
M0150_CPAY_SELFPAY	10	Current Payment Sources for Home Care: Self-Pay		57199-2	LA6369-8	1.3.6.1.4.1.12009.10.1.80

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M0150_CPAY_OTHER	11	Current Payment Sources for Home Care: Other	This is handled in the CDA by making "Other" a null, and including the text response in the <originalText> field	57199-2	LA6310-2	1.3.6.1.4.1.12009.10.1.80
M0150_CPAY_UK	UK	Current Payment Sources for Home Care: Unknown		57199-2	LA4489-6	1.3.6.1.4.1.12009.10.1.80
CLINICAL RECORD ITEMS						
M0080_ASSESSOR_DISCIPLINE		Discipline of Person Completing Assessment		46500-5		
M0080_ASSESSOR_DISCIPLINE	1	RN		46500-5	LA6367-2	1.3.6.1.4.1.12009.10.1.139
M0080_ASSESSOR_DISCIPLINE	2	PT		46500-5	LA6353-2	1.3.6.1.4.1.12009.10.1.139
M0080_ASSESSOR_DISCIPLINE	3	SLP/ST		46500-5	LA6378-9	1.3.6.1.4.1.12009.10.1.139
M0080_ASSESSOR_DISCIPLINE	4	OT		46500-5	LA6309-4	1.3.6.1.4.1.12009.10.1.139
M0090_INFO_COMPLETED_DT		Date Assessment Completed		46501-3		
M0100_ASSMT_REASON		Reason for Assessment		57200-8		
M0100_ASSMT_REASON	1	Start of care - further visits planned		57200-8	LA6390-4	1.3.6.1.4.1.12009.10.1.78
M0100_ASSMT_REASON	3	Resumption of care (after inpatient stay)		57200-8	LA6366-4	1.3.6.1.4.1.12009.10.1.78
M0100_ASSMT_REASON	4	Recertification (follow-up) reassessment		57200-8	LA6355-7	1.3.6.1.4.1.12009.10.1.78
M0100_ASSMT_REASON	5	Other follow-up		57200-8	LA6312-8	1.3.6.1.4.1.12009.10.1.78
M0100_ASSMT_REASON	6	Transferred to an inpatient facility - patient not discharged from agency		57200-8	LA6402-7	1.3.6.1.4.1.12009.10.1.78
M0100_ASSMT_REASON	7	Transferred to an inpatient facility - patient discharged from agency		57200-8	LA6401-9	1.3.6.1.4.1.12009.10.1.78
M0100_ASSMT_REASON	8	Death at home		57200-8	LA6179-1	1.3.6.1.4.1.12009.10.1.78
M0100_ASSMT_REASON	9	Discharge from agency		57200-8	LA6184-1	1.3.6.1.4.1.12009.10.1.78
M0102_PHYSN_ORDRD_SOCROC_DT		Physician Ordered SOC/ROC Date		57201-6		
M0102_PHYSN_ORDRD_SOCROC_DT_NA	NA	Physician Ordered SOC/ROC Date - NA				
M0104_PHYSN_RFRL_DT		Physician Date Of Referral		57202-4		
M0110_EPISODE_TIMING		Episode Timing		57203-2		
M0110_EPISODE_TIMING	1	Early		1	LA12111-3	1.3.6.1.4.1.12009.10.1.79
M0110_EPISODE_TIMING	2	Later		2	LA12112-1	1.3.6.1.4.1.12009.10.1.79
M0110_EPISODE_TIMING	NA	Not applicable: No Medicare case mix group to be defined by this assessment.		NA	LA12114-7	1.3.6.1.4.1.12009.10.1.79
M0110_EPISODE_TIMING	UK	Unknown		UK	LA4489-6	1.3.6.1.4.1.12009.10.1.79
PATIENT HISTORY AND DIAGNOSES						
M1000		<i>Inpatient discharge facility</i>	Question row added to facilitate message format.	57204-0		
M1000_DC LTC_14_DA	1	Past 14 Days: Dschrgd From LTC NH		57204-0	LA12115-4	1.3.6.1.4.1.12009.10.1.81
M1000_DC SNF_14_DA	2	Past 14 Days: Discharged from Skilled Nursing Facility		57204-0	LA10080-2	1.3.6.1.4.1.12009.10.1.81
M1000_DC IPPS_14_DA	3	Past 14 Days: Dschrgd From Short Stay Acute Hospital		57204-0	LA12117-0	1.3.6.1.4.1.12009.10.1.81
M1000_DC LTCH_14_DA	4	Past 14 Days: Dschrgd From Long Term Care Hospital		57204-0	LA10000-0	1.3.6.1.4.1.12009.10.1.81
M1000_DC IRF_14_DA	5	Past 14 Days: Discharged From Inpatient Rehab Facility		57204-0	LA9986-6	1.3.6.1.4.1.12009.10.1.81
M1000_DC PSYCH_14_DA	6	Past 14 Days: Dschrgd From Psychiatric Hospital Or Unit		57204-0	LA10065-3	1.3.6.1.4.1.12009.10.1.81
M1000_DC_OTH_14_DA	7	Past 14 Days: Dschrgd From Other	This is handled in the CDA by making "Other" a null, and including the text response in the <originalText> field	57204-0	LA6310-2	1.3.6.1.4.1.12009.10.1.81
M1000_DC NONE_14_DA	N/A	Past 14 Days: Not Discharged from Inpatient Facility		57204-0	LA6342-5	1.3.6.1.4.1.12009.10.1.81
M1005_INP_DISCHARGE_DT		Most Recent Inpatient Discharge Date		46503-9		
M1005_INP_DSCHG_UNKNOWN	UK	Inpatient Discharge Date Unknown				
M1010		<i>Inpatient Diagnosis</i>	Question row added to facilitate message format.			
M1010_14_DAY_INP1_ICD	a	Inpatient Stay Within Last 14 Days: ICD Code 1		46504-7		2.16.840.1.113883.6.103
M1010_14_DAY_INP2_ICD	b	Inpatient Stay Within Last 14 Days: ICD Code 2		46504-7		2.16.840.1.113883.6.103
M1010_14_DAY_INP3_ICD	c	Inpatient Stay Within Last 14 Days: ICD Code 3		46504-7		2.16.840.1.113883.6.103
M1010_14_DAY_INP4_ICD	d	Inpatient Stay Within Last 14 Days: ICD Code 4		46504-7		2.16.840.1.113883.6.103
M1010_14_DAY_INP5_ICD	e	Inpatient Stay Within Last 14 Days: ICD Code 5		46504-7		2.16.840.1.113883.6.103
M1010_14_DAY_INP6_ICD	f	Inpatient Stay Within Last 14 Days: ICD Code 6		46504-7		2.16.840.1.113883.6.103
M1012		<i>Inpatient Procedure</i>	Question row added to facilitate message format.			
M1012_INP_PRCDR1_ICD	a	Inpatient ICD Procedure1 Code		58050-6		2.16.840.1.113883.6.104
M1012_INP_PRCDR2_ICD	b	Inpatient ICD Procedure2 Code		58050-6		2.16.840.1.113883.6.104
M1012_INP_PRCDR3_ICD	c	Inpatient ICD Procedure3 Code		58050-6		2.16.840.1.113883.6.104
M1012_INP_PRCDR4_ICD	d	Inpatient ICD Procedure4 Code		58050-6		2.16.840.1.113883.6.104

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M1012_INP_NA_ICD	NA	Inpatient ICD Procedure Code - NA		58050-6		2.16.840.1.113883.6.104
M1012_INP_UK_ICD	UK	Inpatient ICD Procedure Code - UK		58050-6		2.16.840.1.113883.6.104
M1016		<i>Diagnosis Requiring Regimen Change</i>	Question row added to facilitate message format.			
M1016_CHGREG_ICD1	a	Regimen Change in Past 14 Days: ICD Code 1		46507-0		2.16.840.1.113883.6.103
M1016_CHGREG_ICD2	b	Regimen Change in Past 14 Days: ICD Code 2		46507-0		2.16.840.1.113883.6.103
M1016_CHGREG_ICD3	c	Regimen Change in Past 14 Days: ICD Code 3		46507-0		2.16.840.1.113883.6.103
M1016_CHGREG_ICD4	d	Regimen Change in Past 14 Days: ICD Code 4		46507-0		2.16.840.1.113883.6.103
M1016_CHGREG_ICD5	e	Regimen Change In Past 14 Days: ICD Code 5		46507-0		2.16.840.1.113883.6.103
M1016_CHGREG_ICD6	f	Regimen Change In Past 14 Days: ICD Code 6		46507-0		2.16.840.1.113883.6.103
M1016_CHGREG_ICD_NA	NA	Regimen Change In Past 14 Days: Not Applicable		46507-0		2.16.840.1.113883.6.103
M1018		<i>Conditions prior to medical or treatment regimen change or inpatient stay within past 14 days</i>	Question row added to facilitate message format.	46465-1		
M1018_PRIOR_UR_INCON	1	Prior Condition: Urinary Incontinence		46465-1	LA6436-5	1.3.6.1.4.1.12009.10.1.140
M1018_PRIOR_CATH	2	Prior Condition: Indwelling/Suprapubic Catheter		46465-1	LA6240-1	1.3.6.1.4.1.12009.10.1.140
M1018_PRIOR_INTRACT_PAIN	3	Prior Condition: Intractable Pain		46465-1	LA6243-5	1.3.6.1.4.1.12009.10.1.140
M1018_PRIOR_IMPR_DECSN	4	Prior Condition: Impaired Decision-making		46465-1	LA6227-8	1.3.6.1.4.1.12009.10.1.140
M1018_PRIOR_DISRUPTIVE	5	Prior Condition: Disruptive or Socially Inappropriate Behavior		46465-1	LA6186-6	1.3.6.1.4.1.12009.10.1.140
M1018_PRIOR_MEM_LOSS	6	Prior Condition: Memory Loss, Supervision Required		46465-1	LA6261-7	1.3.6.1.4.1.12009.10.1.140
M1018_PRIOR_NONE	7	Prior Condition: None of the Above		46465-1	LA9-3	1.3.6.1.4.1.12009.10.1.140
M1018_PRIOR_NOCHG_14D	NA	Prior Condition: No Inpatient Discharge, No Change in Regimen in Past 14 Days		46465-1	LA6282-3	1.3.6.1.4.1.12009.10.1.140
M1018_PRIOR_UNKNOWN	UK	Prior Condition: Unknown		46465-1	LA4489-6	1.3.6.1.4.1.12009.10.1.140
M1020_PRIMARY_DIAG_ICD	a	Primary Diagnosis ICD Code		46511-2		2.16.840.1.113883.6.103
M1020_PRIMARY_DIAG_SEVERITY		Primary Diagnosis Severity Rating		46512-0		
M1020_PRIMARY_DIAG_SEVERITY	0	Asymptomatic, no treatment needed		46512-0	LA6111-4	1.3.6.1.4.1.12009.10.1.141
M1020_PRIMARY_DIAG_SEVERITY	1	Symptoms well controlled with current therapy		46512-0	LA6112-2	1.3.6.1.4.1.12009.10.1.141
M1020_PRIMARY_DIAG_SEVERITY	2	Symptoms controlled with difficulty		46512-0	LA6113-0	1.3.6.1.4.1.12009.10.1.141
M1020_PRIMARY_DIAG_SEVERITY	3	Symptoms poorly controlled; patient needs frequent adjustment in treatment & dose monitoring		46512-0	LA6114-8	1.3.6.1.4.1.12009.10.1.141
M1020_PRIMARY_DIAG_SEVERITY	4	Symptoms poorly controlled; history of re-hospitalizations		46512-0	LA6115-5	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG1_ICD	b	Other Diagnosis 1: ICD Code		46513-8		2.16.840.1.113883.6.103
M1022_OTH_DIAG1_SEVERITY		Other Diagnosis 1: Severity Rating		46514-6		
M1022_OTH_DIAG1_SEVERITY	0	Asymptomatic, no treatment needed		46514-6	LA6111-4	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG1_SEVERITY	1	Symptoms well controlled with current therapy		46514-6	LA6112-2	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG1_SEVERITY	2	Symptoms controlled with difficulty		46514-6	LA6113-0	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG1_SEVERITY	3	Symptoms poorly controlled; patient needs frequent adjustment in treatment & dose monitoring		46514-6	LA6114-8	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG1_SEVERITY	4	Symptoms poorly controlled; history of re-hospitalizations		46514-6	LA6115-5	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG2_ICD	c	Other Diagnosis 2: ICD Code		46515-3		2.16.840.1.113883.6.103
M1022_OTH_DIAG2_SEVERITY		Other Diagnosis 2: Severity Rating		46516-1		
M1022_OTH_DIAG2_SEVERITY	0	Asymptomatic, no treatment needed		46516-1	LA6111-4	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG2_SEVERITY	1	Symptoms well controlled with current therapy		46516-1	LA6112-2	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG2_SEVERITY	2	Symptoms controlled with difficulty		46516-1	LA6113-0	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG2_SEVERITY	3	Symptoms poorly controlled; patient needs frequent adjustment in treatment & dose monitoring		46516-1	LA6114-8	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG2_SEVERITY	4	Symptoms poorly controlled; history of re-hospitalizations		46516-1	LA6115-5	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG3_ICD	d	Other Diagnosis 3: ICD Code		46517-9		2.16.840.1.113883.6.103
M1022_OTH_DIAG3_SEVERITY		Other Diagnosis 3: Severity Rating		46518-7		
M1022_OTH_DIAG3_SEVERITY	0	Asymptomatic, no treatment needed		46518-7	LA6111-4	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG3_SEVERITY	1	Symptoms well controlled with current therapy		46518-7	LA6112-2	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG3_SEVERITY	2	Symptoms controlled with difficulty		46518-7	LA6113-0	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG3_SEVERITY	3	Symptoms poorly controlled; patient needs frequent adjustment in treatment & dose monitoring		46518-7	LA6114-8	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG3_SEVERITY	4	Symptoms poorly controlled; history of re-hospitalizations		46518-7	LA6115-5	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG4_ICD	e	Other Diagnosis 4: ICD Code		46519-5		2.16.840.1.113883.6.103
M1022_OTH_DIAG4_SEVERITY		Other Diagnosis 4: Severity Rating		46520-3		
M1022_OTH_DIAG4_SEVERITY	0	Asymptomatic, no treatment needed		46520-3	LA6111-4	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG4_SEVERITY	1	Symptoms well controlled with current therapy		46520-3	LA6112-2	1.3.6.1.4.1.12009.10.1.141

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M1022_OTH_DIAG4_SEVERITY	2	Symptoms controlled with difficulty		46520-3	LA6113-0	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG4_SEVERITY	3	Symptoms poorly controlled; patient needs frequent adjustment in treatment & dose monitoring		46520-3	LA6114-8	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG4_SEVERITY	4	Symptoms poorly controlled; history of re-hospitalizations		46520-3	LA6115-5	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG5_ICD	f	Other Diagnosis 5: ICD Code		46521-1		2.16.840.1.113883.6.103
M1022_OTH_DIAG5_SEVERITY		Other Diagnosis 5: Severity Rating		46522-9		
M1022_OTH_DIAG5_SEVERITY	0	Asymptomatic, no treatment needed		46522-9	LA6111-4	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG5_SEVERITY	1	Symptoms well controlled with current therapy		46522-9	LA6112-2	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG5_SEVERITY	2	Symptoms controlled with difficulty		46522-9	LA6113-0	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG5_SEVERITY	3	Symptoms poorly controlled; patient needs frequent adjustment in treatment & dose monitoring		46522-9	LA6114-8	1.3.6.1.4.1.12009.10.1.141
M1022_OTH_DIAG5_SEVERITY	4	Symptoms poorly controlled; history of re-hospitalizations		46522-9	LA6115-5	1.3.6.1.4.1.12009.10.1.141
M1024_PMT_DIAG_ICD_A3	a	Case Mix Diagnosis: Primary, Column 3		49561-4		2.16.840.1.113883.6.103
M1024_PMT_DIAG_ICD_B3	b	Case Mix Diagnosis: First Secondary, Column 3		49561-4		2.16.840.1.113883.6.103
M1024_PMT_DIAG_ICD_C3	c	Case Mix Diagnosis: Second Secondary, Column 3		49561-4		2.16.840.1.113883.6.103
M1024_PMT_DIAG_ICD_D3	d	Case Mix Diagnosis: Third Secondary, Column 3		49561-4		2.16.840.1.113883.6.103
M1024_PMT_DIAG_ICD_E3	e	Case Mix Diagnosis: Fourth Secondary, Column 3		49561-4		2.16.840.1.113883.6.103
M1024_PMT_DIAG_ICD_F3	f	Case Mix Diagnosis: Fifth Secondary, Column 3		49561-4		2.16.840.1.113883.6.103
M1024_PMT_DIAG_ICD_A4	a	Case Mix Diagnosis: Primary, Column 4		49561-4		2.16.840.1.113883.6.103
M1024_PMT_DIAG_ICD_B4	b	Case Mix Diagnosis: First Secondary, Column 4		49561-4		2.16.840.1.113883.6.103
M1024_PMT_DIAG_ICD_C4	c	Case Mix Diagnosis: Second Secondary, Column 4		49561-4		2.16.840.1.113883.6.103
M1024_PMT_DIAG_ICD_D4	d	Case Mix Diagnosis: Third Secondary, Column 4		49561-4		2.16.840.1.113883.6.103
M1024_PMT_DIAG_ICD_E4	e	Case Mix Diagnosis: Fourth Secondary, Column 4		49561-4		2.16.840.1.113883.6.103
M1024_PMT_DIAG_ICD_F4	f	Case Mix Diagnosis: Fifth Secondary, Column 4		49561-4		2.16.840.1.113883.6.103
M1030		<i>Therapies the patient receives at home</i>	Question row added to facilitate message format.	46466-9		
M1030_THH_IV_INFUSION	1	Therapies Received at Home: Intravenous, Infusion		46466-9	LA6244-3	1.3.6.1.4.1.12009.10.1.142
M1030_THH_PAR_NUTRITION	2	Therapies Received at Home: Parenteral Nutrition		46466-9	LA6321-9	1.3.6.1.4.1.12009.10.1.142
M1030_THH_ENT_NUTRITION	3	Therapies Received at Home: Enteral Nutrition		46466-9	LA6194-0	1.3.6.1.4.1.12009.10.1.142
M1030_THH_NONE_ABOVE	4	Therapies Received at Home: None of the Above		46466-9	LA9-3	1.3.6.1.4.1.12009.10.1.142
M1032		<i>Risk for hospitalization</i>	Question row added to facilitate message format.	57319-6		
M1032_HOSP_RISK_RCNT_DCLN	1	Risk For Hospitalization: Recent Decline In Mental, Emotional Or Behavior Status		57319-6	LA12130-3	1.3.6.1.4.1.12009.10.1.83
M1032_HOSP_RISK_MLTP_HOSPZTN	2	Risk For Hospitalization: Multiple Hospitalizations (2 Or More) In Past 12 Mo		57319-6	LA12131-1	1.3.6.1.4.1.12009.10.1.83
M1032_HOSP_RISK_HSTRY_FALLS	3	Risk For Hospitalization: History Of Falls (2 Or More Falls Or Any Fall With An Injury) In Past Year		57319-6	LA12132-9	1.3.6.1.4.1.12009.10.1.83
M1032_HOSP_RISK_5PLUS_MDCTN	4	Risk For Hospitalization: Taking Five Or More Medications		57319-6	LA12133-7	1.3.6.1.4.1.12009.10.1.83
M1032_HOSP_RISK_FRILITY	5	Risk For Hospitalization: Frailty Indicators		57319-6	LA12134-5	1.3.6.1.4.1.12009.10.1.83
M1032_HOSP_RISK_OTHR	6	Risk For Hospitalization: Other		57319-6	LA46-8	1.3.6.1.4.1.12009.10.1.83
M1032_HOSP_RISK_NONE_ABOVE	7	Risk For Hospitalization: None Of The Above		57319-6	LA9-3	1.3.6.1.4.1.12009.10.1.83
M1034_PTNT_OVRAL_STUS		Patient's Overall Status		57206-5		
M1034_PTNT_OVRAL_STUS	0	The patient is stable with no heightened risk(s) for serious complications and death (beyond those typical of the patient's age).		57206-5	LA12137-8	1.3.6.1.4.1.12009.10.1.84
M1034_PTNT_OVRAL_STUS	1	The patient is temporarily facing high health risk(s) but is likely to return to being stable without heightened risk(s) for serious complications and death (beyond those typical of the patient's age).		57206-5	LA12138-6	1.3.6.1.4.1.12009.10.1.84
M1034_PTNT_OVRAL_STUS	2	The patient is likely to remain in fragile health and have ongoing high risk(s) of serious complications and death.		57206-5	LA12139-4	1.3.6.1.4.1.12009.10.1.84
M1034_PTNT_OVRAL_STUS	3	The patient has serious progressive conditions that could lead to death within a year.		57206-5	LA10096-8	1.3.6.1.4.1.12009.10.1.84
M1034_PTNT_OVRAL_STUS	UK	The patient's situation is unknown or unclear.		57206-5	LA12141-0	1.3.6.1.4.1.12009.10.1.84
M1036		<i>Risk factors, either present or past, likely to affect current health status and/or outcome</i>	Question row added to facilitate message format.	57207-3		
M1036_RSK_SMOKING	1	High Risk Factor: Smoking		57207-3	LA8928-9	1.3.6.1.4.1.12009.10.1.85
M1036_RSK_OBESITY	2	High Risk Factor: Obesity		57207-3	LA6301-1	1.3.6.1.4.1.12009.10.1.85
M1036_RSK_ALCOHOLISM	3	High Risk Factor: Alcoholism		57207-3	LA6152-8	1.3.6.1.4.1.12009.10.1.85
M1036_RSK_DRUGS	4	High Risk Factor: Drugs		57207-3	LA6189-0	1.3.6.1.4.1.12009.10.1.85

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M1036_RSK_NONE	5	High Risk Factor: None of the Above		57207-3	LA9-3	1.3.6.1.4.1.12009.10.1.85
M1036_RSK_UNKNOWN	UK	High Risk Factor: Unknown		57207-3	LA4489-6	1.3.6.1.4.1.12009.10.1.85
M1040_INFLNZ_RCVD_AGENCY		Influenza Vaccine: Did Patient Receive The Influenza Vaccine		57208-1		
M1040_INFLNZ_RCVD_AGENCY	0	No		57208-1	LA32-8	1.3.6.1.4.1.12009.10.1.86
M1040_INFLNZ_RCVD_AGENCY	1	Yes		57208-1	LA33-6	1.3.6.1.4.1.12009.10.1.86
M1040_INFLNZ_RCVD_AGENCY	NA	Does not apply because entire episode of care (SOC/ROC to Transfer/Discharge) is outside this influenza season.		57208-1	LA12150-1	1.3.6.1.4.1.12009.10.1.86
M1045_INFLNZ_RSN_NOT_RCVD		Influenza Vaccine: Reason Not Received In Agency		57209-9		
M1045_INFLNZ_RSN_NOT_RCVD	1	Received from another health care provider (e.g., physician)		57209-9	LA12151-9	1.3.6.1.4.1.12009.10.1.87
M1045_INFLNZ_RSN_NOT_RCVD	2	Received from your agency previously during this year's flu season		57209-9	LA12152-7	1.3.6.1.4.1.12009.10.1.87
M1045_INFLNZ_RSN_NOT_RCVD	3	Offered and declined		57209-9	LA186-9	1.3.6.1.4.1.12009.10.1.87
M1045_INFLNZ_RSN_NOT_RCVD	4	Assessed and determined to have medical contraindication(s)		57209-9	LA12154-3	1.3.6.1.4.1.12009.10.1.87
M1045_INFLNZ_RSN_NOT_RCVD	5	Not indicated; patient does not meet age/condition guidelines for influenza vaccine		57209-9	LA12155-0	1.3.6.1.4.1.12009.10.1.87
M1045_INFLNZ_RSN_NOT_RCVD	6	Inability to obtain vaccine due to declared shortage		57209-9	LA12156-8	1.3.6.1.4.1.12009.10.1.87
M1045_INFLNZ_RSN_NOT_RCVD	7	None of the above		57209-9	LA9-3	1.3.6.1.4.1.12009.10.1.87
M1050_PPV_RCVD_AGENCY		Pneumococcal Vaccine: Did Patient Receive The Influenza Vaccine		57210-7		
M1050_PPV_RCVD_AGENCY	0	No		57210-7	LA32-8	1.3.6.1.4.1.12009.10.1.62
M1050_PPV_RCVD_AGENCY	1	Yes		57210-7	LA33-6	1.3.6.1.4.1.12009.10.1.62
M1055_PPV_RSN_NOT_RCVD_AGENCY		Pneumococcal Vaccine: Reason Not Received In Agency		57211-5		
M1055_PPV_RSN_NOT_RCVD_AGENCY	1	Patient has received PPV in the past		57211-5	LA12158-4	1.3.6.1.4.1.12009.10.1.88
M1055_PPV_RSN_NOT_RCVD_AGENCY	2	Offered and declined		57211-5	LA186-9	1.3.6.1.4.1.12009.10.1.88
M1055_PPV_RSN_NOT_RCVD_AGENCY	3	Assessed and determined to have medical contraindication(s)		57211-5	LA12154-3	1.3.6.1.4.1.12009.10.1.88
M1055_PPV_RSN_NOT_RCVD_AGENCY	4	Not indicated; patient does not meet age/condition guidelines for PPV		57211-5	LA12161-8	1.3.6.1.4.1.12009.10.1.88
M1055_PPV_RSN_NOT_RCVD_AGENCY	5	None of the above		57211-5	LA9-3	1.3.6.1.4.1.12009.10.1.88
LIVING ARRANGEMENTS						
M1100_PTNT_LVG_STUTN		Patient Living Situation		57212-3		
M1100_PTNT_LVG_STUTN	1	Patient Lives Alone - Around the clock		57212-3	LA12163-4	1.3.6.1.4.1.12009.10.1.89
M1100_PTNT_LVG_STUTN	2	Patient Lives Alone - Regular daytime		57212-3	LA12164-2	1.3.6.1.4.1.12009.10.1.89
M1100_PTNT_LVG_STUTN	3	Patient Lives Alone - Regular nighttime		57212-3	LA12165-9	1.3.6.1.4.1.12009.10.1.89
M1100_PTNT_LVG_STUTN	4	Patient Lives Alone - Occasional / short-term assistance		57212-3	LA12166-7	1.3.6.1.4.1.12009.10.1.89
M1100_PTNT_LVG_STUTN	5	Patient Lives Alone - No assistance available		57212-3	LA12167-5	1.3.6.1.4.1.12009.10.1.89
M1100		<i>Patient lives with other person</i>	Question row added to facilitate message format.	57213-1		
M1100_PTNT_LVG_STUTN	6	Patient Lives with Other Person - Around the clock		57213-1	LA12163-4	1.3.6.1.4.1.12009.10.1.67
M1100_PTNT_LVG_STUTN	7	Patient Lives with Other Person - Regular daytime		57213-1	LA12164-2	1.3.6.1.4.1.12009.10.1.67
M1100_PTNT_LVG_STUTN	8	Patient Lives with Other Person - Regular nighttime		57213-1	LA12165-9	1.3.6.1.4.1.12009.10.1.67
M1100_PTNT_LVG_STUTN	9	Patient Lives with Other Person - Occasional / short-term assistance		57213-1	LA12166-7	1.3.6.1.4.1.12009.10.1.67
M1100_PTNT_LVG_STUTN	10	Patient Lives with Other Person - No assistance available		57213-1	LA12167-5	1.3.6.1.4.1.12009.10.1.67
M1100		<i>Patient lives in congregated situation</i>	Question row added to facilitate message format.	57214-9		
M1100_PTNT_LVG_STUTN	11	Patient Lives in Congregate Situation - Around the clock		57214-9	LA12163-4	1.3.6.1.4.1.12009.10.1.68
M1100_PTNT_LVG_STUTN	12	Patient Lives in Congregate Situation - Regular daytime		57214-9	LA12164-2	1.3.6.1.4.1.12009.10.1.68
M1100_PTNT_LVG_STUTN	13	Patient Lives in Congregate Situation - Regular nighttime		57214-9	LA12165-9	1.3.6.1.4.1.12009.10.1.68
M1100_PTNT_LVG_STUTN	14	Patient Lives in Congregate Situation - Occasional / short-term assistance		57214-9	LA12166-7	1.3.6.1.4.1.12009.10.1.68
M1100_PTNT_LVG_STUTN	15	Patient Lives in Congregate Situation - No assistance available		57214-9	LA12167-5	1.3.6.1.4.1.12009.10.1.68
SENSORY STATUS						
M1200_VISION		Sensory Status: Vision		57215-6		
M1200_VISION	0	Normal vision: sees adequately in most situations; can see medication labels, newsprint.		57215-6	LA12168-3	1.3.6.1.4.1.12009.10.1.90

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M1200_VISION	1	Partially impaired: cannot see medication labels or newsprint, but can see obstacles in path, and the surrounding layout; can count fingers at arm's length.		57215-6	LA12169-1	1.3.6.1.4.1.12009.10.1.90
M1200_VISION	2	Severely impaired: cannot locate objects without hearing or touching them or patient nonresponsive.		57215-6	LA6375-5	1.3.6.1.4.1.12009.10.1.90
M1210_HEARG_ABLTY		Ability To Hear		57216-4		
M1210_HEARG_ABLTY	0	Adequate: hears normal conversation without difficulty.		57216-4	LA12123-8	1.3.6.1.4.1.12009.10.1.91
M1210_HEARG_ABLTY	1	Mildly to Moderately Impaired: difficulty hearing in some environments or speaker may need to increase volume or speak distinctly.		57216-4	LA12124-6	1.3.6.1.4.1.12009.10.1.91
M1210_HEARG_ABLTY	2	Severely Impaired: absence of useful hearing.		57216-4	LA12125-3	1.3.6.1.4.1.12009.10.1.91
M1210_HEARG_ABLTY	UK	Unable to assess hearing.		57216-4	LA12174-1	1.3.6.1.4.1.12009.10.1.91
M1220_UNDRSTG_VERBAL_CNTNT		Understanding Of Verbal Content In Patient's Own Language		57217-2		
M1220_UNDRSTG_VERBAL_CNTNT	0	Understands: clear comprehension without cues or repetitions		57217-2	LA12175-8	1.3.6.1.4.1.12009.10.1.92
M1220_UNDRSTG_VERBAL_CNTNT	1	Usually Understands: understands most conversations, but misses some part/intent of message. Requires cues at times to understand.		57217-2	LA12176-6	1.3.6.1.4.1.12009.10.1.92
M1220_UNDRSTG_VERBAL_CNTNT	2	Sometimes Understands: understands only basic conversations or simple, direct phrases. Frequently requires cues to understand.		57217-2	LA12177-4	1.3.6.1.4.1.12009.10.1.92
M1220_UNDRSTG_VERBAL_CNTNT	3	Rarely/Never Understands		57217-2	LA81-5	1.3.6.1.4.1.12009.10.1.92
M1220_UNDRSTG_VERBAL_CNTNT	UK	Unable to assess understanding		57217-2	LA12179-0	1.3.6.1.4.1.12009.10.1.92
M1230_SPEECH		Sensory Status: Speech		57218-0		
M1230_SPEECH	0	Expresses complex ideas, feelings, and needs clearly, completely, and easily in all situations with no observable impairment.		0	LA6197-3	1.3.6.1.4.1.12009.10.1.93
M1230_SPEECH	1	Minimal difficulty in expressing ideas and needs (may take extra time; makes occasional errors in word choice, grammar or speech intelligibility; needs minimal prompting or assistance).		1	LA12181-6	1.3.6.1.4.1.12009.10.1.93
M1230_SPEECH	2	Expresses simple ideas or needs with moderate difficulty (needs prompting or assistance, errors in word choice, organization or speech intelligibility). Speaks in phrases or short sentences.		2	LA12182-4	1.3.6.1.4.1.12009.10.1.93
M1230_SPEECH	3	Has severe difficulty expressing basic ideas or needs and requires maximal assistance or guessing by listener. Speech limited to single words or short phrases.		3	LA12183-2	1.3.6.1.4.1.12009.10.1.93
M1230_SPEECH	4	Unable to express basic needs even with maximal prompting or assistance but is not comatose or unresponsive (e.g., speech is nonsensical or unintelligible).		4	LA12184-0	1.3.6.1.4.1.12009.10.1.93
M1230_SPEECH	5	Patient nonresponsive or unable to speak.		5	LA6336-7	1.3.6.1.4.1.12009.10.1.93
M1240_FRML_PAIN_ASMT		Has Patient Had A Formal Pain Assessment		57219-8		
M1240_FRML_PAIN_ASMT	0	No standardized assessment conducted		57219-8	LA12186-5	1.3.6.1.4.1.12009.10.1.94
M1240_FRML_PAIN_ASMT	1	Yes, and it does not indicate severe pain		57219-8	LA12187-3	1.3.6.1.4.1.12009.10.1.94
M1240_FRML_PAIN_ASMT	2	Yes, and it indicates severe pain		57219-8	LA12188-1	1.3.6.1.4.1.12009.10.1.94
M1242_PAIN_FREQ_ACTVTY_MVMT		Frequency Of Pain Interfering With Patient's Activity Or Movement		57220-6		
M1242_PAIN_FREQ_ACTVTY_MVMT	0	Patient has no pain		57220-6	LA12189-9	1.3.6.1.4.1.12009.10.1.95
M1242_PAIN_FREQ_ACTVTY_MVMT	1	Patient has pain that does not interfere with activity or movement		57220-6	LA12190-7	1.3.6.1.4.1.12009.10.1.95
M1242_PAIN_FREQ_ACTVTY_MVMT	2	Less often than daily		57220-6	LA6249-2	1.3.6.1.4.1.12009.10.1.95
M1242_PAIN_FREQ_ACTVTY_MVMT	3	Daily, but not constantly		57220-6	LA6177-5	1.3.6.1.4.1.12009.10.1.95
M1242_PAIN_FREQ_ACTVTY_MVMT	4	All of the time		57220-6	LA6154-4	1.3.6.1.4.1.12009.10.1.95
INTEGUMENTARY STATUS						
M1300_PRSR_ULCR_RISK_ASMT		Was Patient Assessed For Risk Of Developing PUs		57221-4		
M1300_PRSR_ULCR_RISK_ASMT	0	No assessment conducted		57221-4	LA12194-9	1.3.6.1.4.1.12009.10.1.96
M1300_PRSR_ULCR_RISK_ASMT	1	Yes, based on an evaluation of clinical factors, e.g., mobility, incontinence, nutrition, etc., without use of standardized tool		57221-4	LA12195-6	1.3.6.1.4.1.12009.10.1.96
M1300_PRSR_ULCR_RISK_ASMT	2	Yes, using a standardized tool, e.g., Braden, Norton, other		57221-4	LA12196-4	1.3.6.1.4.1.12009.10.1.96

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M1302_RISK_OF_PRSR_ULCR		Does This Patient Have A Risk Of Developing PUs		57280-0		
M1302_RISK_OF_PRSR_ULCR	0	No		57280-0	LA32-8	1.3.6.1.4.1.12009.10.1.62
M1302_RISK_OF_PRSR_ULCR	1	Yes		57280-0	LA33-6	1.3.6.1.4.1.12009.10.1.62
M1306_UNHLD_STG2_PRSR_ULCR		Patient Has At Least 1 Unhealed PU At Stage 2 Or Higher		57307-1		
M1306_UNHLD_STG2_PRSR_ULCR	0	No		57307-1	LA32-8	1.3.6.1.4.1.12009.10.1.62
M1306_UNHLD_STG2_PRSR_ULCR	1	Yes		57307-1	LA33-6	1.3.6.1.4.1.12009.10.1.62
M1307_OLDST_STG2_AT_DSCHRG		Status Of Oldest Stage II Pressure Ulcer At Discharge		57222-2		
M1307_OLDST_STG2_AT_DSCHRG	1	Was present at the most recent SOC/ROC assessment		57222-2	LA12403-4	1.3.6.1.4.1.12009.10.1.97
M1307_OLDST_STG2_AT_DSCHRG	2	Developed since the most recent SOC/ROC assessment		57222-2	LA12404-2	1.3.6.1.4.1.12009.10.1.97
M1307_OLDST_STG2_AT_DSCHRG	NA	No non-epithelialized Stage II pressure ulcers are present at discharge		57222-2	LA12405-9	1.3.6.1.4.1.12009.10.1.97
M1307_OLDST_STG2_ONST_DT		Date Of Onset Of Oldest Stage II Pressure Ulcer				
M1308_NBR_PRSULC_STG2	a	No. Pressure Ulcers - Stage 2		55124-2		
M1308_NBR_STG2_AT_SOC_ROC		Number PU Stage 2 At SOC/ROC		54886-7		
M1308_NBR_PRSULC_STG3	b	No. Pressure Ulcers - Stage 3		55125-9		
M1308_NBR_STG3_AT_SOC_ROC		Number PU Stage 3 At SOC/ROC		54887-5		
M1308_NBR_PRSULC_STG4	c	No. Pressure Ulcers - Stage 4		55126-7		
M1308_NBR_STG4_AT_SOC_ROC		Number PU Stage 4 At SOC/ROC		54890-9		
M1308_NSTG_DRSG	d1	Unstageable Due To Non-removable Dressing Or Device		54893-3		
M1308_NSTG_DRSG_SOC_ROC		Unstageable Due To Non-removable Dressing Or Device At SOC/ROC		54894-1		
M1308_NSTG_CVRG	d2	Unstageable Due To Coverage By Slough Or Eschar		54946-9		
M1308_NSTG_CVRG_SOC_ROC		Unstageable Due To Coverage By Slough Or Eschar At SOC/ROC		54947-7		
M1308_NSTG_DEEP_TISSUE	d3	Unstageable Due To Suspected Deep Tissue Injury In Evolution		54950-1		
M1308_NSTG_DEEP_TISSUE_SOC_ROC		Unstageable Due To Suspected Deep Tissue Injury In Evolution At SOC/ROC		54951-9		
M1310_PRSR_ULCR_LNGTH		Head To Toe Length Of Stage III Or IV Pu With Largest Area		57226-3		
M1312_PRSR_ULCR_WDTH		Width At Right Angles Of Stage III Or IV Pu With Largest Area		52729-1		
M1314_PRSR_ULCR_DEPTH		Depth Of Stage III Or IV Pu With Largest Area		57228-9		
M1320_STUS_PRBLM_PRSR_ULCR		Status Of Most Problematic Pressure Ulcer		57229-7		
M1320_STUS_PRBLM_PRSR_ULCR	0	Newly epithelialized		57229-7	LA12197-2	1.3.6.1.4.1.12009.10.1.98
M1320_STUS_PRBLM_PRSR_ULCR	1	Fully granulating		57229-7	LA6203-9	1.3.6.1.4.1.12009.10.1.98
M1320_STUS_PRBLM_PRSR_ULCR	2	Early/partial granulation		57229-7	LA6193-2	1.3.6.1.4.1.12009.10.1.98
M1320_STUS_PRBLM_PRSR_ULCR	3	Not healing		57229-7	LA6300-3	1.3.6.1.4.1.12009.10.1.98
M1320_STUS_PRBLM_PRSR_ULCR	NA	No observable pressure ulcer		57229-7	LA6286-4	1.3.6.1.4.1.12009.10.1.98
M1322_NBR_PRSULC_STG1		No. Pressure Ulcers - Stage 1		46536-9		
M1322_NBR_PRSULC_STG1	0	Zero		46536-9	LA6458-9	1.3.6.1.4.1.12009.10.1.143
M1322_NBR_PRSULC_STG1	1	One		46536-9	LA6306-0	1.3.6.1.4.1.12009.10.1.143
M1322_NBR_PRSULC_STG1	2	Two		46536-9	LA6404-3	1.3.6.1.4.1.12009.10.1.143
M1322_NBR_PRSULC_STG1	3	Three		46536-9	LA6395-3	1.3.6.1.4.1.12009.10.1.143
M1322_NBR_PRSULC_STG1	4	Four or more		46536-9	LA6200-5	1.3.6.1.4.1.12009.10.1.143
M1324_STG_PRBLM_ULCER		Stage of Most Problematic Pressure Ulcer		57231-3		
M1324_STG_PRBLM_ULCER	1	Stage I		57231-3	LA3664-5	1.3.6.1.4.1.12009.10.1.100
M1324_STG_PRBLM_ULCER	2	Stage II		57231-3	LA3661-1	1.3.6.1.4.1.12009.10.1.100
M1324_STG_PRBLM_ULCER	3	Stage III		57231-3	LA3657-9	1.3.6.1.4.1.12009.10.1.100
M1324_STG_PRBLM_ULCER	4	Stage IV		57231-3	LA3651-2	1.3.6.1.4.1.12009.10.1.100
M1324_STG_PRBLM_ULCER	NA	No observable pressure ulcer or unhealed pressure ulcer		57231-3	LA12211-1	1.3.6.1.4.1.12009.10.1.100
M1330_STAS_ULCR_PRSNT		Does This Patient Have A Stasis Ulcer		57232-1		
M1330_STAS_ULCR_PRSNT	0	No		57232-1	LA32-8	1.3.6.1.4.1.12009.10.1.101
M1330_STAS_ULCR_PRSNT	1	Yes, patient has BOTH observable and unobservable stasis ulcers		57232-1	LA12402-6	1.3.6.1.4.1.12009.10.1.101
M1330_STAS_ULCR_PRSNT	2	Yes, patient has observable stasis ulcers ONLY		57232-1	LA12400-0	1.3.6.1.4.1.12009.10.1.101
M1330_STAS_ULCR_PRSNT	3	Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non-removable dressing)		57232-1	LA12401-8	1.3.6.1.4.1.12009.10.1.101
M1332_NUM_STAS_ULCR		No. Stasis Ulcers		57233-9		
M1332_NUM_STAS_ULCR	1	One		57233-9	LA6306-0	1.3.6.1.4.1.12009.10.1.102

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M1332_NUM_STAS_ULCR	2	Two		57233-9	LA6404-3	1.3.6.1.4.1.12009.10.1.102
M1332_NUM_STAS_ULCR	3	Three		57233-9	LA6395-3	1.3.6.1.4.1.12009.10.1.102
M1332_NUM_STAS_ULCR	4	Four or more		57233-9	LA6200-5	1.3.6.1.4.1.12009.10.1.102
M1334_STUS_PRBLM_STAS_ULCR		Status Of Most Problematic Stasis Ulcer		57234-7	//////	//////
M1334_STUS_PRBLM_STAS_ULCR	0	Newly epithelialized		57234-7	LA12197-2	1.3.6.1.4.1.12009.10.1.103
M1334_STUS_PRBLM_STAS_ULCR	1	Fully granulating		57234-7	LA6203-9	1.3.6.1.4.1.12009.10.1.103
M1334_STUS_PRBLM_STAS_ULCR	2	Early/partial granulation		57234-7	LA6193-2	1.3.6.1.4.1.12009.10.1.103
M1334_STUS_PRBLM_STAS_ULCR	3	Not healing		57234-7	LA6300-3	1.3.6.1.4.1.12009.10.1.103
M1340_SRGL_WND_PRSNT		Does This Patient Have A Surgical Wound		57235-4	//////	//////
M1340_SRGL_WND_PRSNT	0	No [Go to M1350]		57235-4	LA12632-8	1.3.6.1.4.1.12009.10.1.69
M1340_SRGL_WND_PRSNT	1	Yes, patient has at least one (observable) surgical wound		57235-4	LA12633-6	1.3.6.1.4.1.12009.10.1.69
M1340_SRGL_WND_PRSNT	2	Surgical wound known but not observable due to non-removable dressing [Go to M1350]		57235-4	LA12634-4	1.3.6.1.4.1.12009.10.1.69
M1342_STUS_PRBLM_SRGL_WND		Status Of Most Problematic Surgical Wound		57236-2	//////	//////
M1342_STUS_PRBLM_SRGL_WND	0	Newly epithelialized		57236-2	LA12197-2	1.3.6.1.4.1.12009.10.1.103
M1342_STUS_PRBLM_SRGL_WND	1	Fully granulating		57236-2	LA6203-9	1.3.6.1.4.1.12009.10.1.103
M1342_STUS_PRBLM_SRGL_WND	2	Early/partial granulation		57236-2	LA6193-2	1.3.6.1.4.1.12009.10.1.103
M1342_STUS_PRBLM_SRGL_WND	3	Not healing		57236-2	LA6300-3	1.3.6.1.4.1.12009.10.1.103
M1350_LESION_OPEN_WND		Has Skin Lesion Or Open Wound		46534-4	//////	//////
M1350_LESION_OPEN_WND	0	No		46534-4	LA32-8	1.3.6.1.4.1.12009.10.1.62
M1350_LESION_OPEN_WND	1	Yes		46534-4	LA33-6	1.3.6.1.4.1.12009.10.1.62
RESPIRATORY STATUS						
M1400_WHEN_DYSPNEIC		When Dyspneic		57237-0	//////	//////
M1400_WHEN_DYSPNEIC	0	Patient is not short of breath		57237-0	LA12224-4	1.3.6.1.4.1.12009.10.1.104
M1400_WHEN_DYSPNEIC	1	When walking more than 20 feet, climbing stairs		57237-0	LA6443-1	1.3.6.1.4.1.12009.10.1.104
M1400_WHEN_DYSPNEIC	2	With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)		57237-0	LA6446-4	1.3.6.1.4.1.12009.10.1.104
M1400_WHEN_DYSPNEIC	3	With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation		57237-0	LA6445-6	1.3.6.1.4.1.12009.10.1.104
M1400_WHEN_DYSPNEIC	4	At rest (during day or night)		57237-0	LA6158-5	1.3.6.1.4.1.12009.10.1.104
M1410		<i>Respiratory treatments utilized at home:</i>	Question row added to facilitate message format.	57238-8	//////	//////
M1410_RESPTX_OXYGEN	1	Respiratory Treatments: Oxygen		57238-8	LA6319-3	1.3.6.1.4.1.12009.10.1.105
M1410_RESPTX_VENTILATOR	2	Respiratory Treatments: Ventilator		57238-8	LA6438-1	1.3.6.1.4.1.12009.10.1.105
M1410_RESPTX_AIRPRESS	3	Respiratory Treatments: Airway Pressure		57238-8	LA12231-9	1.3.6.1.4.1.12009.10.1.105
M1410_RESPTX_NONE	4	Respiratory Treatments: None of the Above		57238-8	LA9-3	1.3.6.1.4.1.12009.10.1.105
CARDIAC STATUS						
M1500_SYMTM_HRT_FAILR_PTNTS		Symptoms In Heart Failure Patients		57239-6	//////	//////
M1500_SYMTM_HRT_FAILR_PTNTS	0	No		57239-6	LA32-8	1.3.6.1.4.1.12009.10.1.106
M1500_SYMTM_HRT_FAILR_PTNTS	1	Yes		57239-6	LA33-6	1.3.6.1.4.1.12009.10.1.106
M1500_SYMTM_HRT_FAILR_PTNTS	2	Not assessed		57239-6	LA9348-9	1.3.6.1.4.1.12009.10.1.106
M1500_SYMTM_HRT_FAILR_PTNTS	NA	Patient does not have diagnosis of heart failure		57239-6	LA12236-8	1.3.6.1.4.1.12009.10.1.106
M1510		<i>Heart failure follow-up</i>	Question row added to facilitate message format.	57240-4	//////	//////
M1510_HRT_FAILR_NO_ACTN	0	Heart Failure Follow Up: No Action		57240-4	LA12237-6	1.3.6.1.4.1.12009.10.1.107
M1510_HRT_FAILR_PHYSN_CNTCT	1	Heart Failure Follow Up: Physician Contacted		57240-4	LA12238-4	1.3.6.1.4.1.12009.10.1.107
M1510_HRT_FAILR_ER_TRTMT	2	Heart Failure Follow Up: ER Treatment Advised		57240-4	LA12239-2	1.3.6.1.4.1.12009.10.1.107
M1510_HRT_FAILR_PHYSN_TRTMT	3	Heart Failure Follow Up: Physician-Ordered Treatment Implemented		57240-4	LA12240-0	1.3.6.1.4.1.12009.10.1.107
M1510_HRT_FAILR_CLNCL_INTRVTN	4	Heart Failure Follow Up: Patient Education Or Other Clinical Interventions		57240-4	LA12241-8	1.3.6.1.4.1.12009.10.1.107
M1510_HRT_FAILR_CARE_PLAN_CHG	5	Heart Failure Follow Up: Change In Care Plan Orders Obtained		57240-4	LA12242-6	1.3.6.1.4.1.12009.10.1.107
ELIMINATION STATUS						
M1600_UTI		Treated for Urinary Tract Infection in Past 14 Days		46552-6	//////	//////
M1600_UTI	0	No		46552-6	LA32-8	1.3.6.1.4.1.12009.10.1.144
M1600_UTI	1	Yes		46552-6	LA33-6	1.3.6.1.4.1.12009.10.1.144
M1600_UTI	NA	Patient on prophylactic treatment		46552-6	LA6337-5	1.3.6.1.4.1.12009.10.1.144
M1600_UTI	UK	Unknown		46552-6	LA4489-6	1.3.6.1.4.1.12009.10.1.144
M1610_UR_INCONT		Urinary Incontinence or Urinary Catheter Present		46553-4	//////	//////

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M1610_UR_INCONT	0	No incontinence or catheter (includes anuria or ostomy for urinary drainage)		46553-4	LA6278-1	1.3.6.1.4.1.12009.10.1.145
M1610_UR_INCONT	1	Patient is incontinent		46553-4	LA6332-6	1.3.6.1.4.1.12009.10.1.145
M1610_UR_INCONT	2	Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic)		46553-4	LA6339-1	1.3.6.1.4.1.12009.10.1.145
M1615_INCONTNT_TIMING		When Urinary Incontinence Occurs		57241-2		
M1615_INCONTNT_TIMING	0	Timed-voiding defers incontinence		57241-2	LA6397-9	1.3.6.1.4.1.12009.10.1.108
M1615_INCONTNT_TIMING	1	Occasional stress incontinence		57241-2	LA12244-2	1.3.6.1.4.1.12009.10.1.108
M1615_INCONTNT_TIMING	2	During the night only		57241-2	LA6192-4	1.3.6.1.4.1.12009.10.1.108
M1615_INCONTNT_TIMING	3	During the day only		57241-2	LA12246-7	1.3.6.1.4.1.12009.10.1.108
M1615_INCONTNT_TIMING	4	During the day and night		57241-2	LA6191-6	1.3.6.1.4.1.12009.10.1.108
M1620_BWL_INCONT		Bowel Incontinence Frequency		46587-2		
M1620_BWL_INCONT	0	Very rarely or never has bowel incontinence		46587-2	LA6440-7	1.3.6.1.4.1.12009.10.1.146
M1620_BWL_INCONT	1	Less than once weekly		46587-2	LA6252-6	1.3.6.1.4.1.12009.10.1.146
M1620_BWL_INCONT	2	One to three times weekly		46587-2	LA6307-8	1.3.6.1.4.1.12009.10.1.146
M1620_BWL_INCONT	3	Four to six times weekly		46587-2	LA6201-3	1.3.6.1.4.1.12009.10.1.146
M1620_BWL_INCONT	4	On a daily basis		46587-2	LA6302-9	1.3.6.1.4.1.12009.10.1.146
M1620_BWL_INCONT	5	More often than once daily		46587-2	LA6263-3	1.3.6.1.4.1.12009.10.1.146
M1620_BWL_INCONT	NA	Patient has ostomy for bowel elimination		46587-2	LA6330-0	1.3.6.1.4.1.12009.10.1.146
M1620_BWL_INCONT	UK	Unknown		46587-2	LA4489-6	1.3.6.1.4.1.12009.10.1.146
M1630_OSTOMY		Ostomy for Bowel Elimination		46588-0		
M1630_OSTOMY	0	Patient does NOT have an ostomy for bowel elimination.		46588-0	LA6328-4	1.3.6.1.4.1.12009.10.1.147
M1630_OSTOMY	1	Patient's ostomy was NOT related to an inpatient stay and did NOT necessitate change in medical or treatment regimen.		46588-0	LA6343-3	1.3.6.1.4.1.12009.10.1.147
M1630_OSTOMY	2	The ostomy WAS related to an inpatient stay or DID necessitate change in medical or treatment regimen.		46588-0	LA6392-0	1.3.6.1.4.1.12009.10.1.147
NEURO/EMOTIONAL/BEHAVIORAL STATUS						
M1700_COG_FUNCTION		Cognitive Functioning		46589-8		
M1700_COG_FUNCTION	0	Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently.		46589-8	LA6153-6	1.3.6.1.4.1.12009.10.1.148
M1700_COG_FUNCTION	1	Requires prompting (cueing, repetition, reminders) only under stressful or unfamiliar conditions.		46589-8	LA6362-3	1.3.6.1.4.1.12009.10.1.148
M1700_COG_FUNCTION	2	Requires assistance/direction in specific situations (e.g., all tasks involving shifting of attention) or consistently requires low stimulus environment due to distractibility.		46589-8	LA6359-9	1.3.6.1.4.1.12009.10.1.148
M1700_COG_FUNCTION	3	Requires considerable assist in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.		46589-8	LA6360-7	1.3.6.1.4.1.12009.10.1.148
M1700_COG_FUNCTION	4	Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.		46589-8	LA6399-5	1.3.6.1.4.1.12009.10.1.148
M1710_WHEN_CONFUSED		When Confused (Reported or Observed)		58104-1		
M1710_WHEN_CONFUSED	0	Never		58104-1	LA6270-8	1.3.6.1.4.1.12009.10.1.137
M1710_WHEN_CONFUSED	1	In new or complex situations only		58104-1	LA6231-0	1.3.6.1.4.1.12009.10.1.137
M1710_WHEN_CONFUSED	2	On awakening or at night only		58104-1	LA6303-7	1.3.6.1.4.1.12009.10.1.137
M1710_WHEN_CONFUSED	3	During the day and evening, but not constantly		58104-1	LA6190-8	1.3.6.1.4.1.12009.10.1.137
M1710_WHEN_CONFUSED	4	Constantly		58104-1	LA6174-2	1.3.6.1.4.1.12009.10.1.137
M1710_WHEN_CONFUSED	NA	Patient nonresponsive		58104-1	LA6335-9	1.3.6.1.4.1.12009.10.1.137
M1720_WHEN_ANXIOUS		When Anxious (Reported or Observed)		46591-4		
M1720_WHEN_ANXIOUS	0	None of the time		46591-4	LA6297-1	1.3.6.1.4.1.12009.10.1.149
M1720_WHEN_ANXIOUS	1	Less often than daily		46591-4	LA6249-2	1.3.6.1.4.1.12009.10.1.149
M1720_WHEN_ANXIOUS	2	Daily, but not constantly		46591-4	LA6177-5	1.3.6.1.4.1.12009.10.1.149
M1720_WHEN_ANXIOUS	3	All of the time		46591-4	LA6154-4	1.3.6.1.4.1.12009.10.1.149
M1720_WHEN_ANXIOUS	NA	Patient nonresponsive		46591-4	LA6335-9	1.3.6.1.4.1.12009.10.1.149
M1730_STDZ_DPRS_N_SCRNG		Has The Patient Been Screened For Depression Using Stdzed Screen Tool		57242-0		
M1730_STDZ_DPRS_N_SCRNG	0	No		57242-0	LA32-8	1.3.6.1.4.1.12009.10.1.110

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M1730_STDZ_DPRSN_SCRNG	1	Yes, patient was screened using the PHQ-2® scale. (Instructions for this two-question tool: Ask patient: "Over the last two weeks, how often have you been bothered by any of the following problems")		57242-0	LA12254-1	1.3.6.1.4.1.12009.10.1.110
M1730_PHQ2_LACK_INTRST	1a	PHQ2 Pfizer Little Interest Or Pleasure In Doing Things		44250-9	/	/
M1730_PHQ2_LACK_INTRST	1a-0	Not at all (0 - 1 days)		44250-9	LA6568-5	1.3.6.1.4.1.12009.10.1.158
M1730_PHQ2_LACK_INTRST	1a-1	Several days (2-6 days)		44250-9	LA6569-3	1.3.6.1.4.1.12009.10.1.158
M1730_PHQ2_LACK_INTRST	1a-2	More than half of the days (7-11 days)		44250-9	LA6570-1	1.3.6.1.4.1.12009.10.1.158
M1730_PHQ2_LACK_INTRST	1a-3	Nearly every day (12-14 days)		44250-9	LA6571-9	1.3.6.1.4.1.12009.10.1.158
M1730_PHQ2_LACK_INTRST	1a-NA	Unable to respond		/	/	/
M1730_PHQ2_DPRSN	1b	PHQ2 Pfizer Feeling Down, Depressed Or Hopeless		44255-8	/	/
M1730_PHQ2_DPRSN	1b-0	Not at all (0 - 1 days)		44255-8	LA6568-5	1.3.6.1.4.1.12009.10.1.158
M1730_PHQ2_DPRSN	1b-1	Several days (2-6 days)		44255-8	LA6569-3	1.3.6.1.4.1.12009.10.1.158
M1730_PHQ2_DPRSN	1b-2	More than half of the days (7-11 days)		44255-8	LA6570-1	1.3.6.1.4.1.12009.10.1.158
M1730_PHQ2_DPRSN	1b-3	Nearly every day (12-14 days)		44255-8	LA6571-9	1.3.6.1.4.1.12009.10.1.158
M1730_PHQ2_DPRSN	1b-NA	Unable to respond		/	/	/
M1730_STDZ_DPRSN_SCRNG	2	Yes, with a different standardized assessment-and the patient meets criteria for further evaluation for depression.		57242-0	LA12255-8	1.3.6.1.4.1.12009.10.1.110
M1730_STDZ_DPRSN_SCRNG	3	Yes, patient was screened with a different standardized assessment-and the patient does not meet criteria for further evaluation for depression.		57242-0	LA12256-6	1.3.6.1.4.1.12009.10.1.110
M1740		<i>Cognitive, behavioral, and psychiatric symptoms that are demonstrated at least once a week (Reported or Observed):</i>	Question row added to facilitate message format.	46473-5	/	/
M1740_BD_MEM_DEFICIT	1	Behavior Demonstrated: Memory Deficit		46473-5	LA6260-9	1.3.6.1.4.1.12009.10.1.150
M1740_BD_IMP_DECISN	2	Behavior Demonstrated: Impaired Decision-making		46473-5	LA6228-6	1.3.6.1.4.1.12009.10.1.150
M1740_BD_VERBAL	3	Behavior Demonstrated: Verbal Disruption		46473-5	LA6439-9	1.3.6.1.4.1.12009.10.1.150
M1740_BD_PHYSICAL	4	Behavior Demonstrated: Physical Aggression		46473-5	LA6347-4	1.3.6.1.4.1.12009.10.1.150
M1740_BD_SOC_INAPPRO	5	Behavior Demonstrated: Socially Inappropriate		46473-5	LA6187-4	1.3.6.1.4.1.12009.10.1.150
M1740_BD_DELUSIONS	6	Behavior Demonstrated: Delusions		46473-5	LA6181-7	1.3.6.1.4.1.12009.10.1.150
M1740_BD_NONE	7	Behavior Demonstrated: None of the Above		46473-5	LA6294-8	1.3.6.1.4.1.12009.10.1.150
M1745_BEH_PROB_FREQ		Frequency of Behavior Problems		46592-2	/	/
M1745_BEH_PROB_FREQ	0	Never		46592-2	LA6270-8	1.3.6.1.4.1.12009.10.1.151
M1745_BEH_PROB_FREQ	1	Less than once a month		46592-2	LA6251-8	1.3.6.1.4.1.12009.10.1.151
M1745_BEH_PROB_FREQ	2	Once a month		46592-2	LA6304-5	1.3.6.1.4.1.12009.10.1.151
M1745_BEH_PROB_FREQ	3	Several times each month		46592-2	LA6374-8	1.3.6.1.4.1.12009.10.1.151
M1745_BEH_PROB_FREQ	4	Several times a week		46592-2	LA6371-4	1.3.6.1.4.1.12009.10.1.151
M1745_BEH_PROB_FREQ	5	At least daily		46592-2	LA6157-7	1.3.6.1.4.1.12009.10.1.151
M1750_REC_PSYCH_NURS		Receives Psychiatric Nursing		46593-0	/	/
M1750_REC_PSYCH_NURS	0	No		46593-0	LA32-8	1.3.6.1.4.1.12009.10.1.62
M1750_REC_PSYCH_NURS	1	Yes		46593-0	LA33-6	1.3.6.1.4.1.12009.10.1.62
ADL/IADLs						
M1800_CUR_GROOMING		Current: Grooming		46595-5	/	/
M1800_CUR_GROOMING	0	Able to groom self unaided, with or without the use of assistive devices or adapted methods.		46595-5	LA6131-2	1.3.6.1.4.1.12009.10.1.152
M1800_CUR_GROOMING	1	Grooming utensils must be placed within reach before able to complete grooming activities.		46595-5	LA6207-0	1.3.6.1.4.1.12009.10.1.152
M1800_CUR_GROOMING	2	Someone must assist the patient to groom self.		46595-5	LA6379-7	1.3.6.1.4.1.12009.10.1.152
M1800_CUR_GROOMING	3	Patient depends entirely upon someone else for grooming needs.		46595-5	LA6326-8	1.3.6.1.4.1.12009.10.1.152
M1810_CUR_DRESS_UPPER		Current: Dress Upper Body		46597-1	/	/
M1810_CUR_DRESS_UPPER	0	Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.		46597-1	LA6129-6	1.3.6.1.4.1.12009.10.1.153
M1810_CUR_DRESS_UPPER	1	Able to dress upper body without assistance if clothing is laid out or handed to the patient.		46597-1	LA6127-0	1.3.6.1.4.1.12009.10.1.153
M1810_CUR_DRESS_UPPER	2	Someone must help the patient put on upper body clothing.		46597-1	LA6381-3	1.3.6.1.4.1.12009.10.1.153
M1810_CUR_DRESS_UPPER	3	Patient depends entirely upon another person to dress the upper body.		46597-1	LA6325-0	1.3.6.1.4.1.12009.10.1.153
M1820_CUR_DRESS_LOWER		Current: Dress Lower Body		46599-7	/	/
M1820_CUR_DRESS_LOWER	0	Able to obtain, put on, and remove clothing and shoes without assistance.		46599-7	LA6138-7	1.3.6.1.4.1.12009.10.1.154

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M1820_CUR_DRESS_LOWER	1	Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.		46599-7	LA6126-2	1.3.6.1.4.1.12009.10.1.154
M1820_CUR_DRESS_LOWER	2	Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.		46599-7	LA6380-5	1.3.6.1.4.1.12009.10.1.154
M1820_CUR_DRESS_LOWER	3	Patient depends entirely upon another person to dress lower body.		46599-7	LA6324-3	1.3.6.1.4.1.12009.10.1.154
M1830_CRNT_BATHG		Current: Bathing		57243-8		
M1830_CRNT_BATHG	0	Able to bathe self in shower or tub independently, including getting in and out of tub/shower.		57243-8	LA12264-0	1.3.6.1.4.1.12009.10.1.112
M1830_CRNT_BATHG	1	With the use of devices, is able to bathe self in shower or tub independently, including getting in and out of the tub/shower.		57243-8	LA12265-7	1.3.6.1.4.1.12009.10.1.112
M1830_CRNT_BATHG	2	Able to bathe in shower or tub with the intermittent assistance of another person: (a) for intermittent supervision or encouragement or reminders, OR (b) to get in and out of the shower or tub, OR (c) for washing difficult to reach areas.		57243-8	LA12266-5	1.3.6.1.4.1.12009.10.1.112
M1830_CRNT_BATHG	3	Able to participate in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision.		57243-8	LA12267-3	1.3.6.1.4.1.12009.10.1.112
M1830_CRNT_BATHG	4	Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in chair, or on commode.		57243-8	LA12268-1	1.3.6.1.4.1.12009.10.1.112
M1830_CRNT_BATHG	5	Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on commode, with the assistance or supervision of another person throughout the bath.		57243-8	LA12269-9	1.3.6.1.4.1.12009.10.1.112
M1830_CRNT_BATHG	6	Unable to participate effectively in bathing and is bathed totally by another person.		57243-8	LA12270-7	1.3.6.1.4.1.12009.10.1.112
M1840_CUR_TOILTG		Current: Toileting		57244-6		
M1840_CUR_TOILTG	0	Able to get to and from the toilet and transfer independently with or without a device.		57244-6	LA12271-5	1.3.6.1.4.1.12009.10.1.113
M1840_CUR_TOILTG	1	When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer.		57244-6	LA12272-3	1.3.6.1.4.1.12009.10.1.113
M1840_CUR_TOILTG	2	Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).		57244-6	LA6415-9	1.3.6.1.4.1.12009.10.1.113
M1840_CUR_TOILTG	3	Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.		57244-6	LA6416-7	1.3.6.1.4.1.12009.10.1.113
M1840_CUR_TOILTG	4	Is totally dependent in toileting.		57244-6	LA6245-0	1.3.6.1.4.1.12009.10.1.113
M1845_CUR_TOILTG_HYGN		Current: Toileting Hygiene		57245-3		
M1845_CUR_TOILTG_HYGN	0	Able to manage toileting hygiene and clothing management without assistance.		57245-3	LA12276-4	1.3.6.1.4.1.12009.10.1.114
M1845_CUR_TOILTG_HYGN	1	Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient.		57245-3	LA12277-2	1.3.6.1.4.1.12009.10.1.114
M1845_CUR_TOILTG_HYGN	2	Someone must help the patient to maintain toileting hygiene and/or adjust clothing.		57245-3	LA12278-0	1.3.6.1.4.1.12009.10.1.114
M1845_CUR_TOILTG_HYGN	3	Patient depends entirely upon another person to maintain toileting hygiene.		57245-3	LA12279-8	1.3.6.1.4.1.12009.10.1.114
M1850_CUR_TRNSFRNG		Current: Transferring		57246-1		
M1850_CUR_TRNSFRNG	0	Able to independently transfer.		57246-1	LA6136-1	1.3.6.1.4.1.12009.10.1.115
M1850_CUR_TRNSFRNG	1	Able to transfer with minimal human assistance or with use of an assistive device.		57246-1	LA12281-4	1.3.6.1.4.1.12009.10.1.115
M1850_CUR_TRNSFRNG	2	Able to bear weight and pivot during the transfer process but unable to transfer self.		57246-1	LA12282-2	1.3.6.1.4.1.12009.10.1.115
M1850_CUR_TRNSFRNG	3	Unable to transfer self and is unable to bear weight or pivot when transferred by another person.		57246-1	LA6426-6	1.3.6.1.4.1.12009.10.1.115
M1850_CUR_TRNSFRNG	4	Bedfast, unable to transfer but is able to turn and position self in bed.		57246-1	LA6161-9	1.3.6.1.4.1.12009.10.1.115
M1850_CUR_TRNSFRNG	5	Bedfast, unable to transfer and is unable to turn and position self.		57246-1	LA6160-1	1.3.6.1.4.1.12009.10.1.115
M1860_CRNT_AMBLTN		Current: Ambulation		57247-9		

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M1860_CRNT_AMBLTN	0	Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (i.e., needs no human assistance or assistive device).		57247-9	LA12286-3	1.3.6.1.4.1.12009.10.1.116
M1860_CRNT_AMBLTN	1	With the use of a one-handed device (e.g. cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stairs with or without railings.		57247-9	LA12287-1	1.3.6.1.4.1.12009.10.1.116
M1860_CRNT_AMBLTN	2	Requires use of a two-handed device (e.g., walker or crutches) to walk alone on a level surface and/or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.		57247-9	LA12288-9	1.3.6.1.4.1.12009.10.1.116
M1860_CRNT_AMBLTN	3	Able to walk only with the supervision or assistance of another person at all times.		57247-9	LA6147-8	1.3.6.1.4.1.12009.10.1.116
M1860_CRNT_AMBLTN	4	Chairfast, unable to ambulate but is able to wheel self independently.		57247-9	LA6171-8	1.3.6.1.4.1.12009.10.1.116
M1860_CRNT_AMBLTN	5	Chairfast, unable to ambulate and is unable to wheel self.		57247-9	LA6170-0	1.3.6.1.4.1.12009.10.1.116
M1860_CRNT_AMBLTN	6	Bedfast, unable to ambulate or be up in a chair.		57247-9	LA6159-3	1.3.6.1.4.1.12009.10.1.116
M1870_CUR_FEEDING		Current: Feeding		57248-7		
M1870_CUR_FEEDING	0	Able to independently feed self.		57248-7	LA6133-8	1.3.6.1.4.1.12009.10.1.117
M1870_CUR_FEEDING	1	Able to feed self independently but requires: (a) meal set-up; OR (b) intermittent assistance or supervision from another person; OR (c) a liquid, pureed or ground meat diet.		57248-7	LA12294-7	1.3.6.1.4.1.12009.10.1.117
M1870_CUR_FEEDING	2	Unable to feed self and must be assisted or supervised throughout the meal/snack.		57248-7	LA6414-2	1.3.6.1.4.1.12009.10.1.117
M1870_CUR_FEEDING	3	Able to take in nutrients orally and receives supplemental nutrients through a nasogastric tube or gastrostomy.		57248-7	LA6142-9	1.3.6.1.4.1.12009.10.1.117
M1870_CUR_FEEDING	4	Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.		57248-7	LA6422-5	1.3.6.1.4.1.12009.10.1.117
M1870_CUR_FEEDING	5	Unable to take in nutrients orally or by tube feeding.		57248-7	LA6423-3	1.3.6.1.4.1.12009.10.1.117
M1880_CUR_PREP_LT_MEALS		Current: Prepare Light Meals		57249-5		
M1880_CUR_PREP_LT_MEALS	0	(a) Able to independently plan and prepare all light meals for self or reheat delivered meals; OR (b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the pas		57249-5	LA12299-6	1.3.6.1.4.1.12009.10.1.118
M1880_CUR_PREP_LT_MEALS	1	Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations.		57249-5	LA6420-9	1.3.6.1.4.1.12009.10.1.118
M1880_CUR_PREP_LT_MEALS	2	Unable to prepare any light meals or reheat any delivered meals.		57249-5	LA6419-1	1.3.6.1.4.1.12009.10.1.118
M1890_CUR_PHONE_USE		Current: Telephone Use		46569-0		
M1890_CUR_PHONE_USE	0	Able to dial numbers and answer calls appropriately and as desired.		46569-0	LA6124-7	1.3.6.1.4.1.12009.10.1.155
M1890_CUR_PHONE_USE	1	Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.		46569-0	LA6146-0	1.3.6.1.4.1.12009.10.1.155
M1890_CUR_PHONE_USE	2	Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.		46569-0	LA6121-3	1.3.6.1.4.1.12009.10.1.155
M1890_CUR_PHONE_USE	3	Able to answer the telephone only some of the time or is able to carry on only a limited conversation.		46569-0	LA6122-1	1.3.6.1.4.1.12009.10.1.155
M1890_CUR_PHONE_USE	4	UNABLE to answer the telephone at all but can listen if assisted with equipment.		46569-0	LA6409-2	1.3.6.1.4.1.12009.10.1.155
M1890_CUR_PHONE_USE	5	Totally unable to use the telephone.		46569-0	LA6400-1	1.3.6.1.4.1.12009.10.1.155
M1890_CUR_PHONE_USE	NA	Patient does not have a telephone.		46569-0	LA6327-6	1.3.6.1.4.1.12009.10.1.155
M1900_PRIOR_ADLIADL_SELF	a	Prior Functioning ADL/IADL: Self-care (grooming, Bathing, Dressing)		57250-3		
M1900_PRIOR_ADLIADL_SELF	a-0	Independent		57250-3	LA12302-8	1.3.6.1.4.1.12009.10.1.119
M1900_PRIOR_ADLIADL_SELF	a-1	Needed Some Help		57250-3	LA12303-6	1.3.6.1.4.1.12009.10.1.119
M1900_PRIOR_ADLIADL_SELF	a-2	Dependent		57250-3	LA12304-4	1.3.6.1.4.1.12009.10.1.119
M1900_PRIOR_ADLIADL_AMBLTN	b	Prior Functioning ADL/IADL: Ambulation		57251-1		
M1900_PRIOR_ADLIADL_AMBLTN	b-0	Independent		57251-1	LA12302-8	1.3.6.1.4.1.12009.10.1.119
M1900_PRIOR_ADLIADL_AMBLTN	b-1	Needed Some Help		57251-1	LA12303-6	1.3.6.1.4.1.12009.10.1.119

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M1900_PRIOR_ADLIADL_AMBLTN	b-2	Dependent		57251-1	LA12304-4	1.3.6.1.4.1.12009.10.1.119
M1900_PRIOR_ADLIADL_TRNSFR	c	Prior Functioning ADL/IADL: Transfer		57252-9		
M1900_PRIOR_ADLIADL_TRNSFR	c-0	Independent		57252-9	LA12302-8	1.3.6.1.4.1.12009.10.1.119
M1900_PRIOR_ADLIADL_TRNSFR	c-1	Needed Some Help		57252-9	LA12303-6	1.3.6.1.4.1.12009.10.1.119
M1900_PRIOR_ADLIADL_TRNSFR	c-2	Dependent		57252-9	LA12304-4	1.3.6.1.4.1.12009.10.1.119
M1900_PRIOR_ADLIADL_HSEHOLD	d	Prior Functioning ADL/IADL: Household Tasks		57253-7		
M1900_PRIOR_ADLIADL_HSEHOLD	d-0	Independent		57253-7	LA12302-8	1.3.6.1.4.1.12009.10.1.119
M1900_PRIOR_ADLIADL_HSEHOLD	d-1	Needed Some Help		57253-7	LA12303-6	1.3.6.1.4.1.12009.10.1.119
M1900_PRIOR_ADLIADL_HSEHOLD	d-2	Dependent		57253-7	LA12304-4	1.3.6.1.4.1.12009.10.1.119
M1910_MLT_FCTR_FALL_RISK_ASMT		Has Patient Had A Multi-factor Fall Risk Assessment?		57254-5		
M1910_MLT_FCTR_FALL_RISK_ASMT	0	No multi-factor falls risk assessment conducted.		57254-5	LA12305-1	1.3.6.1.4.1.12009.10.1.120
M1910_MLT_FCTR_FALL_RISK_ASMT	1	Yes, and it does not indicate a risk for falls.		57254-5	LA12306-9	1.3.6.1.4.1.12009.10.1.120
M1910_MLT_FCTR_FALL_RISK_ASMT	2	Yes, and it indicates a risk for falls.		57254-5	LA12307-7	1.3.6.1.4.1.12009.10.1.120
MEDICATIONS						
M2000_DRUG_RGMN_RVW		Drug Regimen Review		57255-2		
M2000_DRUG_RGMN_RVW	0	Not assessed/reviewed		57255-2	LA12308-5	1.3.6.1.4.1.12009.10.1.121
M2000_DRUG_RGMN_RVW	1	No problems found during review		57255-2	LA12309-3	1.3.6.1.4.1.12009.10.1.121
M2000_DRUG_RGMN_RVW	2	Problems found during review		57255-2	LA12310-1	1.3.6.1.4.1.12009.10.1.121
M2000_DRUG_RGMN_RVW	NA	Patient is not taking any medications		57255-2	LA12311-9	1.3.6.1.4.1.12009.10.1.121
M2002_MDCTN_FLWP		Medication Follow-up		57281-8		
M2002_MDCTN_FLWP	0	No		57281-8	LA32-8	1.3.6.1.4.1.12009.10.1.62
M2002_MDCTN_FLWP	1	Yes		57281-8	LA33-6	1.3.6.1.4.1.12009.10.1.62
M2004_MDCTN_INTRVTN		Medication Intervention		57256-0		
M2004_MDCTN_INTRVTN	0	No		57256-0	LA32-8	1.3.6.1.4.1.12009.10.1.122
M2004_MDCTN_INTRVTN	1	Yes		57256-0	LA33-6	1.3.6.1.4.1.12009.10.1.122
M2004_MDCTN_INTRVTN	NA	No clinically significant medication issues identified since the previous OASIS assessment		57256-0	LA12314-3	1.3.6.1.4.1.12009.10.1.122
M2010_HIGH_RISK_DRUG_EDCTN		Patient/Caregiver High Risk Drug Education		57257-8		
M2010_HIGH_RISK_DRUG_EDCTN	0	No		57257-8	LA32-8	1.3.6.1.4.1.12009.10.1.123
M2010_HIGH_RISK_DRUG_EDCTN	1	Yes		57257-8	LA33-6	1.3.6.1.4.1.12009.10.1.123
M2010_HIGH_RISK_DRUG_EDCTN	NA	Patient not taking any high risk drugs OR patient/caregiver fully knowledgeable about special precautions associated with all high-risk medications		57257-8	LA12317-6	1.3.6.1.4.1.12009.10.1.123
M2015_DRUG_EDCTN_INTRVTN		Patient/Caregiver Drug Education Intervention		57195-0		
M2015_DRUG_EDCTN_INTRVTN	0	No		57195-0	LA32-8	1.3.6.1.4.1.12009.10.1.124
M2015_DRUG_EDCTN_INTRVTN	1	Yes		57195-0	LA33-6	1.3.6.1.4.1.12009.10.1.124
M2015_DRUG_EDCTN_INTRVTN	NA	Patient not taking any drugs		57195-0	LA12320-0	1.3.6.1.4.1.12009.10.1.124
M2020_CRNT_MGMT_ORAL_MDCTN		Current: Management Of Oral Medications		57285-9		
M2020_CRNT_MGMT_ORAL_MDCTN	0	Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.		57285-9	LA6135-3	1.3.6.1.4.1.12009.10.1.125
M2020_CRNT_MGMT_ORAL_MDCTN	1	Able to take medication(s) at the correct times if: (a) individual dosages are prepared in advance by another person; OR (b) another person develops a drug diary or chart.		57285-9	LA12322-6	1.3.6.1.4.1.12009.10.1.125
M2020_CRNT_MGMT_ORAL_MDCTN	2	Able to take medication(s) at the correct times if given reminders by another person at the appropriate times		57285-9	LA12323-4	1.3.6.1.4.1.12009.10.1.125
M2020_CRNT_MGMT_ORAL_MDCTN	3	Unable to take medication unless administered by another person.		57285-9	LA12324-2	1.3.6.1.4.1.12009.10.1.125
M2020_CRNT_MGMT_ORAL_MDCTN	NA	No oral medications prescribed.		57285-9	LA6290-6	1.3.6.1.4.1.12009.10.1.125
M2030_CRNT_MGMT_INJCTN_MDCTN		Current: Management Of Injectable Medications		57284-2		
M2030_CRNT_MGMT_INJCTN_MDCTN	0	Able to independently take the correct medication(s) and proper dosage(s) at the correct times.		57284-2	LA12326-7	1.3.6.1.4.1.12009.10.1.126
M2030_CRNT_MGMT_INJCTN_MDCTN	1	Able to take injectable medication(s) at the correct times if: (a) individual syringes are prepared in advance by another person; OR (b) another person develops a drug diary or chart.		57284-2	LA12327-5	1.3.6.1.4.1.12009.10.1.126
M2030_CRNT_MGMT_INJCTN_MDCTN	2	Able to take medication(s) at the correct times if given reminders by another person based on the frequency of the injection		57284-2	LA12328-3	1.3.6.1.4.1.12009.10.1.126
M2030_CRNT_MGMT_INJCTN_MDCTN	3	Unable to take injectable medication unless administered by another person.		57284-2	LA12329-1	1.3.6.1.4.1.12009.10.1.126

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M2030_CRNT_MGMT_INJCTN_MDCTN	NA	No injectable medications prescribed.		57284-2	LA6280-7	1.3.6.1.4.1.12009.10.1.126
M2040_PRIOR_MGMT_ORAL_MDCTN	a	Prior Med Mgmt: Oral Medications		57258-6		
M2040_PRIOR_MGMT_ORAL_MDCTN	a-0	Independent		57258-6	LA12302-8	1.3.6.1.4.1.12009.10.1.127
M2040_PRIOR_MGMT_ORAL_MDCTN	a-1	Needed Some Help		57258-6	LA12303-6	1.3.6.1.4.1.12009.10.1.127
M2040_PRIOR_MGMT_ORAL_MDCTN	a-2	Dependent		57258-6	LA12304-4	1.3.6.1.4.1.12009.10.1.127
M2040_PRIOR_MGMT_ORAL_MDCTN	a-NA	Not Applicable		57258-6	LA4720-4	1.3.6.1.4.1.12009.10.1.127
M2040_PRIOR_MGMT_INJCTN_MDCTN	b	Prior Med Mgmt: Injectable Medications		57259-4		
M2040_PRIOR_MGMT_INJCTN_MDCTN	b-0	Independent		57259-4	LA12302-8	1.3.6.1.4.1.12009.10.1.127
M2040_PRIOR_MGMT_INJCTN_MDCTN	b-1	Needed Some Help		57259-4	LA12303-6	1.3.6.1.4.1.12009.10.1.127
M2040_PRIOR_MGMT_INJCTN_MDCTN	b-2	Dependent		57259-4	LA12304-4	1.3.6.1.4.1.12009.10.1.127
M2040_PRIOR_MGMT_INJCTN_MDCTN	b-NA	Not Applicable		57259-4	LA4720-4	1.3.6.1.4.1.12009.10.1.127
CARE MANAGEMENT						
M2100_CARE_TYPE_SRC_ADL	a	Care Mgmt, Types And Sources Of Assist: ADL		57260-2		
M2100_CARE_TYPE_SRC_ADL	a-0	No assistance needed in this area		57260-2	LA12335-8	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_ADL	a-1	Caregiver(s) currently provide assistance		57260-2	LA12336-6	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_ADL	a-2	Caregiver(s) need training/ supportive services to provide assistance		57260-2	LA12337-4	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_ADL	a-3	Caregiver(s) not likely to provide assistance		57260-2	LA12338-2	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_ADL	a-4	Unclear if Caregiver(s) will provide assistance		57260-2	LA12339-0	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_ADL	a-5	Assistance needed, but no Caregiver(s) available		57260-2	LA12340-8	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_IADL	b	Care Mgmt, Types And Sources Of Assist: IADL		57261-0		
M2100_CARE_TYPE_SRC_IADL	b-0	No assistance needed in this area		57261-0	LA12335-8	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_IADL	b-1	Caregiver(s) currently provide assistance		57261-0	LA12336-6	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_IADL	b-2	Caregiver(s) need training/ supportive services to provide assistance		57261-0	LA12337-4	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_IADL	b-3	Caregiver(s) not likely to provide assistance		57261-0	LA12338-2	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_IADL	b-4	Unclear if Caregiver(s) will provide assistance		57261-0	LA12339-0	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_IADL	b-5	Assistance needed, but no Caregiver(s) available		57261-0	LA12340-8	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_MDCTN	c	Care Mgmt, Types And Sources Of Assist: Medication Admin		57262-8		
M2100_CARE_TYPE_SRC_MDCTN	c-0	No assistance needed in this area		57262-8	LA12335-8	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_MDCTN	c-1	Caregiver(s) currently provide assistance		57262-8	LA12336-6	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_MDCTN	c-2	Caregiver(s) need training/ supportive services to provide assistance		57262-8	LA12337-4	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_MDCTN	c-3	Caregiver(s) not likely to provide assistance		57262-8	LA12338-2	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_MDCTN	c-4	Unclear if Caregiver(s) will provide assistance		57262-8	LA12339-0	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_MDCTN	c-5	Assistance needed, but no Caregiver(s) available		57262-8	LA12340-8	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_PRCDR	d	Care Mgmt, Types And Sources Of Assist: Med Procs Tx		57263-6		
M2100_CARE_TYPE_SRC_PRCDR	d-0	No assistance needed in this area		57263-6	LA12335-8	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_PRCDR	d-1	Caregiver(s) currently provide assistance		57263-6	LA12336-6	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_PRCDR	d-2	Caregiver(s) need training/ supportive services to provide assistance		57263-6	LA12337-4	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_PRCDR	d-3	Caregiver(s) not likely to provide assistance		57263-6	LA12338-2	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_PRCDR	d-4	Unclear if Caregiver(s) will provide assistance		57263-6	LA12339-0	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_PRCDR	d-5	Assistance needed, but no Caregiver(s) available		57263-6	LA12340-8	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_EQUIP	e	Care Mgmt, Types And Sources Of Assist: Equipment		57264-4		
M2100_CARE_TYPE_SRC_EQUIP	e-0	No assistance needed in this area		57264-4	LA12335-8	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_EQUIP	e-1	Caregiver(s) currently provide assistance		57264-4	LA12336-6	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_EQUIP	e-2	Caregiver(s) need training/ supportive services to provide assistance		57264-4	LA12337-4	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_EQUIP	e-3	Caregiver(s) not likely to provide assistance		57264-4	LA12338-2	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_EQUIP	e-4	Unclear if Caregiver(s) will provide assistance		57264-4	LA12339-0	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_EQUIP	e-5	Assistance needed, but no Caregiver(s) available		57264-4	LA12340-8	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_SPRVSN	f	Care Mgmt, Types And Sources Of Assist: Supervision And Safety		57265-1		
M2100_CARE_TYPE_SRC_SPRVSN	f-0	No assistance needed in this area		57265-1	LA12335-8	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_SPRVSN	f-1	Caregiver(s) currently provide assistance		57265-1	LA12336-6	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_SPRVSN	f-2	Caregiver(s) need training/ supportive services to provide assistance		57265-1	LA12337-4	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_SPRVSN	f-3	Caregiver(s) not likely to provide assistance		57265-1	LA12338-2	1.3.6.1.4.1.12009.10.1.128

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M2100_CARE_TYPE_SRC_SPRVSN	f-4	Unclear if Caregiver(s) will provide assistance		57265-1	LA12339-0	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_SPRVSN	f-5	Assistance needed, but no Caregiver(s) available		57265-1	LA12340-8	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_ADVVCY	g	Care Mgmt, Types And Sources Of Assist: Advocacy Or Facilitation		57266-9		
M2100_CARE_TYPE_SRC_ADVVCY	g-0	No assistance needed in this area		57266-9	LA12335-8	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_ADVVCY	g-1	Caregiver(s) currently provide assistance		57266-9	LA12336-6	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_ADVVCY	g-2	Caregiver(s) need training/ supportive services to provide assistance		57266-9	LA12337-4	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_ADVVCY	g-3	Caregiver(s) not likely to provide assistance		57266-9	LA12338-2	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_ADVVCY	g-4	Unclear if Caregiver(s) will provide assistance		57266-9	LA12339-0	1.3.6.1.4.1.12009.10.1.128
M2100_CARE_TYPE_SRC_ADVVCY	g-5	Assistance needed, but no Caregiver(s) available		57266-9	LA12340-8	1.3.6.1.4.1.12009.10.1.128
M2110_ADL_IADL_ASTNC_FREQ		How Often Recv ADL Or IADL Assistance From Any		57267-7		
M2110_ADL_IADL_ASTNC_FREQ	1	At least daily		57267-7	LA6157-7	1.3.6.1.4.1.12009.10.1.129
M2110_ADL_IADL_ASTNC_FREQ	2	Three or more times per week		57267-7	LA6396-1	1.3.6.1.4.1.12009.10.1.129
M2110_ADL_IADL_ASTNC_FREQ	3	One to two times per week		57267-7	LA6308-6	1.3.6.1.4.1.12009.10.1.129
M2110_ADL_IADL_ASTNC_FREQ	4	Received, but less often than weekly		57267-7	LA12344-0	1.3.6.1.4.1.12009.10.1.129
M2110_ADL_IADL_ASTNC_FREQ	5	No assistance received		57267-7	LA12345-7	1.3.6.1.4.1.12009.10.1.129
M2110_ADL_IADL_ASTNC_FREQ	UK	Unknown		57267-7	LA4489-6	1.3.6.1.4.1.12009.10.1.129
THERAPY NEED AND PLAN OF CARE						
M2200_THER_NEED_NUM		Therapy Need: Number of Visits		57268-5		
M2200_THER_NEED_NA		Therapy Need: Not Applicable				
M2250_PLAN_SMRY_PTNT_SPECFC	a	Plan Of Care Synopsis: Patient Specific Parameters		57269-3		
M2250_PLAN_SMRY_PTNT_SPECFC	a-0	No		57269-3	LA32-8	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_PTNT_SPECFC	a-1	Yes		57269-3	LA33-6	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_PTNT_SPECFC	a-NA	Physician has chosen not to establish patient -specific parameters for this patient. Agency will use standardized clinical guidelines accessible for all care providers to reference.		57269-3	LA4720-4	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_DBTS_FT_CARE	b	Plan Of Care Synopsis: Diabetic Foot Care		57270-1		
M2250_PLAN_SMRY_DBTS_FT_CARE	b-0	No		57270-1	LA32-8	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_DBTS_FT_CARE	b-1	Yes		57270-1	LA33-6	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_DBTS_FT_CARE	b-NA	Patient is not diabetic or is bilateral amputee.		57270-1	LA4720-4	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_FALL_PrvNT	c	Plan Of Care Synopsis: Falls Prevention Interventions		57271-9		
M2250_PLAN_SMRY_FALL_PrvNT	c-0	No		57271-9	LA32-8	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_FALL_PrvNT	c-1	Yes		57271-9	LA33-6	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_FALL_PrvNT	c-NA	Patient is not assessed to be at risk for falls.		57271-9	LA4720-4	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_DPRSN_INTRVTN	d	Plan Of Care Synopsis: Depression Interventions		57272-7		
M2250_PLAN_SMRY_DPRSN_INTRVTN	d-0	No		57272-7	LA32-8	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_DPRSN_INTRVTN	d-1	Yes		57272-7	LA33-6	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_DPRSN_INTRVTN	d-NA	Patient has not diagnosis or symptoms of depression.		57272-7	LA4720-4	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_PAIN_INTRVTN	e	Plan Of Care Synopsis: Pain Interventions		57273-5		
M2250_PLAN_SMRY_PAIN_INTRVTN	e-0	No		57273-5	LA32-8	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_PAIN_INTRVTN	e-1	Yes		57273-5	LA33-6	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_PAIN_INTRVTN	e-NA	No pain identified		57273-5	LA4720-4	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_PRSULC_PrvNT	f	Plan Of Care Synopsis: PU Prevention		57274-3		
M2250_PLAN_SMRY_PRSULC_PrvNT	f-0	No		57274-3	LA32-8	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_PRSULC_PrvNT	f-1	Yes		57274-3	LA33-6	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_PRSULC_PrvNT	f-NA	Patient is not assessed to be at risk for pressure ulcers.		57274-3	LA4720-4	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_PRSULC_TRTMT	g	Plan Of Care Synopsis: PU Moist Treatment		57275-0		
M2250_PLAN_SMRY_PRSULC_TRTMT	g-0	No		57275-0	LA32-8	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_PRSULC_TRTMT	g-1	Yes		57275-0	LA33-6	1.3.6.1.4.1.12009.10.1.130
M2250_PLAN_SMRY_PRSULC_TRTMT	g-NA	Patient has no pressure ulcers with need for moist wound healing.		57275-0	LA4720-4	1.3.6.1.4.1.12009.10.1.130
EMERGENT CARE						
M2300_EMER_USE_AFTR_LAST_ASMT		Emergent Care: Use Since Last Oasis Data Collection		57276-8		
M2300_EMER_USE_AFTR_LAST_ASMT	0	No		0	LA32-8	1.3.6.1.4.1.12009.10.1.131
M2300_EMER_USE_AFTR_LAST_ASMT	1	Yes, used hospital emergency department WITHOUT hospital admission		1	LA12351-5	1.3.6.1.4.1.12009.10.1.131
M2300_EMER_USE_AFTR_LAST_ASMT	2	Yes, used hospital emergency department WITH hospital admission		2	LA12352-3	1.3.6.1.4.1.12009.10.1.131

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M2300_EMER_USE_AFTR_LAST_ASMT	UK	Unknown		UK	LA4489-6	1.3.6.1.4.1.12009.10.1.131
M2310		Reason for emergent care	Question row added to facilitate message format.	57277-6		
M2310_ECR_MEDICATION	1	Emergent Care Reason: Medication		57277-6	LA6229-4	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_INJRY_BY_FALL	2	Emergent Care Reason: Injury Caused By Fall		57277-6	LA12355-6	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_RSPRTRY_INFCTN	3	Emergent Care Reason: Respiratory Infection		57277-6	LA12356-4	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_RSPRTRY_OTHR	4	Emergent Care Reason: Respiratory Other		57277-6	LA12357-2	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_HRT_FAILR	5	Emergent Care Reason: Heart Failure		57277-6	LA12358-0	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_CRDC_DSRTHM	6	Emergent Care Reason: Cardiac Dysrhythmia		57277-6	LA12359-8	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_MI_CHST_PAIN	7	Emergent Care Reason: Myocardial Infarction Or Chest Pain		57277-6	LA12360-6	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_OTHR_HRT_DEASE	8	Emergent Care Reason: Other Heart Disease		57277-6	LA12361-4	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_STROKE_TIA	9	Emergent Care Reason: Stroke (CVA) Or TIA		57277-6	LA12362-2	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_HYPOGLYC	10	Emergent Care Reason: Hypoglycemia		57277-6	LA6223-7	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_GI_PRBLM	11	Emergent Care: GI Bleeding, Obstruction, Constipation, Impaction		57277-6	LA12364-8	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_DHYDRTN_MALNTR	12	Emergent Care Reason: Dehydration, Malnutrition		57277-6	LA12365-5	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_UTI	13	Emergent Care Reason: Urinary Tract Infection		57277-6	LA6437-3	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_CTHTR_CMPLCTN	14	Emergent Care Reason: IV Catheter-related Infection Or Complication		57277-6	LA12367-1	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_WND_INFCTN_DTRORTN	15	Emergent Care Reason: Wound Infection Or Deterioration		57277-6	LA12368-9	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_UNCNTLD_PAIN	16	Emergent Care Reason: Uncontrolled Pain		57277-6	LA6430-8	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_MENTL_BHVRL_PRBLM	17	Emergent Care Reason: Acute Mental/Behavioral Health Problem		57277-6	LA12370-5	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_DVT_PULMNRY	18	Emergent Care Reason: Deep Vein Thrombosis, Pulmonary Embolus		57277-6	LA6180-9	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_OTHER	19	Emergent Care Reason: Other Than Above		57277-6	LA6315-1	1.3.6.1.4.1.12009.10.1.132
M2310_ECR_UNKNOWN	UK	Emergent Care Reason: Unknown		57277-6	LA4394-8	1.3.6.1.4.1.12009.10.1.132
DATA ITEMS COLLECTED AT INPATIENT FACILITY ADMISSION OR AGENCY DISCHARGE ONLY						
M2400_INTRVTN_SMRY_DBTS_FT	a	Intervention Synopsis: Diabetic Foot Care		57270-1		
M2400_INTRVTN_SMRY_DBTS_FT	a-0	No		57270-1	LA32-8	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_DBTS_FT	a-1	Yes		57270-1	LA33-6	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_DBTS_FT	a-NA	Patient is not diabetic or is bilateral amputee		57270-1	LA4720-4	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_FALL_PRVNT	b	Intervention Synopsis: Falls Prevention Intervention		57271-9		
M2400_INTRVTN_SMRY_FALL_PRVNT	b-0	No		57271-9	LA32-8	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_FALL_PRVNT	b-1	Yes		57271-9	LA33-6	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_FALL_PRVNT	b-NA	Formal multi-factor Fall Risk Assessment indicates the patient was not at risk for falls since the last OASIS assessment		57271-9	LA4720-4	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_DPRSN	c	Intervention Synopsis: Depression Intervention		57272-7		
M2400_INTRVTN_SMRY_DPRSN	c-0	No		57272-7	LA32-8	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_DPRSN	c-1	Yes		57272-7	LA33-6	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_DPRSN	c-NA	Formal assessment indicates patient did not meet criteria for depression AND patient did not have diagnosis of depression since the last OASIS assessment		57272-7	LA4720-4	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_PAIN_MNTR	d	Intervention Synopsis: Intervention To Monitor And Mitigate Pain		57273-5		
M2400_INTRVTN_SMRY_PAIN_MNTR	d-0	No		57273-5	LA32-8	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_PAIN_MNTR	d-1	Yes		57273-5	LA33-6	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_PAIN_MNTR	d-NA	Formal assessment did not indicate pain since the last OASIS assessment		57273-5	LA4720-4	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_PRSULC_PRVNT	e	Intervention Synopsis: Intervention To Prevent Pressure Ulcers		57274-3		
M2400_INTRVTN_SMRY_PRSULC_PRVNT	e-0	No		57274-3	LA32-8	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_PRSULC_PRVNT	e-1	Yes		57274-3	LA33-6	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_PRSULC_PRVNT	e-NA	Formal assessment indicates the patient was not at risk of pressure ulcers since the last OASIS assessment		57274-3	LA4720-4	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_PRSULC_WET	f	Intervention Synopsis: Pressure Ulcer Treatment Based On Moist Wound Treatment		57275-0		
M2400_INTRVTN_SMRY_PRSULC_WET	f-0	No		57275-0	LA32-8	1.3.6.1.4.1.12009.10.1.130

CMS Question ID	Answer	CMS Description <i>Light Blue Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	LOINC Question Code	LOINC Answer Code	LOINC Answer Set OID
M2400_INTRVTN_SMRY_PRSULC_WET	f-1	Yes		57275-0	LA33-6	1.3.6.1.4.1.12009.10.1.130
M2400_INTRVTN_SMRY_PRSULC_WET	f-NA	Dressings that support the principles of moist wound healing not indicated for this patient's pressure ulcers OR patient has no pressure ulcers with need for moist wound healing		57275-0	LA4720-4	1.3.6.1.4.1.12009.10.1.130
M2410_INPAT_FACILITY		Inpatient Facility		46578-1		
M2410_INPAT_FACILITY	1	Hospital		46578-1	LA6218-7	1.3.6.1.4.1.12009.10.1.156
M2410_INPAT_FACILITY	2	Rehabilitation facility		46578-1	LA6357-3	1.3.6.1.4.1.12009.10.1.156
M2410_INPAT_FACILITY	3	Nursing home		46578-1	LA27-8	1.3.6.1.4.1.12009.10.1.156
M2410_INPAT_FACILITY	4	Hospice		46578-1	LA6216-1	1.3.6.1.4.1.12009.10.1.156
M2410_INPAT_FACILITY	NA	No inpatient facility admission		46578-1	LA6281-5	1.3.6.1.4.1.12009.10.1.156
M2420_DSCHRG_DISP		Discharge Disposition		57278-4		
M2420_DSCHRG_DISP	1	Patient remained in the community (without formal assistive services)		57278-4	LA12374-7	1.3.6.1.4.1.12009.10.1.133
M2420_DSCHRG_DISP	2	Patient remained in the community (with formal assistive services)		57278-4	LA12375-4	1.3.6.1.4.1.12009.10.1.133
M2420_DSCHRG_DISP	3	Patient transferred to a non-institutional hospice		57278-4	LA12376-2	1.3.6.1.4.1.12009.10.1.133
M2420_DSCHRG_DISP	4	Unknown because patient moved to a geographic location not served by this agency		57278-4	LA6431-6	1.3.6.1.4.1.12009.10.1.133
M2420_DSCHRG_DISP	UK	Other unknown		57278-4	LA6316-9	1.3.6.1.4.1.12009.10.1.133
M2430		<i>Reason for hospitalization</i>	Question row added to facilitate message format.	57279-2		
M2430_HOSP_MED	1	Hospitalized: Medication		57279-2	LA6229-4	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_INJURY_BY_FALL	2	Hospitalized: Injury Caused By Fall		57279-2	LA12355-6	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_RSPRTRY_INFCTN	3	Hospitalized: Respiratory		57279-2	LA12356-4	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_RSPRTRY_OTHR	4	Hospitalized: Other Respiratory		57279-2	LA12357-2	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_HRT_FAILR	5	Hospitalized: Heart Failure		57279-2	LA12358-0	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_CRDC_DSRTHM	6	Hospitalized: Cardiac Dysrhythmia		57279-2	LA12359-8	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_MI_CHST_PAIN	7	Hospitalized: Myocardial Infarction Or Chest Pain		57279-2	LA12360-6	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_OTHR_HRT_DEASE	8	Hospitalized: Other Heart Disease		57279-2	LA12361-4	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_STROKE_TIA	9	Hospitalized: Stroke (CVA) Or TIA		57279-2	LA12362-2	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_HYPOGLYC	10	Hospitalized: Hypoglycemia		57279-2	LA6223-7	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_GI_PRBLM	11	Hospitalized: GI Bleeding, Obstruction, Constipation, Impaction		57279-2	LA12364-8	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_DHYDRTN_MALNTR	12	Hospitalized: Dehydration, Malnutrition		57279-2	LA12365-5	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_UR_TRACT	13	Hospitalized: Urinary Tract		57279-2	LA6437-3	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_CTHTR_CMLPCTN	14	Hospitalized: IV Catheter Related Infection Or Complication		57279-2	LA12367-1	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_WND_INFCTN	15	Hospitalized: Wound Infection Or Deterioration		57279-2	LA12368-9	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_PAIN	16	Hospitalized: Pain		57279-2	LA6430-8	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_MENTL_BHVR_L PRBLM	17	Hospitalized: Acute Mental/Behavior Health Problem		57279-2	LA12370-5	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_DVT_PULMNRY	18	Hospitalized: Deep vein thrombosis, Pulmonary embolus		57279-2	LA6180-9	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_SCHLD_TRTMT	19	Hospitalized: Scheduled Treatment Or Procedure		57279-2	LA12397-8	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_OTHER	20	Hospitalized: Other		57279-2	LA6315-1	1.3.6.1.4.1.12009.10.1.134
M2430_HOSP_UK	UK	Hospitalized: UK				
M2440		<i>Reason for nursing home admission</i>	Question row added to facilitate message format.	46477-6		
M2440_NH_THERAPY	1	Admitted to Nursing Home: Therapy		46477-6	LA6393-8	1.3.6.1.4.1.12009.10.1.157
M2440_NH_RESPITE	2	Admitted to Nursing Home: Respite		46477-6	LA6365-6	1.3.6.1.4.1.12009.10.1.157
M2440_NH_HOSPICE	3	Admitted to Nursing Home: Hospice		46477-6	LA6217-9	1.3.6.1.4.1.12009.10.1.157
M2440_NH_PERMANENT	4	Admitted to Nursing Home: Permanent Placement		46477-6	LA6345-8	1.3.6.1.4.1.12009.10.1.157
M2440_NH_UNSAFE_HOME	5	Admitted to Nursing Home: Unsafe at Home		46477-6	LA6434-0	1.3.6.1.4.1.12009.10.1.157
M2440_NH_OTHER	6	Admitted to Nursing Home: Other		46477-6	LA46-8	1.3.6.1.4.1.12009.10.1.157
M2440_NH_UNKNOWN	UK	Admitted to Nursing Home: Unknown		46477-6	LA4489-6	1.3.6.1.4.1.12009.10.1.157
M0903_LAST_HOME_VISIT		Date of Last Home Visit		46581-5		
M0906_DC_TRAN_DTH_DT		Discharge, Transfer, Death Date		46582-3		

OASIS-C ITEMS MAPPING -- MODEL OF MEANING

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
PATIENT TRACKING								
M0010_CCN		CMS Certification Number		/	<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians	/	/	/
M0014_BRANCH_STATE		Branch State		/	<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians	/	/	/
M0016_BRANCH_ID		Branch ID (Optional)		/	<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians	/	/	/
M0018_PHYSICIAN_ID		Primary Referring Physician National Provider ID (NPI)		/	<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians	/	/	/
M0018_PHYSICIAN_UK		Primary Referring Physician NPI: Unknown		/	<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians	/	/	/
M0020_PAT_ID		Patient ID Number		/	<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians	/	/	/
M0030_START_CARE_DT		Start of Care Date		/	<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians	/	/	/

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M0032_ROC_DT		Resumption of Care Date			<i>Concept Not Mapped (Reason #1) – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians</i>			
M0032_ROC_DT_NA	NA	No Resumption of Care Date			<i>Concept Not Mapped (Reason #1) – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians</i>			
M0040_PAT_FNAME		Patient's First Name			<i>Concept Not Mapped (Reason #1) – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians</i>			
M0040_PAT_MI		Patient's Middle Initial			<i>Concept Not Mapped (Reason #1) – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians</i>			
M0040_PAT_LNAME		Patient's Last Name			<i>Concept Not Mapped (Reason #1) – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians</i>			
M0040_PAT_SUFFIX		Patient's Suffix			<i>Concept Not Mapped (Reason #1) – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians</i>			
M0050_PAT_ST		Patient State of Residence			<i>Concept Not Mapped (Reason #1) – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians</i>			
M0060_PAT_ZIP		Patient Zip Code			<i>Concept Not Mapped (Reason #1) – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians</i>			
M0063_MEDICARE_NUM		Medicare Number, Including Suffix			<i>Concept Not Mapped (Reason #1) – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians</i>			

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M0063_MEDICARE_NA	NA	No Medicare Number			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0064_SSN		Patient's Social Security Number			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0064_SSN_UK	UK	No Social Security Number			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0065_MEDICAID_NUM		Medicaid Number			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0065_MEDICAID_NA	NA	No Medicaid Number			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0066_PAT_BIRTH_DT		Date of Birth			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0069_PAT_GENDER		Gender			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0069_PAT_GENDER	1	Male			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0069_PAT_GENDER	2	Female			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M0140_ETHNIC_AI_AN	1	Race/Ethnicity: American Indian or Alaska Native	*ONC Final Rule (7/28/2010) requires use of the Office of Management and Budget Standards for Maintaining, Collecting, and Presenting Federal Data on Race and Ethnicity, Statistical Policy Directive No. 15, October 30, 1997. This is not a vocabulary. *HITSP Component C-32 (HITSP Summary Documents Using HL7 Continuity of Care Document (CCD)) requires use of the CDC Race and Ethnicity vocabulary for reporting race and ethnicity (see Column Q). *See DSTU for details on representation of Race/Ethnicity data.	ETHNICITY PATTERN			1002-5	
M0140_ETHNIC_ASIAN	2	Race/Ethnicity: Asian		Ethnicity Pattern			2028-9	
M0140_ETHNIC_BLACK	3	Race/Ethnicity: Black or African-American		Ethnicity Pattern			2054-5	
M0140_ETHNIC_HISP	4	Race/Ethnicity: Hispanic or Latino		Ethnicity Pattern			2135-2	
M0140_ETHNIC_NH_PI	5	Race/Ethnicity: Native Hawaiian or Pacific Islander		Ethnicity Pattern			2076-8	
M0140_ETHNIC_WHITE	6	Race/Ethnicity: White		Ethnicity Pattern			2106-3	
M0150		<i>Current payment sources for home care</i>	Question row/description added to facilitate message format.		<i>Concept Not Mapped (Reason #1) – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians</i>			
M0150_CPAY_NONE	0	Current Payment Sources for Home Care: None; no charge for current services			<i>Concept Not Mapped (Reason #1) – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians</i>			
M0150_CPAY_MCARE_FFS	1	Current Payment Sources for Home Care: Medicare Traditional Fee-for-Service			<i>Concept Not Mapped (Reason #1) – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians</i>			
M0150_CPAY_MCARE_HMO	2	Current Payment Sources for Home Care: Medicare HMO/Managed Care			<i>Concept Not Mapped (Reason #1) – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians</i>			

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M0150_CPAY_MCAID_FFS	3	Current Payment Sources for Home Care: Medicaid Traditional Fee-for-Service			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0150_CPAY_MCAID_HMO	4	Current Payment Sources for Home Care: Medicaid HMO/Managed Care			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0150_CPAY_WRKCOMP	5	Current Payment Sources for Home Care: Worker's Compensation			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0150_CPAY_TITLEPGMS	6	Current Payment Sources for Home Care: Title Programs			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0150_CPAY_OTH_GOVGT	7	Current Payment Sources for Home Care: Other Government			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0150_CPAY_PRIV_INS	8	Current Payment Sources for Home Care: Private Insurance			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0150_CPAY_PRIV_HMO	9	Current Payment Sources for Home Care: Private HMO/Managed Care			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0150_CPAY_SELFPAY	10	Current Payment Sources for Home Care: Self-Pay			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0150_CPAY_OTHER	11	Current Payment Sources for Home Care: Other			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M0150_CPAY_UK	UK	Current Payment Sources for Home Care: Unknown						
CLINICAL RECORD ITEMS								
M0080_ASSESSOR_DISCIPLINE		Discipline of Person Completing Assessment		QUESTION/ANSWER PATTERN				
M0080_ASSESSOR_DISCIPLINE	1	RN		Question/Answer pattern	224535009	registered nurse (occupation)		
M0080_ASSESSOR_DISCIPLINE	2	PT		Question/Answer pattern	36682004	physiotherapist (occupation)		
M0080_ASSESSOR_DISCIPLINE	3	SLP/ST		Question/Answer pattern	159026005	speech/language therapist (occupation)		
M0080_ASSESSOR_DISCIPLINE	4	OT		Question/Answer pattern	80546007	occupational therapist (occupation)		
M0090_INFO_COMPLETED_DT		Date Assessment Completed			406543005	date of visit (observable entity)		
M0100_ASSMT_REASON		Reason for Assessment						
M0100_ASSMT_REASON	1	Start of care - further visits planned						
M0100_ASSMT_REASON	3	Resumption of care (after inpatient stay)						
M0100_ASSMT_REASON	4	Recertification (follow-up) reassessment						
M0100_ASSMT_REASON	5	Other follow-up						

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M0100_ASSMT_REASON	6	Transferred to an inpatient facility - patient not discharged from agency			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0100_ASSMT_REASON	7	Transferred to an inpatient facility - patient discharged from agency			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0100_ASSMT_REASON	8	Death at home			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0100_ASSMT_REASON	9	Discharge from agency			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0102_PHYSN_ORDRD_SOCROC_DT		Physician Ordered SOC/ROC Date			<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M0102_PHYSN_ORDRD_SOCROC_DT_NA	NA	Physician Ordered SOC/ROC Date - NA			<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M0104_PHYSN_RFRL_DT		Physician Date Of Referral			<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M0110_EPISODE_TIMING		Episode Timing			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			
M0110_EPISODE_TIMING	1	Early			<i>Concept Not Mapped (Reason #1)</i> – This demographic/ administrative data element is mapped to the CDA Header or is not relevant/ useful to other providers/clinicians			

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M0110_EPISODE_TIMING	2	Later						
M0110_EPISODE_TIMING	NA	Not applicable: No Medicare case mix group to be defined by this assessment.						
M0110_EPISODE_TIMING	UK	Unknown						
PATIENT HISTORY AND DIAGNOSES								
M1000		<i>Inpatient discharge facility</i>	Question row/description added to facilitate message format.					
M1000_DC_LTC_14_DA	1	Past 14 Days: Dschrgd From LTC NH		Assertion pattern	306561002	discharge from establishment (procedure)		
M1000_DC_SNF_14_DA	2	Past 14 Days: Discharged from Skilled Nursing Facility		Assertion pattern	306561002	discharge from establishment (procedure)		
M1000_DC_IPPS_14_DA	3	Past 14 Days: Dschrgd From Short Stay Acute Hospital		Assertion pattern	308283009	discharge from hospital (procedure)		
M1000_DC_LTCH_14_DA	4	Past 14 Days: Dschrgd From Long Term Care Hospital		Assertion pattern	306561002	discharge from establishment (procedure)		
M1000_DC_IRF_14_DA	5	Past 14 Days: Discharged From Inpatient Rehab Facility		Assertion pattern	308018004	discharge from rehabilitation service (procedure)		
M1000_DC_PSYCH_14_DA	6	Past 14 Days: Dschrgd From Psychiatric Hospital Or Unit		Assertion pattern	306607005	discharge from psychiatry service (procedure)		
M1000_DC_OTH_14_DA	7	Past 14 Days: Dschrgd From Other		Assertion pattern				
M1000_DC_NONE_14_DA	N/A	Past 14 Days: Not Discharged from Inpatient Facility		Assertion pattern				
M1005_INP_DISCHARGE_DT		Most Recent Inpatient Discharge Date			442864001	date of discharge (observable entity)		
M1005_INP_DSCHG_UNKNOWN	UK	Inpatient Discharge Date Unknown						

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1010		<i>Inpatient Diagnosis</i>	Question row/description added to facilitate message format.					
M1010_14_DAY_INP1_ICD	a	Inpatient Stay Within Last 14 Days: ICD Code 1			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1010_14_DAY_INP2_ICD	b	Inpatient Stay Within Last 14 Days: ICD Code 2			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1010_14_DAY_INP3_ICD	c	Inpatient Stay Within Last 14 Days: ICD Code 3			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1010_14_DAY_INP4_ICD	d	Inpatient Stay Within Last 14 Days: ICD Code 4			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1010_14_DAY_INP5_ICD	e	Inpatient Stay Within Last 14 Days: ICD Code 5			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1010_14_DAY_INP6_ICD	f	Inpatient Stay Within Last 14 Days: ICD Code 6			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1012		<i>Inpatient Procedure</i>	Question row/description added to facilitate message format.					
M1012_INP_PRCDR1_ICD	a	Inpatient ICD Procedure1 Code			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1012_INP_PRCDR2_ICD	b	Inpatient ICD Procedure2 Code			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1012_INP_PRCDR3_ICD	c	Inpatient ICD Procedure3 Code			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1012_INP_PRCDR4_ICD	d	Inpatient ICD Procedure4 Code			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1012_INP_NA_ICD	NA	Inpatient ICD Procedure Code - NA			<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			
M1012_INP_UK_ICD	UK	Inpatient ICD Procedure Code - UK			<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			
M1016		<i>Diagnosis Requiring Regimen Change</i>	Question row/description added to facilitate message format.					
M1016_CHGREG_ICD1	a	Regimen Change in Past 14 Days: ICD Code 1			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1016_CHGREG_ICD2	b	Regimen Change in Past 14 Days: ICD Code 2			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1016_CHGREG_ICD3	c	Regimen Change in Past 14 Days: ICD Code 3			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1016_CHGREG_ICD4	d	Regimen Change in Past 14 Days: ICD Code 4			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1016_CHGREG_ICD5	e	Regimen Change In Past 14 Days: ICD Code 5			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1016_CHGREG_ICD6	f	Regimen Change In Past 14 Days: ICD Code 6			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1016_CHGREG_ICD_NA	NA	Regimen Change In Past 14 Days: Not Applicable			<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
M1018		<i>Conditions prior to medical or treatment regimen change or inpatient stay within past 14 days</i>	Question row/description added to facilitate message format.					
M1018_PRIOR_UR_INCON	1	Prior Condition: Urinary Incontinence		Assertion pattern	267002001	history of - urinary disease (situation)		
M1018_PRIOR_CATH	2	Prior Condition: Indwelling/Suprapubic Catheter		Assertion pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M1018_PRIOR_INTRACT_PAIN	3	Prior Condition: Intractable Pain		Assertion pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M1018_PRIOR_IMPR_DECSN	4	Prior Condition: Impaired Decision-making		Assertion pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M1018_PRIOR_DISRUPTIVE	5	Prior Condition: Disruptive or Socially Inappropriate Behavior		Assertion pattern	161473006	history of - behavior problem (situation)		
M1018_PRIOR_MEM_LOSS	6	Prior Condition: Memory Loss, Supervision Required		Assertion pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M1018_PRIOR_NONE	7	Prior Condition: None of the Above		Assertion pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
M1018_PRIOR_NOCHG_14D	NA	Prior Condition: No Inpatient Discharge, No Change in Regimen in Past 14 Days		Assertion pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M1018_PRIOR_UNKNOWN	UK	Prior Condition: Unknown		Assertion pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
M1020_PRIMARY_DIAG_ICD	a	Primary Diagnosis ICD Code			<i>Concept Not Mapped (Reason #6) – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping</i>			
M1020_PRIMARY_DIAG_SEVERITY		Primary Diagnosis Severity Rating						

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1020_PRIMARY_DIAG_SEVERITY	0	Asymptomatic, no treatment needed						
M1020_PRIMARY_DIAG_SEVERITY	1	Symptoms well controlled with current therapy						
M1020_PRIMARY_DIAG_SEVERITY	2	Symptoms controlled with difficulty						
M1020_PRIMARY_DIAG_SEVERITY	3	Symptoms poorly controlled; patient needs frequent adjustment in treatment & dose monitoring						
M1020_PRIMARY_DIAG_SEVERITY	4	Symptoms poorly controlled; history of re-hospitalizations						
M1022_OTH_DIAG1_ICD	b	Other Diagnosis 1: ICD Code			Concept Not Mapped (Reason #6) – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1022_OTH_DIAG1_SEVERITY		Other Diagnosis 1: Severity Rating						
M1022_OTH_DIAG1_SEVERITY	0	Asymptomatic, no treatment needed						
M1022_OTH_DIAG1_SEVERITY	1	Symptoms well controlled with current therapy						
M1022_OTH_DIAG1_SEVERITY	2	Symptoms controlled with difficulty						
M1022_OTH_DIAG1_SEVERITY	3	Symptoms poorly controlled; patient needs frequent adjustment in treatment & dose monitoring						
M1022_OTH_DIAG1_SEVERITY	4	Symptoms poorly controlled; history of re-hospitalizations						
M1022_OTH_DIAG2_ICD	c	Other Diagnosis 2: ICD Code			Concept Not Mapped (Reason #6) – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1022_OTH_DIAG2_SEVERITY		Other Diagnosis 2: Severity Rating						
M1022_OTH_DIAG2_SEVERITY	0	Asymptomatic, no treatment needed						
M1022_OTH_DIAG2_SEVERITY	1	Symptoms well controlled with current therapy						
M1022_OTH_DIAG2_SEVERITY	2	Symptoms controlled with difficulty						
M1022_OTH_DIAG2_SEVERITY	3	Symptoms poorly controlled; patient needs frequent adjustment in treatment & dose monitoring						
M1022_OTH_DIAG2_SEVERITY	4	Symptoms poorly controlled; history of re-hospitalizations						
M1022_OTH_DIAG3_ICD	d	Other Diagnosis 3: ICD Code			Concept Not Mapped (Reason #6) – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1022_OTH_DIAG3_SEVERITY		Other Diagnosis 3: Severity Rating						
M1022_OTH_DIAG3_SEVERITY	0	Asymptomatic, no treatment needed						
M1022_OTH_DIAG3_SEVERITY	1	Symptoms well controlled with current therapy						
M1022_OTH_DIAG3_SEVERITY	2	Symptoms controlled with difficulty						
M1022_OTH_DIAG3_SEVERITY	3	Symptoms poorly controlled; patient needs frequent adjustment in treatment & dose monitoring						
M1022_OTH_DIAG3_SEVERITY	4	Symptoms poorly controlled; history of re-hospitalizations						

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1022_OTH_DIAG4_ICD	e	Other Diagnosis 4: ICD Code			<i>Concept Not Mapped (Reason #6) – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping</i>			
M1022_OTH_DIAG4_SEVERITY	0	Other Diagnosis 4: Severity Rating Asymptomatic, no treatment needed						
M1022_OTH_DIAG4_SEVERITY	1	Symptoms well controlled with current therapy						
M1022_OTH_DIAG4_SEVERITY	2	Symptoms controlled with difficulty						
M1022_OTH_DIAG4_SEVERITY	3	Symptoms poorly controlled; patient needs frequent adjustment in treatment & dose monitoring						
M1022_OTH_DIAG4_SEVERITY	4	Symptoms poorly controlled; history of re-hospitalizations						
M1022_OTH_DIAG5_ICD	f	Other Diagnosis 5: ICD Code			<i>Concept Not Mapped (Reason #6) – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping</i>			
M1022_OTH_DIAG5_SEVERITY	0	Other Diagnosis 5: Severity Rating Asymptomatic, no treatment needed						
M1022_OTH_DIAG5_SEVERITY	1	Symptoms well controlled with current therapy						
M1022_OTH_DIAG5_SEVERITY	2	Symptoms controlled with difficulty						
M1022_OTH_DIAG5_SEVERITY	3	Symptoms poorly controlled; patient needs frequent adjustment in treatment & dose monitoring						
M1022_OTH_DIAG5_SEVERITY	4	Symptoms poorly controlled; history of re-hospitalizations						
M1024_PMT_DIAG_ICD_A3	a	Case Mix Diagnosis: Primary, Column 3			<i>Concept Not Mapped (Reason #6) – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping</i>			
M1024_PMT_DIAG_ICD_B3	b	Case Mix Diagnosis: First Secondary, Column 3			<i>Concept Not Mapped (Reason #6) – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping</i>			
M1024_PMT_DIAG_ICD_C3	c	Case Mix Diagnosis: Second Secondary, Column 3			<i>Concept Not Mapped (Reason #6) – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping</i>			
M1024_PMT_DIAG_ICD_D3	d	Case Mix Diagnosis: Third Secondary, Column 3			<i>Concept Not Mapped (Reason #6) – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping</i>			

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1024_PMT_DIAG_ICD_E3	e	Case Mix Diagnosis: Fourth Secondary, Column 3			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1024_PMT_DIAG_ICD_F3	f	Case Mix Diagnosis: Fifth Secondary, Column 3			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1024_PMT_DIAG_ICD_A4	a	Case Mix Diagnosis: Primary, Column 4			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1024_PMT_DIAG_ICD_B4	b	Case Mix Diagnosis: First Secondary, Column 4			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1024_PMT_DIAG_ICD_C4	c	Case Mix Diagnosis: Second Secondary, Column 4			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1024_PMT_DIAG_ICD_D4	d	Case Mix Diagnosis: Third Secondary, Column 4			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1024_PMT_DIAG_ICD_E4	e	Case Mix Diagnosis: Fourth Secondary, Column 4			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1024_PMT_DIAG_ICD_F4	f	Case Mix Diagnosis: Fifth Secondary, Column 4			<i>Concept Not Mapped (Reason #6)</i> – Question responses are free text format and do not provide a fixed concept for SNOMED CT mapping			
M1030		<i>Therapies the patient receives at home</i>	Question row/description added to facilitate message format.					
M1030_THH_IV_INFUSION	1	Therapies Received at Home: Intravenous, Infusion		Assertion pattern	14152002	intravenous infusion (procedure)		
M1030_THH_PAR_NUTRITION	2	Therapies Received at Home: Parenteral Nutrition		Assertion pattern	25156005	intravenous feeding of patient (regime/therapy)		
M1030_THH_ENT_NUTRITION	3	Therapies Received at Home: Enteral Nutrition		Assertion pattern	229912004	enteral feeding (regime/therapy)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1030_THH_NONE_ABOVE	4	Therapies Received at Home: None of the Above		Assertion pattern	<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			
M1032		<i>Risk for hospitalization</i>	Question row/description added to facilitate message format.	QUESTION/ANSWER PATTERN	102485007	personal risk factor (observable entity)		
M1032_HOSP_RISK_RCNT_DCLN	1	Risk For Hospitalization: Recent Decline In Mental, Emotional Or Behavior Status		Question/Answer pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1032_HOSP_RISK_MLTP_HOSPZTN	2	Risk For Hospitalization: Multiple Hospitalizations (2 Or More) In Past 12 Mo		Question/Answer pattern	310537006	previous multiple hospital admissions (finding)		
M1032_HOSP_RISK_HSTRY_FALLS	3	Risk For Hospitalization: History Of Falls (2 Or More Falls Or Any Fall With An Injury) In Past Year		Question/Answer pattern	428942009	history of fall (situation)		
M1032_HOSP_RISK_5PLUS_MDCTN	4	Risk For Hospitalization: Taking Five Or More Medications		Question/Answer pattern	182848008	patient on numerous drugs (finding)		
M1032_HOSP_RISK_FRAILTY	5	Risk For Hospitalization: Frailty Indicators		Question/Answer pattern	248279007	frailty (finding)		
M1032_HOSP_RISK_OTHR	6	Risk For Hospitalization: Other		Question/Answer pattern	<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			
M1032_HOSP_RISK_NONE_ABOVE	7	Risk For Hospitalization: None Of The Above		Question/Answer pattern	<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			
M1034_PTNT_OVRAL_STUS		Patient's Overall Status		QUESTION/ANSWER PATTERN	406221003	health status (observable entity)		
M1034_PTNT_OVRAL_STUS	0	The patient is stable with no heightened risk(s) for serious complications and death (beyond those typical of the patient's age).		Question/Answer pattern	359746009	patient's condition stable (finding)		
M1034_PTNT_OVRAL_STUS	1	The patient is temporarily facing high health risk(s) but is likely to return to being stable without heightened risk(s) for serious complications and death (beyond those typical of the patient's age).		Question/Answer pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1034_PTNT_OVRAL_STUS	2	The patient is likely to remain in fragile health and have ongoing high risk(s) of serious complications and death.		Question/Answer pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1034_PTNT_OVRAL_STUS	3	The patient has serious progressive conditions that could lead to death within a year.		Question/Answer pattern	300936002	terminal illness (clinical finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1034_PTNT_OVRAL_STUS	UK	The patient's situation is unknown or unclear.		Question/Answer pattern	<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			
M1036		<i>Risk factors, either present or past, likely to affect current health status and/or outcome</i>	Question row/description added to facilitate message format.					
M1036_RSK_SMOKING	1	High Risk Factor: Smoking		Assertion Pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1036_RSK_OBESITY	2	High Risk Factor: Obesity		Assertion Pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1036_RSK_ALCOHOLISM	3	High Risk Factor: Alcoholism		Assertion Pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1036_RSK_DRUGS	4	High Risk Factor: Drugs		Assertion Pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1036_RSK_NONE	5	High Risk Factor: None of the Above		Assertion Pattern	<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			
M1036_RSK_UNKNOWN	UK	High Risk Factor: Unknown		Assertion Pattern	<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			
M1040_INFLNZ_RCVD_AGENCY		Influenza Vaccine: Did Patient Receive The Influenza Vaccine		ASSERTION PATTERN				
M1040_INFLNZ_RCVD_AGENCY	0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/frequency/qualifier data elements addressed through the vendor information model or in the CCD			<i>Concept Not Mapped - No comparable CVX concept is available.</i>
M1040_INFLNZ_RCVD_AGENCY	1	Yes		Assertion pattern	86198006	influenza vaccination (procedure)		141
M1040_INFLNZ_RCVD_AGENCY	NA	Does not apply because entire episode of care (SOC/ROC to Transfer/Discharge) is outside this influenza season.		Assertion pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			<i>Concept Not Mapped - No comparable CVX concept is available.</i>

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1045_INFLNZ_RSN_NOT_RCVD		Influenza Vaccine: Reason Not Received In Agency		QUESTION/ANSWER PATTERN	429684009	reason for nonvaccination (observable entity)		<i>Concept Not Mapped - No comparable CVX concept is available.</i>
M1045_INFLNZ_RSN_NOT_RCVD	1	Received from another health care provider (e.g., physician)		Question/Answer pattern	425457005	history of vaccination (situation)		
M1045_INFLNZ_RSN_NOT_RCVD	2	Received from your agency previously during this year's flu season		Question/Answer pattern	425457005	history of vaccination (situation)		
M1045_INFLNZ_RSN_NOT_RCVD	3	Offered and declined		Question/Answer pattern	315640000	influenza vaccination declined (situation)		
M1045_INFLNZ_RSN_NOT_RCVD	4	Assessed and determined to have medical contraindication(s)		Question/Answer pattern	390796006	influenza vaccination contraindicated (situation)		
M1045_INFLNZ_RSN_NOT_RCVD	5	Not indicated; patient does not meet age/condition guidelines for influenza vaccine		Question/Answer pattern	407573008	influenza vaccination not indicated (situation)		
M1045_INFLNZ_RSN_NOT_RCVD	6	Inability to obtain vaccine due to declared shortage		Question/Answer pattern	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M1045_INFLNZ_RSN_NOT_RCVD	7	None of the above		Question/Answer pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
M1050_PPV_RCVD_AGENCY		Pneumococcal Vaccine: Did Patient Receive The Pneumococcal Vaccine		ASSERTION PATTERN				
M1050_PPV_RCVD_AGENCY	0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/frequency/qualifier data elements addressed through the vendor information model or in the CCD</i>			<i>Concept Not Mapped - No comparable CVX concept is available.</i>
M1050_PPV_RCVD_AGENCY	1	Yes		Assertion pattern	12866006	pneumococcal vaccination (procedure)		<i>Concept Not Mapped - CVX cod 109 (pneumococcal vaccine, unspecified formulation) was inactivated 9/30/2010. The three active codes for pneumococcal vaccine specify the valent (13, 7 or 23). Information on the valent is not available in the OASIS questionnaire.</i>

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1055_PPV_RSN_NOT_RCVD_AGENCY		Pneumococcal Vaccine: Reason Not Received In Agency		QUESTION/ANSWER PATTERN	429684009	reason for nonvaccination (observable entity)		<i>Concept Not Mapped - No comparable CVX concept is available.</i>
M1055_PPV_RSN_NOT_RCVD_AGENCY	1	Patient has received PPV in the past		Question/Answer pattern	425457005	history of vaccination (situation)		
M1055_PPV_RSN_NOT_RCVD_AGENCY	2	Offered and declined		Question/Answer pattern	401086001	pneumococcal vaccination declined (situation)		
M1055_PPV_RSN_NOT_RCVD_AGENCY	3	Assessed and determined to have medical contraindication(s)		Question/Answer pattern	390795005	pneumococcal vaccination contraindicated (situation)		
M1055_PPV_RSN_NOT_RCVD_AGENCY	4	Not indicated; patient does not meet age/condition guidelines for PPV		Question/Answer pattern	415119001	pneumococcal vaccination not indicated (situation)		
M1055_PPV_RSN_NOT_RCVD_AGENCY	5	None of the above		Question/Answer pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
LIVING ARRANGEMENTS								
M1100_PTNT_LVG_STUTN		Patient Living Situation		QUESTION/ANSWER PATTERN	224209007	residence and accommodation circumstances (observable entity)		
M1100_PTNT_LVG_STUTN	1	Patient Lives Alone - Around the clock		Question/Answer pattern	105529008	lives alone (finding)		
M1100_PTNT_LVG_STUTN	2	Patient Lives Alone - Regular daytime		Question/Answer pattern	105529008	lives alone (finding)		
M1100_PTNT_LVG_STUTN	3	Patient Lives Alone - Regular nighttime		Question/Answer pattern	105529008	lives alone (finding)		
M1100_PTNT_LVG_STUTN	4	Patient Lives Alone - Occasional / short-term assistance		Question/Answer pattern	105529008	lives alone (finding)		
M1100_PTNT_LVG_STUTN	5	Patient Lives Alone - No assistance available		Question/Answer pattern	105529008	lives alone (finding)		
M1100		<i>Patient lives with other person</i>	Question row/description added to facilitate message format.					
M1100_PTNT_LVG_STUTN	6	Patient Lives with Other Person - Around the clock		Question/Answer pattern	160724009	independent housing, not alone (finding)		
M1100_PTNT_LVG_STUTN	7	Patient Lives with Other Person - Regular daytime		Question/Answer pattern	160724009	independent housing, not alone (finding)		
M1100_PTNT_LVG_STUTN	8	Patient Lives with Other Person - Regular nighttime		Question/Answer pattern	160724009	independent housing, not alone (finding)		
M1100_PTNT_LVG_STUTN	9	Patient Lives with Other Person - Occasional / short-term assistance		Question/Answer pattern	160724009	independent housing, not alone (finding)		
M1100_PTNT_LVG_STUTN	10	Patient Lives with Other Person - No assistance available		Question/Answer pattern	160724009	independent housing, not alone (finding)		
M1100		<i>Patient lives in congregated situation</i>	Question row/description added to facilitate message format.					
M1100_PTNT_LVG_STUTN	11	Patient Lives in Congregate Situation - Around the clock		Question/Answer pattern	105530003	living in residential institution (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1100_PTNT_LVG_STUTN	12	Patient Lives in Congregate Situation - Regular daytime		Question/Answer pattern	105530003	living in residential institution (finding)		
M1100_PTNT_LVG_STUTN	13	Patient Lives in Congregate Situation - Regular nighttime		Question/Answer pattern	105530003	living in residential institution (finding)		
M1100_PTNT_LVG_STUTN	14	Patient Lives in Congregate Situation - Occasional / short-term assistance		Question/Answer pattern	105530003	living in residential institution (finding)		
M1100_PTNT_LVG_STUTN	15	Patient Lives in Congregate Situation - No assistance available		Question/Answer pattern	105530003	living in residential institution (finding)		
SENSORY STATUS								
M1200_VISION		Sensory Status: Vision		QUESTION/ANSWER PATTERN	405183003	sensory function status: vision (observable entity)		
M1200_VISION	0	Normal vision: sees adequately in most situations; can see medication labels, newspaper.		Question/Answer pattern	45089002	normal vision (finding)		
M1200_VISION	1	Partially impaired: cannot see medication labels or newspaper, but can see obstacles in path, and the surrounding layout; can count fingers at arm's length.		Question/Answer pattern	424883003	Difficulty seeing small print (finding)		
M1200_VISION	2	Severely impaired: cannot locate objects without hearing or touching them or patient nonresponsive.		Question/Answer pattern	267727004	blind or low vision - both eyes (disorder)		
M1210_HEARG_ABLTY		Ability To Hear		QUESTION/ANSWER PATTERN	364019009	ability to hear (observable entity)		
M1210_HEARG_ABLTY	0	Adequate: hears normal conversation without difficulty.		Question/Answer pattern	16233902	Hearing Normal (finding)		
M1210_HEARG_ABLTY	1	Mildly to Moderately Impaired: difficulty hearing in some environments or speaker may need to increase volume or speak distinctly.		Question/Answer pattern	162340000	Hearing difficulty (finding)		
M1210_HEARG_ABLTY	2	Severely Impaired: absence of useful hearing.		Question/Answer pattern	15188001	hearing loss (disorder)		
M1210_HEARG_ABLTY	UK	Unable to assess hearing.		Question/Answer pattern	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M1220_UNDRSTG_VERBAL_CNTNT		Understanding Of Verbal Content In Patient's Own Language		QUESTION/ANSWER PATTERN	395660004	ability to comprehend concepts (observable entity)		
M1220_UNDRSTG_VERBAL_CNTNT	0	Understands: clear comprehension without cues or repetitions		Question/Answer pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M1220_UNDRSTG_VERBAL_CNTNT	1	Usually Understands: understands most conversations, but misses some part/intent of message. Requires cues at times to understand.		Question/Answer pattern	64270008	disturbance of understanding (finding)		
M1220_UNDRSTG_VERBAL_CNTNT	2	Sometimes Understands: understands only basic conversations or simple, direct phrases. Frequently requires cues to understand.		Question/Answer pattern	422501005	abnormal ability to understand (finding)		
M1220_UNDRSTG_VERBAL_CNTNT	3	Rarely/Never Understands		Question/Answer pattern	53314000	akathymnesia (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1220_UNDRSTG_VERBAL_CNTNT	UK	Unable to assess understanding		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M1230_SPEECH		Sensory Status: Speech		QUESTION/ANSWER PATTERN	288598006	ability to use verbal communication (observable entity)		
M1230_SPEECH	0	Expresses complex ideas, feelings, and needs clearly, completely, and easily in all situations with no observable impairment.		Question/Answer pattern	286657001	able to express self (finding)		
M1230_SPEECH	1	Minimal difficulty in expressing ideas and needs (may take extra time; makes occasional errors in word choice, grammar or speech intelligibility; needs minimal prompting or assistance).		Question/Answer pattern	286659003	difficulty expressing self (finding)		
M1230_SPEECH	2	Expresses simple ideas or needs with moderate difficulty (needs prompting or assistance, errors in word choice, organization or speech intelligibility). Speaks in phrases or short sentences.		Question/Answer pattern	286410009	difficulty speaking intelligibly (finding)		
M1230_SPEECH	3	Has severe difficulty expressing basic ideas or needs and requires maximal assistance or guessing by listener. Speech limited to single words or short phrases.		Question/Answer pattern	288614000	difficulty using words (finding)		
M1230_SPEECH	4	Unable to express basic needs even with maximal prompting or assistance but is not comatose or unresponsive (e.g., speech is nonsensical or unintelligible).		Question/Answer pattern	286409004	does not speak intelligibly (finding)		
M1230_SPEECH	5	Patient nonresponsive or unable to speak.		Question/Answer pattern	286369003	unable to speak (finding)		
M1240_FRML_PAIN_ASMT		Has Patient Had A Formal Pain Assessment		QUESTION/ANSWER PATTERN	225399009	pain assessment (procedure)		
M1240_FRML_PAIN_ASMT	0	No standardized assessment conducted		Question/Answer pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			
M1240_FRML_PAIN_ASMT	1	Yes, and it does not indicate severe pain		Question/Answer pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			
M1240_FRML_PAIN_ASMT	2	Yes, and it indicates severe pain		Question/Answer pattern	76948002	severe pain (finding)		
M1242_PAIN_FREQ_ACTVTY_MVMT		Frequency Of Pain Interfering With Patient's Activity Or Movement		QUESTION/ANSWER PATTERN	405160001	pain level: disruptive effects (observable entity)		
M1242_PAIN_FREQ_ACTVTY_MVMT	0	Patient has no pain		Question/Answer pattern	81765008	no pain (situation)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1242_PAIN_FREQ_ACTVTY_MVMT	1	Patient has pain that does not interfere with activity or movement		Question/Answer pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1242_PAIN_FREQ_ACTVTY_MVMT	2	Less often than daily		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M1242_PAIN_FREQ_ACTVTY_MVMT	3	Daily, but not constantly		Question/Answer pattern	162455005	has the symptom daily (finding)		
M1242_PAIN_FREQ_ACTVTY_MVMT	4	All of the time		Question/Answer pattern	162449000	symptom is continuous (finding)		
INTEGUMENTARY STATUS								
M1300_PRSR_ULCR_RISK_ASMT		Was Patient Assessed For Risk Of Developing PUs		QUESTION/ANSWER PATTERN	225392000	pressure sore risk assessment (procedure)		
M1300_PRSR_ULCR_RISK_ASMT	0	No assessment conducted		Question/Answer pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			
M1300_PRSR_ULCR_RISK_ASMT	1	Yes, based on an evaluation of clinical factors, e.g., mobility, incontinence, nutrition, etc., without use of standardized tool		Question/Answer pattern	398214005	patient condition assessed (procedure)		
M1300_PRSR_ULCR_RISK_ASMT	2	Yes, using a standardized tool, e.g., Braden, Norton, other		Question/Answer pattern	445536008	assessment using assessment scale (procedure)		
M1302_RISK_OF_PRSR_ULCR		Does This Patient Have A Risk Of Developing PUs		ASSERTION PATTERN				
M1302_RISK_OF_PRSR_ULCR	0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			
M1302_RISK_OF_PRSR_ULCR	1	Yes		Assertion pattern	285304000	at risk of pressure sore (finding)		
M1306_UNHLD_STG2_PRSR_ULCR		Patient Has At Least 1 Unhealed PU At Stage 2 Or Higher		ASSERTION PATTERN				
M1306_UNHLD_STG2_PRSR_ULCR	0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			
M1306_UNHLD_STG2_PRSR_ULCR	1	Yes		Assertion pattern	399912005	pressure sore (disorder)		
M1307_OLDST_STG2_AT_DSCHRG		Status Of Oldest Stage II Pressure Ulcer At Discharge		QUESTION/ANSWER PATTERN	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1307_OLDST_STG2_AT_DSCHRG	1	Was present at the most recent SOC/ROC assessment		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M1307_OLDST_STG2_AT_DSCHRG	2	Developed since the most recent SOC/ROC assessment		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M1307_OLDST_STG2_AT_DSCHRG	NA	No non-epithelialized Stage II pressure ulcers are present at discharge		Question/Answer pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1307_OLDST_STG2_ONST_DT		Date Of Onset Of Oldest Stage II Pressure Ulcer			298059007	date of onset (observable entity)		
M1308_NBR_PRSLC_STG2	a	No. Pressure Ulcers - Stage 2			264892003	number of pressure sores (observable entity)		
M1308_NBR_STG2_AT_SOC_ROC		Number PU Stage 2 At SOC/ROC			<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1308_NBR_PRSLC_STG3	b	No. Pressure Ulcers - Stage 3			264892003	number of pressure sores (observable entity)		
M1308_NBR_STG3_AT_SOC_ROC		Number PU Stage 3 At SOC/ROC			<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1308_NBR_PRSLC_STG4	c	No. Pressure Ulcers - Stage 4			264892003	number of pressure sores (observable entity)		
M1308_NBR_STG4_AT_SOC_ROC		Number PU Stage 4 At SOC/ROC			<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1308_NSTG_DRSG	d1	Unstageable Due To Non-removable Dressing Or Device			264892003	number of pressure sores (observable entity)		
M1308_NSTG_DRSG_SOC_ROC		Unstageable Due To Non-removable Dressing Or Device At SOC/ROC			<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1308_NSTG_CVRG	d2	Unstageable Due To Coverage By Slough Or Eschar			264892003	number of pressure sores (observable entity)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1308_NSTG_CVRG_SOC_ROC		Unstageable Due To Coverage By Slough Or Eschar At SOC/ROC				<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>		
M1308_NSTG_DEEP_TISUE	d3	Unstageable Due To Suspected Deep Tissue Injury In Evolution			264892003	number of pressure sores (observable entity)		
M1308_NSTG_DEEP_TISUE_SOC_ROC		Unstageable Due To Suspected Deep Tissue Injury In Evolution At SOC/ROC				<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>		
M1310_PRSR_ULCR_LNGTH		Head To Toe Length Of Stage III Or IV Pu With Largest Area			401238003	length of wound (observable entity)		
M1312_PRSR_ULCR_WDTH		Width At Right Angles Of Stage III Or IV Pu With Largest Area			401239006	width of wound (observable entity)		
M1314_PRSR_ULCR_DEPTH		Depth Of Stage III Or IV Pu With Largest Area			425094009	depth of wound (observable entity)		
M1320_STUS_PRBLM_PRSR_ULCR		Status Of Most Problematic Pressure Ulcer		QUESTION/ANSWER PATTERN	406214003	wound healing status (observable entity)		
M1320_STUS_PRBLM_PRSR_ULCR	0	Newly epithelialized		Question/Answer pattern		<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>		
M1320_STUS_PRBLM_PRSR_ULCR	1	Fully granulating		Question/Answer pattern	225541009	granulation of tissue (finding)		
M1320_STUS_PRBLM_PRSR_ULCR	2	Early/partial granulation		Question/Answer pattern	225541009	granulation of tissue (finding)		
M1320_STUS_PRBLM_PRSR_ULCR	3	Not healing		Question/Answer pattern	271618001	impaired wound healing (finding)		
M1320_STUS_PRBLM_PRSR_ULCR	NA	No observable pressure ulcer		Question/Answer pattern		<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>		
M1322_NBR_PRSULC_STG1		No. Pressure Ulcers - Stage 1		QUESTION/ANSWER PATTERN	264892003	number of pressure sores (observable entity)		
M1322_NBR_PRSULC_STG1	0	Zero		Question/Answer pattern	260413007	none (qualifier value)		
M1322_NBR_PRSULC_STG1	1	One		Question/Answer pattern	38112003	one (qualifier value)		
M1322_NBR_PRSULC_STG1	2	Two		Question/Answer pattern	19338005	two (qualifier value)		
M1322_NBR_PRSULC_STG1	3	Three		Question/Answer pattern	79605009	three (qualifier value)		
M1322_NBR_PRSULC_STG1	4	Four or more		Question/Answer pattern	9362000	four (qualifier value)		
M1324_STG_PRBLM_ULCER		Stage of Most Problematic Pressure Ulcer		QUESTION/ANSWER PATTERN	420592002	pressure ulcer stage (observable entity)		
M1324_STG_PRBLM_ULCER	1	Stage I		Question/Answer pattern	421076008	pressure ulcer stage 1 (disorder)		
M1324_STG_PRBLM_ULCER	2	Stage II		Question/Answer pattern	420324007	pressure ulcer stage 2 (disorder)		
M1324_STG_PRBLM_ULCER	3	Stage III		Question/Answer pattern	421927004	pressure ulcer stage 3 (disorder)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1324_STG_PRBLM_ULCER	4	Stage IV		Question/Answer pattern	420597008	pressure ulcer stage 4 (disorder)		
M1324_STG_PRBLM_ULCER	NA	No observable pressure ulcer or unhealed pressure ulcer		Question/Answer pattern	<i>Concept Not Mapped (Reason #4) – Negated/frequency/qualifier data elements addressed through the vendor information model or in the CCD</i>			
M1330_STAS_ULCR_PRSNT		Does This Patient Have A Stasis Ulcer		ASSERTION PATTERN				
M1330_STAS_ULCR_PRSNT	0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/frequency/qualifier data elements addressed through the vendor information model or in the CCD</i>			
M1330_STAS_ULCR_PRSNT	1	Yes, patient has BOTH observable and unobservable stasis ulcers		Assertion pattern	371032004	stasis ulcer (disorder)		
M1330_STAS_ULCR_PRSNT	2	Yes, patient has observable stasis ulcers ONLY		Assertion pattern	371032004	stasis ulcer (disorder)		
M1330_STAS_ULCR_PRSNT	3	Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non-removable dressing)		Assertion pattern	371032004	stasis ulcer (disorder)		
M1332_NUM_STAS_ULCR		No. Stasis Ulcers		QUESTION/ANSWER PATTERN	264893008	number of ulcers (observable entity)		
M1332_NUM_STAS_ULCR	1	One		Question/Answer pattern	38112003	one (qualifier value)		
M1332_NUM_STAS_ULCR	2	Two		Question/Answer pattern	19338005	two (qualifier value)		
M1332_NUM_STAS_ULCR	3	Three		Question/Answer pattern	79605009	three (qualifier value)		
M1332_NUM_STAS_ULCR	4	Four or more		Question/Answer pattern	9362000	four (qualifier value)		
M1334_STUS_PRBLM_STAS_ULCR		Status Of Most Problematic Stasis Ulcer		QUESTION/ANSWER PATTERN	406214003	wound healing status (observable entity)		
M1334_STUS_PRBLM_STAS_ULCR	0	Newly epithelialized		Question/Answer pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M1334_STUS_PRBLM_STAS_ULCR	1	Fully granulating		Question/Answer pattern	225541009	granulation of tissue (finding)		
M1334_STUS_PRBLM_STAS_ULCR	2	Early/partial granulation		Question/Answer pattern	225541009	granulation of tissue (finding)		
M1334_STUS_PRBLM_STAS_ULCR	3	Not healing		Question/Answer pattern	271618001	impaired wound healing (finding)		
M1340_SRGL_WND_PRSNT		Does This Patient Have A Surgical Wound		ASSERTION PATTERN				
M1340_SRGL_WND_PRSNT	0	No [Go to M1350]		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/frequency/qualifier data elements addressed through the vendor information model or in the CCD</i>			
M1340_SRGL_WND_PRSNT	1	Yes, patient has at least one (observable) surgical wound		Assertion pattern	419635000	surgical wound finding (finding)		
M1340_SRGL_WND_PRSNT	2	Surgical wound known but not observable due to non-removable dressing [Go to M1350]		Assertion pattern	419635000	surgical wound finding (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1342_STUS_PRBLM_SRGCL_WND		Status Of Most Problematic Surgical Wound		QUESTION/ANSWER PATTERN	406214003	wound healing status (observable entity)		
M1342_STUS_PRBLM_SRGCL_WND	0	Newly epithelialized		Question/Answer pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M1342_STUS_PRBLM_SRGCL_WND	1	Fully granulating		Question/Answer pattern	225541009	granulation of tissue (finding)		
M1342_STUS_PRBLM_SRGCL_WND	2	Early/partial granulation		Question/Answer pattern	225541009	granulation of tissue (finding)		
M1342_STUS_PRBLM_SRGCL_WND	3	Not healing		Question/Answer pattern	271618001	impaired wound healing (finding)		
M1350_LESION_OPEN_WND		Has Skin Lesion Or Open Wound		ASSERTION PATTERN				
M1350_LESION_OPEN_WND	0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/frequency/qualifier data elements addressed through the vendor information model or in the CCD</i>			
M1350_LESION_OPEN_WND	1	Yes		Assertion pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
RESPIRATORY STATUS								
M1400_WHEN_DYSPNEIC		When Dyspneic		QUESTION/ANSWER PATTERN	248546008	ease of respiration (observable entity)		
M1400_WHEN_DYSPNEIC	0	Patient is not short of breath		Question/Answer pattern	276362002	breathing easily (finding)		
M1400_WHEN_DYSPNEIC	1	When walking more than 20 feet, climbing stairs		Question/Answer pattern	390871002	breathless - strenuous exertion (finding)		
M1400_WHEN_DYSPNEIC	2	With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)		Question/Answer pattern	161939006	breathless - moderate exertion (finding)		
M1400_WHEN_DYSPNEIC	3	With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation		Question/Answer pattern	161940008	breathless - mild exertion (finding)		
M1400_WHEN_DYSPNEIC	4	At rest (during day or night)		Question/Answer pattern	161941007	dyspnea at rest (finding)		
M1410		<i>Respiratory treatments utilized at home:</i>	Question row/description added to facilitate message format.					
M1410_RESPTX_OXYGEN	1	Respiratory Treatments: Oxygen		Assertion Pattern	57485005	oxygen therapy (procedure)		
M1410_RESPTX_VENTILATOR	2	Respiratory Treatments: Ventilator		Assertion Pattern	40617009	artificial respiration (procedure)		
M1410_RESPTX_AIRPRESS	3	Respiratory Treatments: Airway Pressure		Assertion Pattern	243141005	mechanically assisted spontaneous ventilation (procedure)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1410_RESPTX_NONE	4	Respiratory Treatments: None of the Above		Assertion Pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
CARDIAC STATUS								
M1500_SYMTM_HRT_FAILR_PTNTS		Symptoms In Heart Failure Patients		ASSERTION PATTERN				
M1500_SYMTM_HRT_FAILR_PTNTS	0	No		Assertion Pattern	84114007	heart failure (disorder)		
M1500_SYMTM_HRT_FAILR_PTNTS	1	Yes		Assertion Pattern	84114007	heart failure (disorder)		
M1500_SYMTM_HRT_FAILR_PTNTS	2	Not assessed		Assertion Pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M1500_SYMTM_HRT_FAILR_PTNTS	NA	Patient does not have diagnosis of heart failure		Assertion Pattern	103330002	no Dx - Qualifier		
M1510		<i>Heart failure follow-up</i>	Question row/description added to facilitate message format.					
M1510_HRT_FAILR_NO_ACTN	0	Heart Failure Follow Up: No Action		Assertion Pattern	390884006	heart failure follow-up (finding)		
M1510_HRT_FAILR_PHYSN_CNTCT	1	Heart Failure Follow Up: Physician Contacted		Assertion Pattern	390884006	heart failure follow-up (finding)		
M1510_HRT_FAILR_ER_TRTMT	2	Heart Failure Follow Up: ER Treatment Advised		Assertion Pattern	390884006	heart failure follow-up (finding)		
M1510_HRT_FAILR_PHYSN_TRTMT	3	Heart Failure Follow Up: Physician-Ordered Treatment Implemented		Assertion Pattern	390884006	heart failure follow-up (finding)		
M1510_HRT_FAILR_CLNCL_INTRVTN	4	Heart Failure Follow Up: Patient Education Or Other Clinical Interventions		Assertion Pattern	390884006	heart failure follow-up (finding)		
M1510_HRT_FAILR_CARE_PLAN_CHG	5	Heart Failure Follow Up: Change In Care Plan Orders Obtained		Assertion Pattern	390884006	heart failure follow-up (finding)		
ELIMINATION STATUS								
M1600_UTI		Treated for Urinary Tract Infection in Past 14 Days		ASSERTION PATTERN				
M1600_UTI	0	No		Assertion Pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M1600_UTI	1	Yes		Assertion Pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M1600_UTI	NA	Patient on prophylactic treatment		Assertion Pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1600_UTI	UK	Unknown		Assertion Pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
M1610_UR_INCONT		Urinary Incontinence or Urinary Catheter Present		QUESTION/ANSWER PATTERN	406218000	urinary continence status (observable entity)		
M1610_UR_INCONT	0	No incontinence or catheter (includes anuria or ostomy for urinary drainage)		Question/Answer pattern	45850009	continent of urine (finding)		
M1610_UR_INCONT	1	Patient is incontinent		Question/Answer pattern	165232002	urinary incontinence (finding)		
M1610_UR_INCONT	2	Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic)		Question/Answer pattern	410024004	catheterization of urinary bladder (procedure)		
M1615_INCONTNT_TIMING		When Urinary Incontinence Occurs		QUESTION/ANSWER PATTERN	422058003	number of urinary incontinence episodes (observable entity)		
M1615_INCONTNT_TIMING	0	Timed-voiding defers incontinence		Question/Answer pattern	386401000	prompted voiding (procedure)		
M1615_INCONTNT_TIMING	1	Occasional stress incontinence		Question/Answer pattern	22220005	genuine stress incontinence (finding)		
M1615_INCONTNT_TIMING	2	During the night only		Question/Answer pattern	8009008	nocturnal enuresis (finding)		
M1615_INCONTNT_TIMING	3	During the day only		Question/Answer pattern	307143006	during day (qualifier value)		
M1615_INCONTNT_TIMING	4	During the day and night		Question/Answer pattern	224943009	night and day (qualifier value)		
M1620_BWL_INCONT		Bowel Incontinence Frequency		QUESTION/ANSWER PATTERN	422291001	number of bowel incontinence episodes (observable entity)		
M1620_BWL_INCONT	0	Very rarely or never has bowel incontinence		Question/Answer pattern	24029004	bowels: fully continent (finding)		
M1620_BWL_INCONT	1	Less than once weekly		Question/Answer pattern	165230005	bowels: occasional accident (finding)		
M1620_BWL_INCONT	2	One to three times weekly		Question/Answer pattern	70232002	frequent (qualifier value)		
M1620_BWL_INCONT	3	Four to six times weekly		Question/Answer pattern	27732004	high frequency (qualifier value)		
M1620_BWL_INCONT	4	On a daily basis		Question/Answer pattern	69620002	daily (qualifier value)		
M1620_BWL_INCONT	5	More often than once daily		Question/Answer pattern	69620002	daily (qualifier value)		
M1620_BWL_INCONT	NA	Patient has ostomy for bowel elimination		Question/Answer pattern	225577002	stoma finding (finding)		
M1620_BWL_INCONT	UK	Unknown		Question/Answer pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
M1630_OSTOMY		Ostomy for Bowel Elimination		QUESTION/ANSWER PATTERN	405001001	bowel elimination status (observable entity)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1630_OSTOMY	0	Patient does NOT have an ostomy for bowel elimination.		Question/Answer pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/frequency/qualifier data elements addressed through the vendor information model or in the CCD			
M1630_OSTOMY	1	Patient's ostomy was NOT related to an inpatient stay and did NOT necessitate change in medical or treatment regimen.		Question/Answer pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1630_OSTOMY	2	The ostomy WAS related to an inpatient stay or DID necessitate change in medical or treatment regimen.		Question/Answer pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
NEURO/EMOTIONAL/BEHAVIORAL STATUS								
M1700_COG_FUNCTION		Cognitive Functioning		QUESTION/ANSWER PATTERN	311465003	cognitive functions (observable entity)		
M1700_COG_FUNCTION	0	Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently.		Question/Answer pattern	248234008	mentally alert (finding)		
M1700_COG_FUNCTION	1	Requires prompting (cueing, repetition, reminders) only under stressful or unfamiliar conditions.		Question/Answer pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1700_COG_FUNCTION	2	Requires assistance/direction in specific situations (e.g., all tasks involving shifting of attention) or consistently requires low stimulus environment due to distractibility.		Question/Answer pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1700_COG_FUNCTION	3	Requires considerable assist in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.		Question/Answer pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1700_COG_FUNCTION	4	Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.		Question/Answer pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1710_WHEN_CONFUSED		When Confused (Reported or Observed)		QUESTION/ANSWER PATTERN	363871006	mental state (observable entity)		
M1710_WHEN_CONFUSED	0	Never		Question/Answer pattern	225439006	not confused (finding)		
M1710_WHEN_CONFUSED	1	In new or complex situations only		Question/Answer pattern	281793005	intermittent confusion (finding)		
M1710_WHEN_CONFUSED	2	On awakening or at night only		Question/Answer pattern	281793005	intermittent confusion (finding)		
M1710_WHEN_CONFUSED	3	During the day and evening, but not constantly		Question/Answer pattern	281793005	intermittent confusion (finding)		
M1710_WHEN_CONFUSED	4	Constantly		Question/Answer pattern	40917007	clouded consciousness (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1710_WHEN_CONFUSED	NA	Patient nonresponsive		Question/Answer pattern	422768004	unresponsive (finding)		
M1720_WHEN_ANXIOUS		When Anxious (Reported or Observed)		QUESTION/ANSWER PATTERN	405051006	level of anxiety (observable entity)		
M1720_WHEN_ANXIOUS	0	None of the time		Question/Answer pattern	260413007	none (qualifier value)		
M1720_WHEN_ANXIOUS	1	Less often than daily		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M1720_WHEN_ANXIOUS	2	Daily, but not constantly		Question/Answer pattern	69620002	daily (qualifier value)		
M1720_WHEN_ANXIOUS	3	All of the time		Question/Answer pattern	255238004	continuous (qualifier value)		
M1720_WHEN_ANXIOUS	NA	Patient nonresponsive		Question/Answer pattern	422768004	unresponsive (finding)		
M1730_STDZ_DPRSN_SCRNG		Has The Patient Been Screened For Depression Using Stdzed Screen Tool		ASSERTION PATTERN				
M1730_STDZ_DPRSN_SCRNG	0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			
M1730_STDZ_DPRSN_SCRNG	1	Yes, patient was screened using the PHQ-2® scale. (Instructions for this two-question tool: Ask patient: "Over the last two weeks, how often have you been bothered by any of the following problems")		Assertion pattern	171207006	depression screening (procedure)		
M1730_PHQ2_LACK_INTRST	1a	PHQ2 Pfizer Little Interest Or Pleasure In Doing Things		QUESTION/ANSWER PATTERN	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1730_PHQ2_LACK_INTRST	1a-0	Not at all (0 - 1 days)		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M1730_PHQ2_LACK_INTRST	1a-1	Several days (2-6 days)		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M1730_PHQ2_LACK_INTRST	1a-2	More than half of the days (7-11 days)		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M1730_PHQ2_LACK_INTRST	1a-3	Nearly every day (12-14 days)		Question/Answer pattern	69620002	daily (qualifier value)		
M1730_PHQ2_LACK_INTRST	1a-NA	Unable to respond		Question/Answer pattern	422768004	unresponsive (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1730_PHQ2_DPRSN	1b	PHQ2 Pfizer Feeling Down, Depressed Or Hopeless		QUESTION/ANSWER PATTERN	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M1730_PHQ2_DPRSN	1b-0	Not at all (0 - 1 days)		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M1730_PHQ2_DPRSN	1b-1	Several days (2-6 days)		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M1730_PHQ2_DPRSN	1b-2	More than half of the days (7-11 days)		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M1730_PHQ2_DPRSN	1b-3	Nearly every day (12-14 days)		Question/Answer pattern	69620002	daily (qualifier value)		
M1730_PHQ2_DPRSN	1b-NA	Unable to respond		Question/Answer pattern	422768004	unresponsive (finding)		
M1730_STDZ_DPRSN_SCRNG	2	Yes, with a different standardized assessment-and the patient meets criteria for further evaluation for depression.		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M1730_STDZ_DPRSN_SCRNG	3	Yes, patient was screened with a different standardized assessment-and the patient does not meet criteria for further evaluation for depression.		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M1740		<i>Cognitive, behavioral, and psychiatric symptoms that are demonstrated at least once a week (Reported or Observed):</i>	Question row/description added to facilitate message format.					
M1740_BD_MEM_DEFICIT	1	Behavior Demonstrated: Memory Deficit		Assertion Pattern	386807006	memory impairment (finding)		
M1740_BD_IMP_DECISN	2	Behavior Demonstrated: Impaired Decision-making		Assertion Pattern	247585004	difficulty making decisions (finding)		
M1740_BD_VERBAL	3	Behavior Demonstrated: Verbal Disruption		Assertion Pattern	284616006	verbally threatening behavior (finding)		
M1740_BD_PHYSICAL	4	Behavior Demonstrated: Physical Aggression		Assertion Pattern	284615005	physically threatening behavior (finding)		
M1740_BD_SOC_INAPPRO	5	Behavior Demonstrated: Socially Inappropriate		Assertion Pattern	112082005	inappropriate behavior (finding)		
M1740_BD_DELUSIONS	6	Behavior Demonstrated: Delusions		Assertion Pattern	2073000	delusions (finding)		
M1740_BD_NONE	7	Behavior Demonstrated: None of the Above		Assertion Pattern	<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1745_BEH_PROB_FREQ		Frequency of Behavior Problems		QUESTION/ANSWER PATTERN	162458007 / 54319003	symptom frequency (observable entity) & disruptive behavior disorder (disorder)		
M1745_BEH_PROB_FREQ	0	Never		Question/Answer pattern	51746009	normal behavior (finding)		
M1745_BEH_PROB_FREQ	1	Less than once a month		Question/Answer pattern	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M1745_BEH_PROB_FREQ	2	Once a month		Question/Answer pattern	162458007	has the symptom monthly (finding)		
M1745_BEH_PROB_FREQ	3	Several times each month		Question/Answer pattern	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M1745_BEH_PROB_FREQ	4	Several times a week		Question/Answer pattern	162457002	has the symptom weekly (finding)		
M1745_BEH_PROB_FREQ	5	At least daily		Question/Answer pattern	162455005	has the symptom daily (finding)		
M1750_REC_PSYCH_NURS		Receives Psychiatric Nursing		ASSERTION PATTERN				
M1750_REC_PSYCH_NURS	0	No		Assertion Pattern	<i>Concept Not Mapped (Reason #4) – Negated/frequency/qualifier data elements addressed through the vendor information model or in the CCD</i>			
M1750_REC_PSYCH_NURS	1	Yes		Assertion Pattern	305570008	under care of psychiatric nurse (finding)		
ADL/IADLs								
M1800_CUR_GROOMING		Current: Grooming		QUESTION/ANSWER PATTERN	165225006	ability to perform grooming activity (observable entity)		
M1800_CUR_GROOMING	0	Able to groom self unaided, with or without the use of assistive devices or adapted methods.		Question/Answer pattern	284856006	able to perform grooming activity (finding)		
M1800_CUR_GROOMING	1	Grooming utensils must be placed within reach before able to complete grooming activities.		Question/Answer pattern	225964003	assisting with personal hygiene (procedure)		
M1800_CUR_GROOMING	2	Someone must assist the patient to groom self.		Question/Answer pattern	284857002	unable to perform grooming activity (finding)		
M1800_CUR_GROOMING	3	Patient depends entirely upon someone else for grooming needs.		Question/Answer pattern	165226007	dependent for grooming (finding)		
M1810_CUR_DRESS_UPPER		Current: Dress Upper Body		QUESTION/ANSWER PATTERN	284967006	ability to perform dressing activity (observable entity)		
M1810_CUR_DRESS_UPPER	0	Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.		Question/Answer pattern	129035000	independent with dressing (finding)		
M1810_CUR_DRESS_UPPER	1	Able to dress upper body without assistance if clothing is laid out or handed to the patient.		Question/Answer pattern	129039006	needs help with dressing (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1810_CUR_DRESS_UPPER	2	Someone must help the patient put on upper body clothing.		Question/Answer pattern	424445006	difficulty with dressing upper body (finding)		
M1810_CUR_DRESS_UPPER	3	Patient depends entirely upon another person to dress the upper body.		Question/Answer pattern	284969009	unable to perform dressing activity (finding)		
M1820_CUR_DRESS_LOWER		Current: Dress Lower Body		QUESTION/ANSWER PATTERN	284967006	ability to perform dressing activity (observable entity)		
M1820_CUR_DRESS_LOWER	0	Able to obtain, put on, and remove clothing and shoes without assistance.		Question/Answer pattern	129035000	independent with dressing (finding)		
M1820_CUR_DRESS_LOWER	1	Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.		Question/Answer pattern	129039006	needs help with dressing (finding)		
M1820_CUR_DRESS_LOWER	2	Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.		Question/Answer pattern	425353005	difficulty with dressing lower body (finding)		
M1820_CUR_DRESS_LOWER	3	Patient depends entirely upon another person to dress lower body.		Question/Answer pattern	284969009	unable to perform dressing activity (finding)		
M1830_CRNT_BATHG		Current: Bathing		QUESTION/ANSWER PATTERN	284797005	ability to perform bathing activity (observable entity)		
M1830_CRNT_BATHG	0	Able to bathe self in shower or tub independently, including getting in and out of tub/shower.		Question/Answer pattern	129041007	independent bathing (finding)		
M1830_CRNT_BATHG	1	With the use of devices, is able to bathe self in shower or tub independently, including getting in and out of the tub/shower.		Question/Answer pattern	284798000	able to perform bathing activity (finding)		
M1830_CRNT_BATHG	2	Able to bathe in shower or tub with the intermittent assistance of another person: (a) for intermittent supervision or encouragement or reminders, OR (b) to get in and out of the shower or tub, OR (c) for washing difficult to reach areas.		Question/Answer pattern	129040008	bathing assisted (finding)		
M1830_CRNT_BATHG	3	Able to participate in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision.		Question/Answer pattern	129040008	bathing assisted (finding)		
M1830_CRNT_BATHG	4	Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in chair, or on commode.		Question/Answer pattern	129040008	bathing assisted (finding)		
M1830_CRNT_BATHG	5	Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on commode, with the assistance or supervision of another person throughout the bath.		Question/Answer pattern	129040008	bathing assisted (finding)		
M1830_CRNT_BATHG	6	Unable to participate effectively in bathing and is bathed totally by another person.		Question/Answer pattern	129043005	dependent for bathing (finding)		
M1840_CUR_TOILTG		Current: Toileting		QUESTION/ANSWER PATTERN	301537008	ability to get on and off toilet (observable entity)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1840_CUR_TOILTG	0	Able to get to and from the toilet and transfer independently with or without a device.		Question/Answer pattern	301538003	able to get on and off toilet (finding)		
M1840_CUR_TOILTG	1	When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer.		Question/Answer pattern	301538003	able to get on and off toilet (finding)		
M1840_CUR_TOILTG	2	Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).		Question/Answer pattern	301539006	unable to get on and off toilet (finding)		
M1840_CUR_TOILTG	3	Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.		Question/Answer pattern	301539006	unable to get on and off toilet (finding)		
M1840_CUR_TOILTG	4	Is totally dependent in toileting.		Question/Answer pattern	129078005	dependent in toilet (finding)		
M1845_CUR_TOILTG_HYGN		Current: Toileting Hygiene		QUESTION/ANSWER PATTERN	284899001	ability to perform toileting activities (observable entity)		
M1845_CUR_TOILTG_HYGN	0	Able to manage toileting hygiene and clothing management without assistance.		Question/Answer pattern	284900006	able to perform toileting activities (finding)		
M1845_CUR_TOILTG_HYGN	1	Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient.		Question/Answer pattern	284900006	able to perform toileting activities (finding)		
M1845_CUR_TOILTG_HYGN	2	Someone must help the patient to maintain toileting hygiene and/or adjust clothing.		Question/Answer pattern	284905001	difficulty performing toileting activities (finding)		
M1845_CUR_TOILTG_HYGN	3	Patient depends entirely upon another person to maintain toileting hygiene.		Question/Answer pattern	284901005	unable to perform toileting activities (finding)		
M1850_CUR_TRNSFRNG		Current: Transferring		QUESTION/ANSWER PATTERN	364666007	ability to transfer location (observable entity)		
M1850_CUR_TRNSFRNG	0	Able to independently transfer.		Question/Answer pattern	129079002	transfer independent (finding)		
M1850_CUR_TRNSFRNG	1	Able to transfer with minimal human assistance or with use of an assistive device.		Question/Answer pattern	129047006	transfer assisted (finding)		
M1850_CUR_TRNSFRNG	2	Able to bear weight and pivot during the transfer process but unable to transfer self.		Question/Answer pattern	302264008	transfer assisted (finding)		
M1850_CUR_TRNSFRNG	3	Unable to transfer self and is unable to bear weight or pivot when transferred by another person.		Question/Answer pattern	302264008	unable to transfer (finding)		
M1850_CUR_TRNSFRNG	4	Bedfast, unable to transfer but is able to turn and position self in bed.		Question/Answer pattern	301681008	able to move in bed (finding)		
M1850_CUR_TRNSFRNG	5	Bedfast, unable to transfer and is unable to turn and position self.		Question/Answer pattern	301682001	unable to move in bed (finding)		
M1860_CRNT_AMBLTN		Current: Ambulation		QUESTION/ANSWER PATTERN	282097004	ability to walk (observable entity)		
M1860_CRNT_AMBLTN	0	Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (i.e., needs no human assistance or assistive device).		Question/Answer pattern	165245003	independent walking (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1860_CRNT_AMBLTN	1	With the use of a one-handed device (e.g. cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stairs with or without railings.		Question/Answer pattern	371157007	has difficulty doing (qualifier value)		
M1860_CRNT_AMBLTN	2	Requires use of a two-handed device (e.g., walker or crutches) to walk alone on a level surface and/or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.		Question/Answer pattern	371157007	has difficulty doing (qualifier value)		
M1860_CRNT_AMBLTN	3	Able to walk only with the supervision or assistance of another person at all times.		Question/Answer pattern	371152001	assisted (qualifier value)		
M1860_CRNT_AMBLTN	4	Chairfast, unable to ambulate but is able to wheel self independently.		Question/Answer pattern	165243005	independent in wheelchair (finding)		
M1860_CRNT_AMBLTN	5	Chairfast, unable to ambulate and is unable to wheel self.		Question/Answer pattern	413121008	dependent on helper pushing wheelchair (finding)		
M1860_CRNT_AMBLTN	6	Bedfast, unable to ambulate or be up in a chair.		Question/Answer pattern	160685001	bed-ridden (finding)		
M1870_CUR_FEEDING		Current: Feeding		QUESTION/ANSWER PATTERN	165221002	feeding ability (observable entity)		
M1870_CUR_FEEDING	0	Able to independently feed self.		Question/Answer pattern	165224005	independent feeding (finding)		
M1870_CUR_FEEDING	1	Able to feed self independently but requires: (a) meal set-up; OR (b) intermittent assistance or supervision from another person; OR (c) a liquid, pureed or ground meat diet.		Question/Answer pattern	371157007	has difficulty doing (qualifier value)		
M1870_CUR_FEEDING	2	Unable to feed self and must be assisted or supervised throughout the meal/snack.		Question/Answer pattern	371152001	assisted (qualifier value)		
M1870_CUR_FEEDING	3	Able to take in nutrients orally and receives supplemental nutrients through a nasogastric tube or gastrostomy.		Question/Answer pattern	83813007	tube feeding diet (finding)		
M1870_CUR_FEEDING	4	Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.		Question/Answer pattern	83813007	tube feeding diet (finding)		
M1870_CUR_FEEDING	5	Unable to take in nutrients orally or by tube feeding.		Question/Answer pattern	288885009	unable to eat (finding)		
M1880_CUR_PREP_LT_MEALS		Current: Prepare Light Meals		QUESTION/ANSWER PATTERN	286488009	ability to prepare meal (observable entity)		
M1880_CUR_PREP_LT_MEALS	0	(a) Able to independently plan and prepare all light meals for self or reheat delivered meals; OR (b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the pas		Question/Answer pattern	286489001	able to prepare meal (finding)		
M1880_CUR_PREP_LT_MEALS	1	Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations.		Question/Answer pattern	286490005	unable to prepare meal (finding)		
M1880_CUR_PREP_LT_MEALS	2	Unable to prepare any light meals or reheat any delivered meals.		Question/Answer pattern	286490005	unable to prepare meal (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1890_CUR_PHONE_USE		Current: Telephone Use		QUESTION/ANSWER PATTERN	300730001	ability to use telephone (observable entity)		
M1890_CUR_PHONE_USE	0	Able to dial numbers and answer calls appropriately and as desired.		Question/Answer pattern	129048001	telephone independent (finding)		
M1890_CUR_PHONE_USE	1	Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.		Question/Answer pattern	300731002	able to use telephone (finding)		
M1890_CUR_PHONE_USE	2	Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.		Question/Answer pattern	300736007	difficulty using telephone (finding)		
M1890_CUR_PHONE_USE	3	Able to answer the telephone only some of the time or is able to carry on only a limited conversation.		Question/Answer pattern	300736007	difficulty using telephone (finding)		
M1890_CUR_PHONE_USE	4	UNABLE to answer the telephone at all but can listen if assisted with equipment.		Question/Answer pattern	129071004	telephone dependent (finding)		
M1890_CUR_PHONE_USE	5	Totally unable to use the telephone.		Question/Answer pattern	300733004	unable to use telephone (finding)		
M1890_CUR_PHONE_USE	NA	Patient does not have a telephone.		Question/Answer pattern	<i>Concept Not Mapped (Reason #4) – Negated/frequency/qualifier data elements addressed through the vendor information model or in the CCD</i>			
M1900_PRIOR_ADLIADL_SELF	a	Prior Functioning ADL/IADL: Self-care (grooming, Bathing, Dressing)		QUESTION/ANSWER PATTERN	284779002	ability to perform personal hygiene activity (observable entity)		
M1900_PRIOR_ADLIADL_SELF	a-0	Independent		Question/Answer pattern	371153006	independently able (qualifier value)		
M1900_PRIOR_ADLIADL_SELF	a-1	Needed Some Help		Question/Answer pattern	371152001	assisted (qualifier value)		
M1900_PRIOR_ADLIADL_SELF	a-2	Dependent		Question/Answer pattern	371154000	dependent (qualifier value)		
M1900_PRIOR_ADLIADL_AMBLTN	b	Prior Functioning ADL/IADL: Ambulation		QUESTION/ANSWER PATTERN	282097004	ability to walk (observable entity)		
M1900_PRIOR_ADLIADL_AMBLTN	b-0	Independent		Question/Answer pattern	165245003	independently able (qualifier value)		
M1900_PRIOR_ADLIADL_AMBLTN	b-1	Needed Some Help		Question/Answer pattern	427512004	assisted (qualifier value)		
M1900_PRIOR_ADLIADL_AMBLTN	b-2	Dependent		Question/Answer pattern	282145008	dependent (qualifier value)		
M1900_PRIOR_ADLIADL_TRNSFR	c	Prior Functioning ADL/IADL: Transfer		QUESTION/ANSWER PATTERN	364666007	ability to transfer location (observable entity)		
M1900_PRIOR_ADLIADL_TRNSFR	c-0	Independent		Question/Answer pattern	129079002	independently able (qualifier value)		
M1900_PRIOR_ADLIADL_TRNSFR	c-1	Needed Some Help		Question/Answer pattern	129047006	assisted (qualifier value)		
M1900_PRIOR_ADLIADL_TRNSFR	c-2	Dependent		Question/Answer pattern	129059005	dependent (qualifier value)		
M1900_PRIOR_ADLIADL_HSEHOLD	d	Prior Functioning ADL/IADL: Household Tasks		QUESTION/ANSWER PATTERN	285809000	ability to perform domestic activities (observable entity)		
M1900_PRIOR_ADLIADL_HSEHOLD	d-0	Independent		Question/Answer pattern	129072006	independently able (qualifier value)		
M1900_PRIOR_ADLIADL_HSEHOLD	d-1	Needed Some Help		Question/Answer pattern	129051008	assisted (qualifier value)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M1900_PRIOR_ADLIADL_HSEHOLD	d-2	Dependent		Question/Answer pattern	129031009	dependent (qualifier value)		
M1910_MLT_FCTR_FALL_RISK_ASMT		Has Patient Had A Multi-factor Fall Risk Assessment?		QUESTION/ANSWER PATTERN	414191008	fall risk assessment (procedure)		
M1910_MLT_FCTR_FALL_RISK_ASMT	0	No multi-factor falls risk assessment conducted.		Question/Answer pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M1910_MLT_FCTR_FALL_RISK_ASMT	1	Yes, and it does not indicate a risk for falls.		Question/Answer pattern	298345007	does not fall (finding)		
M1910_MLT_FCTR_FALL_RISK_ASMT	2	Yes, and it indicates a risk for falls.		Question/Answer pattern	129839007	at risk for falls (finding)		
MEDICATIONS								
M2000_DRUG_RGMN_RVW		Drug Regimen Review		QUESTION/ANSWER PATTERN	182836005	review of medication (procedure)		
M2000_DRUG_RGMN_RVW	0	Not assessed/reviewed		Question/Answer pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M2000_DRUG_RGMN_RVW	1	No problems found during review		Question/Answer pattern	408358005	no significant drug interactions (finding)		
M2000_DRUG_RGMN_RVW	2	Problems found during review		Question/Answer pattern	309298003	drug therapy finding (finding)		
M2000_DRUG_RGMN_RVW	NA	Patient is not taking any medications		Question/Answer pattern	182849000	no drug therapy prescribed (situation)		
M2002_MDCTN_FLWP		Medication Follow-up		ASSERTION PATTERN				
M2002_MDCTN_FLWP	0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M2002_MDCTN_FLWP	1	Yes		Assertion pattern	304561000	informing health care professional (procedure)		
M2004_MDCTN_INTRVTN		Medication Intervention		ASSERTION PATTERN				
M2004_MDCTN_INTRVTN	0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M2004_MDCTN_INTRVTN	1	Yes		Assertion pattern	182836005	review of medication (procedure)		
M2004_MDCTN_INTRVTN	NA	No clinically significant medication issues identified since the previous OASIS assessment		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M2010_HIGH_RISK_DRUG_EDCTN		Patient/Caregiver High Risk Drug Education		ASSERTION PATTERN				

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M2010_HIGH_RISK_DRUG_EDCTN	0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M2010_HIGH_RISK_DRUG_EDCTN	1	Yes		Assertion pattern	967006	medication education (procedure)		
M2010_HIGH_RISK_DRUG_EDCTN	NA	Patient not taking any high risk drugs OR patient/caregiver fully knowledgeable about special precautions associated with all high-risk medications		Assertion pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M2015_DRUG_EDCTN_INTRVTN		Patient/Caregiver Drug Education Intervention		ASSERTION PATTERN				
M2015_DRUG_EDCTN_INTRVTN	0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M2015_DRUG_EDCTN_INTRVTN	1	Yes		Assertion pattern	396074002	medication administration education (procedure)		
M2015_DRUG_EDCTN_INTRVTN	NA	Patient not taking any drugs		Assertion pattern	182849000	no drug therapy prescribed (situation)		
M2020_CRNT_MGMT_ORAL_MDCTN		Current: Management Of Oral Medications		QUESTION/ANSWER PATTERN	404982001	ability to self-administer non-parenteral medication (observable entity)		
M2020_CRNT_MGMT_ORAL_MDCTN	0	Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.		Question/Answer pattern	285034004	able to manage medication (finding)		
M2020_CRNT_MGMT_ORAL_MDCTN	1	Able to take medication(s) at the correct times if: (a) individual dosages are prepared in advance by another person; OR (b) another person develops a drug diary or chart.		Question/Answer pattern	285038001	difficulty managing medication (finding)		
M2020_CRNT_MGMT_ORAL_MDCTN	2	Able to take medication(s) at the correct times if given reminders by another person at the appropriate times		Question/Answer pattern	285038001	difficulty managing medication (finding)		
M2020_CRNT_MGMT_ORAL_MDCTN	3	Unable to take medication unless administered by another person.		Question/Answer pattern	408366001	unable to use medication (finding)		
M2020_CRNT_MGMT_ORAL_MDCTN	NA	No oral medications prescribed.		Question/Answer pattern	182849000	no drug therapy prescribed (situation)		
M2030_CRNT_MGMT_INJCTN_MDCTN		Current: Management Of Injectable Medications		QUESTION/ANSWER PATTERN	404983006	ability to self-administer parenteral medication (observable entity)		
M2030_CRNT_MGMT_INJCTN_MDCTN	0	Able to independently take the correct medication(s) and proper dosage(s) at the correct times.		Question/Answer pattern	285034004	able to manage medication (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M2030_CRNT_MGMT_INJCTN_MDCTN	1	Able to take injectable medication(s) at the correct times if: (a) individual syringes are prepared in advance by another person; OR (b) another person develops a drug diary or chart.		Question/Answer pattern	285038001	difficulty managing medication (finding)		
M2030_CRNT_MGMT_INJCTN_MDCTN	2	Able to take medication(s) at the correct times if given reminders by another person based on the frequency of the injection		Question/Answer pattern	285038001	difficulty managing medication (finding)		
M2030_CRNT_MGMT_INJCTN_MDCTN	3	Unable to take injectable medication unless administered by another person.		Question/Answer pattern	408366001	unable to use medication (finding)		
M2030_CRNT_MGMT_INJCTN_MDCTN	NA	No injectable medications prescribed.		Question/Answer pattern	182849000	no drug therapy prescribed (situation)		
M2040_PRIOR_MGMT_ORAL_MDCTN	a	Prior Med Mgmt: Oral Medications		QUESTION/ANSWER PATTERN	404982001	ability to self-administer non-parenteral medication (observable entity)		
M2040_PRIOR_MGMT_ORAL_MDCTN	a-0	Independent		Question/Answer pattern	371153006	independently able (qualifier value)		
M2040_PRIOR_MGMT_ORAL_MDCTN	a-1	Needed Some Help		Question/Answer pattern	371152001	assisted (qualifier value)		
M2040_PRIOR_MGMT_ORAL_MDCTN	a-2	Dependent		Question/Answer pattern	371154000	dependent (qualifier value)		
M2040_PRIOR_MGMT_ORAL_MDCTN	a-NA	Not Applicable		Question/Answer pattern	385432009	not applicable (qualifier value)		
M2040_PRIOR_MGMT_INJCTN_MDCTN	b	Prior Med Mgmt: Injectable Medications		QUESTION/ANSWER PATTERN	404983006	ability to self-administer parenteral medication (observable entity)		
M2040_PRIOR_MGMT_INJCTN_MDCTN	b-0	Independent		Question/Answer pattern	371153006	independently able (qualifier value)		
M2040_PRIOR_MGMT_INJCTN_MDCTN	b-1	Needed Some Help		Question/Answer pattern	371152001	assisted (qualifier value)		
M2040_PRIOR_MGMT_INJCTN_MDCTN	b-2	Dependent		Question/Answer pattern	371154000	dependent (qualifier value)		
M2040_PRIOR_MGMT_INJCTN_MDCTN	b-NA	Not Applicable		Question/Answer pattern	385432009	not applicable (qualifier value)		
CARE MANAGEMENT								
M2100_CARE_TYPE_SRC_ADL	a	Care Mgmt, Types And Sources Of Assist: ADL		QUESTION/ANSWER PATTERN	413634008	basic activity of daily living (observable entity)		
M2100_CARE_TYPE_SRC_ADL	a-0	No assistance needed in this area		Question/Answer pattern	371153006	independently able (qualifier value)		
M2100_CARE_TYPE_SRC_ADL	a-1	Caregiver(s) currently provide assistance		Question/Answer pattern	184156005	has a carer (finding)		
M2100_CARE_TYPE_SRC_ADL	a-2	Caregiver(s) need training/ supportive services to provide assistance		Question/Answer pattern	423320002	caregiver difficulty providing healthcare (finding)		
M2100_CARE_TYPE_SRC_ADL	a-3	Caregiver(s) not likely to provide assistance		Question/Answer pattern	224489008	carer is unwilling to care (finding)		
M2100_CARE_TYPE_SRC_ADL	a-4	Unclear if Caregiver(s) will provide assistance		Question/Answer pattern	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M2100_CARE_TYPE_SRC_ADL	a-5	Assistance needed, but no Caregiver(s) available		Question/Answer pattern	276039008	no carer (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M2100_CARE_TYPE_SRC_IADL	b	Care Mgmt, Types And Sources Of Assist: IADL		QUESTION/ANSWER PATTERN	414514009	instrumental activity of daily living (observable entity)		
M2100_CARE_TYPE_SRC_IADL	b-0	No assistance needed in this area		Question/Answer pattern	371153006	independently able (qualifier value)		
M2100_CARE_TYPE_SRC_IADL	b-1	Caregiver(s) currently provide assistance		Question/Answer pattern	184156005	has a carer (finding)		
M2100_CARE_TYPE_SRC_IADL	b-2	Caregiver(s) need training/ supportive services to provide assistance		Question/Answer pattern	423320002	caregiver difficulty providing healthcare (finding)		
M2100_CARE_TYPE_SRC_IADL	b-3	Caregiver(s) not likely to provide assistance		Question/Answer pattern	224489008	carer is unwilling to care (finding)		
M2100_CARE_TYPE_SRC_IADL	b-4	Unclear if Caregiver(s) will provide assistance		Question/Answer pattern	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M2100_CARE_TYPE_SRC_IADL	b-5	Assistance needed, but no Caregiver(s) available		Question/Answer pattern	276039008	no carer (finding)		
M2100_CARE_TYPE_SRC_MDCTN	c	Care Mgmt, Types And Sources Of Assist: Medication Admin		QUESTION/ANSWER PATTERN	285033005	ability to manage medication (observable entity)		
M2100_CARE_TYPE_SRC_MDCTN	c-0	No assistance needed in this area		Question/Answer pattern	371153006	independently able (qualifier value)		
M2100_CARE_TYPE_SRC_MDCTN	c-1	Caregiver(s) currently provide assistance		Question/Answer pattern	184156005	has a carer (finding)		
M2100_CARE_TYPE_SRC_MDCTN	c-2	Caregiver(s) need training/ supportive services to provide assistance		Question/Answer pattern	423320002	caregiver difficulty providing healthcare (finding)		
M2100_CARE_TYPE_SRC_MDCTN	c-3	Caregiver(s) not likely to provide assistance		Question/Answer pattern	224489008	carer is unwilling to care (finding)		
M2100_CARE_TYPE_SRC_MDCTN	c-4	Unclear if Caregiver(s) will provide assistance		Question/Answer pattern	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M2100_CARE_TYPE_SRC_MDCTN	c-5	Assistance needed, but no Caregiver(s) available		Question/Answer pattern	276039008	no carer (finding)		
M2100_CARE_TYPE_SRC_PRCDR	d	Care Mgmt, Types And Sources Of Assist: Med Procs Tx		QUESTION/ANSWER PATTERN	304897000	ability to comply with treatment (observable entity)		
M2100_CARE_TYPE_SRC_PRCDR	d-0	No assistance needed in this area		Question/Answer pattern	371153006	independently able (qualifier value)		
M2100_CARE_TYPE_SRC_PRCDR	d-1	Caregiver(s) currently provide assistance		Question/Answer pattern	184156005	has a carer (finding)		
M2100_CARE_TYPE_SRC_PRCDR	d-2	Caregiver(s) need training/ supportive services to provide assistance		Question/Answer pattern	423320002	caregiver difficulty providing healthcare (finding)		
M2100_CARE_TYPE_SRC_PRCDR	d-3	Caregiver(s) not likely to provide assistance		Question/Answer pattern	224489008	carer is unwilling to care (finding)		
M2100_CARE_TYPE_SRC_PRCDR	d-4	Unclear if Caregiver(s) will provide assistance		Question/Answer pattern	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M2100_CARE_TYPE_SRC_PRCDR	d-5	Assistance needed, but no Caregiver(s) available		Question/Answer pattern	276039008	no carer (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M2100_CARE_TYPE_SRC_EQUIP	e	Care Mgmt, Types And Sources Of Assist: Equipment		QUESTION/ANSWER PATTERN	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M2100_CARE_TYPE_SRC_EQUIP	e-0	No assistance needed in this area		Question/Answer pattern	371153006	independently able (qualifier value)		
M2100_CARE_TYPE_SRC_EQUIP	e-1	Caregiver(s) currently provide assistance		Question/Answer pattern	184156005	has a carer (finding)		
M2100_CARE_TYPE_SRC_EQUIP	e-2	Caregiver(s) need training/supportive services to provide assistance		Question/Answer pattern	423320002	caregiver difficulty providing healthcare (finding)		
M2100_CARE_TYPE_SRC_EQUIP	e-3	Caregiver(s) not likely to provide assistance		Question/Answer pattern	224489008	carer is unwilling to care (finding)		
M2100_CARE_TYPE_SRC_EQUIP	e-4	Unclear if Caregiver(s) will provide assistance		Question/Answer pattern	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M2100_CARE_TYPE_SRC_EQUIP	e-5	Assistance needed, but no Caregiver(s) available		Question/Answer pattern	276039008	no carer (finding)		
M2100_CARE_TYPE_SRC_SPRVSN	f	Care Mgmt, Types And Sources Of Assist: Supervision And Safety		QUESTION/ANSWER PATTERN	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M2100_CARE_TYPE_SRC_SPRVSN	f-0	No assistance needed in this area		Question/Answer pattern	371153006	independently able (qualifier value)		
M2100_CARE_TYPE_SRC_SPRVSN	f-1	Caregiver(s) currently provide assistance		Question/Answer pattern	184156005	has a carer (finding)		
M2100_CARE_TYPE_SRC_SPRVSN	f-2	Caregiver(s) need training/supportive services to provide assistance		Question/Answer pattern	423320002	caregiver difficulty providing healthcare (finding)		
M2100_CARE_TYPE_SRC_SPRVSN	f-3	Caregiver(s) not likely to provide assistance		Question/Answer pattern	224489008	carer is unwilling to care (finding)		
M2100_CARE_TYPE_SRC_SPRVSN	f-4	Unclear if Caregiver(s) will provide assistance		Question/Answer pattern	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M2100_CARE_TYPE_SRC_SPRVSN	f-5	Assistance needed, but no Caregiver(s) available		Question/Answer pattern	276039008	no carer (finding)		
M2100_CARE_TYPE_SRC_ADVCY	g	Care Mgmt, Types And Sources Of Assist: Advocacy Or Facilitation		QUESTION/ANSWER PATTERN	372038002	advocacy (regime/therapy)		
M2100_CARE_TYPE_SRC_ADVCY	g-0	No assistance needed in this area		Question/Answer pattern	371153006	independently able (qualifier value)		
M2100_CARE_TYPE_SRC_ADVCY	g-1	Caregiver(s) currently provide assistance		Question/Answer pattern	184156005	has a carer (finding)		
M2100_CARE_TYPE_SRC_ADVCY	g-2	Caregiver(s) need training/supportive services to provide assistance		Question/Answer pattern	423320002	caregiver difficulty providing healthcare (finding)		
M2100_CARE_TYPE_SRC_ADVCY	g-3	Caregiver(s) not likely to provide assistance		Question/Answer pattern	224489008	carer is unwilling to care (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M2100_CARE_TYPE_SRC_ADVCY	g-4	Unclear if Caregiver(s) will provide assistance		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M2100_CARE_TYPE_SRC_ADVCY	g-5	Assistance needed, but no Caregiver(s) available		Question/Answer pattern	276039008	no carer (finding)		
M2110_ADL_IADL_ASTNC_FREQ		How Often Recv ADL Or IADL Assistance From Any		QUESTION/ANSWER PATTERN	105389006	personal care assistance at home (procedure)		
M2110_ADL_IADL_ASTNC_FREQ	1	At least daily		Question/Answer pattern	69620002	daily (qualifier value)		
M2110_ADL_IADL_ASTNC_FREQ	2	Three or more times per week		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M2110_ADL_IADL_ASTNC_FREQ	3	One to two times per week		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M2110_ADL_IADL_ASTNC_FREQ	4	Received, but less often than weekly		Question/Answer pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M2110_ADL_IADL_ASTNC_FREQ	5	No assistance received		Question/Answer pattern	260413007	none (qualifier value)		
M2110_ADL_IADL_ASTNC_FREQ	UK	Unknown		Question/Answer pattern	<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			
THERAPY NEED AND PLAN OF CARE								
M2200_THER_NEED_NUM		Therapy Need: Number of Visits			409023009	professional / ancillary services care (regime/therapy)		
M2200_THER_NEED_NA		Therapy Need: Not Applicable		Assertion pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			
M2250_PLAN_SMRY_PTNT_SPECIF	a	Plan Of Care Synopsis: Patient Specific Parameters		ASSERTION PATTERN				
M2250_PLAN_SMRY_PTNT_SPECIF	a-0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			
M2250_PLAN_SMRY_PTNT_SPECIF	a-1	Yes		Assertion pattern	370836008	monitoring physiological parameters (regime/therapy)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M2250_PLAN_SMRY_PTNT_SPECIF	a-NA	Physician has chosen not to establish patient -specific parameters for this patient. Agency will use standardized clinical guidelines accessible for all care providers to reference.		Assertion pattern	372921003	providing care according to standard (regime/therapy)		
M2250_PLAN_SMRY_DBTS_FT_CARE	b	Plan Of Care Synopsis: Diabetic Foot Care		ASSERTION PATTERN				
M2250_PLAN_SMRY_DBTS_FT_CARE	b-0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M2250_PLAN_SMRY_DBTS_FT_CARE	b-1	Yes		Assertion pattern	385957006	foot care management (procedure)		
M2250_PLAN_SMRY_DBTS_FT_CARE	b-NA	Patient is not diabetic or is bilateral amputee.		Assertion pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M2250_PLAN_SMRY_FALL_PRVNT	c	Plan Of Care Synopsis: Falls Prevention Interventions		ASSERTION PATTERN				
M2250_PLAN_SMRY_FALL_PRVNT	c-0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M2250_PLAN_SMRY_FALL_PRVNT	c-1	Yes		Assertion pattern	386296001	fall prevention (procedure)		
M2250_PLAN_SMRY_FALL_PRVNT	c-NA	Patient is not assessed to be at risk for falls.		Assertion pattern	298345007	does not fall (finding)		
M2250_PLAN_SMRY_DPRSN_INTRVTN	d	Plan Of Care Synopsis: Depression Interventions		ASSERTION PATTERN				
M2250_PLAN_SMRY_DPRSN_INTRVTN	d-0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M2250_PLAN_SMRY_DPRSN_INTRVTN	d-1	Yes		Assertion pattern	401174001	depression management program (regime/therapy)		
M2250_PLAN_SMRY_DPRSN_INTRVTN	d-NA	Patient has not diagnosis or symptoms of depression.		Assertion pattern	134417007	level of mood - normal (finding)		
M2250_PLAN_SMRY_PAIN_INTRVTN	e	Plan Of Care Synopsis: Pain Interventions		ASSERTION PATTERN				
M2250_PLAN_SMRY_PAIN_INTRVTN	e-0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M2250_PLAN_SMRY_PAIN_INTRVTN	e-1	Yes		Assertion pattern	278414003	pain management (procedure)		
M2250_PLAN_SMRY_PAIN_INTRVTN	e-NA	No pain identified		Assertion pattern	301379001	no present pain (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M2250_PLAN_SMRY_PRSULC_PRVNT	f	Plan Of Care Synopsis: PU Prevention		ASSERTION PATTERN				
M2250_PLAN_SMRY_PRSULC_PRVNT	f-0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M2250_PLAN_SMRY_PRSULC_PRVNT	f-1	Yes		Assertion pattern	225996006	pressure sore prevention (procedure)		
M2250_PLAN_SMRY_PRSULC_PRVNT	f-NA	Patient is not assessed to be at risk for pressure ulcers.		Assertion pattern	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M2250_PLAN_SMRY_PRSULC_TRTMT	g	Plan Of Care Synopsis: PU Moist Treatment		ASSERTION PATTERN				
M2250_PLAN_SMRY_PRSULC_TRTMT	g-0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M2250_PLAN_SMRY_PRSULC_TRTMT	g-1	Yes		Assertion pattern	225357008	pressure sore care (regime/therapy)		
M2250_PLAN_SMRY_PRSULC_TRTMT	g-NA	Patient has no pressure ulcers with need for moist wound healing.		Assertion pattern	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
EMERGENT CARE								
M2300_EMER_USE_AFTR_LAST_ASMT		Emergent Care: Use Since Last Oasis Data Collection		ASSERTION PATTERN				
M2300_EMER_USE_AFTR_LAST_ASMT	0	No		Assertion Pattern	<i>Concept Not Mapped (Reason #4) – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD</i>			
M2300_EMER_USE_AFTR_LAST_ASMT	1	Yes, used hospital emergency department WITHOUT hospital admission		Assertion Pattern	50331008	emergency room admission, followed by release (procedure)		
M2300_EMER_USE_AFTR_LAST_ASMT	2	Yes, used hospital emergency department WITH hospital admission		Assertion Pattern	183452005	emergency hospital admission (procedure)		
M2300_EMER_USE_AFTR_LAST_ASMT	UK	Unknown		Assertion Pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
M2310		<i>Reason for emergent care</i>	Question row/description added to facilitate message format.	ASSERTION PATTERN				
M2310_ECR_MEDICATION	1	Emergent Care Reason: Medication		Assertion Pattern	62014003	adverse reaction to drug (disorder)		
M2310_ECR_INJURY_BY_FALL	2	Emergent Care Reason: Injury Caused By Fall		Assertion Pattern	398117008	falling injury (disorder)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M2310_ECR_RSPRTRY_INFCTN	3	Emergent Care Reason: Respiratory Infection		Assertion Pattern	275498002	respiratory tract infection (disorder)		
M2310_ECR_RSPRTRY_OTHR	4	Emergent Care Reason: Respiratory Other		Assertion Pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
M2310_ECR_HRT_FAILR	5	Emergent Care Reason: Heart Failure		Assertion Pattern	84114007	heart failure (disorder)		
M2310_ECR_CRDC_DSRTHM	6	Emergent Care Reason: Cardiac Dysrhythmia		Assertion Pattern	44808001	conduction disorder of the heart (disorder)		
M2310_ECR_MI_CHST_PAIN	7	Emergent Care Reason: Myocardial Infarction Or Chest Pain		Assertion Pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M2310_ECR_OTHR_HRT_DEASE	8	Emergent Care Reason: Other Heart Disease		Assertion Pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
M2310_ECR_STROKE_TIA	9	Emergent Care Reason: Stroke (CVA) Or TIA		Assertion Pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M2310_ECR_HYPOGLYC	10	Emergent Care Reason: Hypoglycemia		Assertion Pattern	302866003	hypoglycemia (disorder)		
M2310_ECR_GI_PRBLM	11	Emergent Care: GI Bleeding, Obstruction, Constipation, Impaction		Assertion Pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M2310_ECR_DHYDRTN_MALNTR	12	Emergent Care Reason: Dehydration, Malnutrition		Assertion Pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M2310_ECR_UTI	13	Emergent Care Reason: Urinary Track Infection		Assertion Pattern	68566005	urinary tract infectious disease (disorder)		
M2310_ECR_CTHTR_CMPLCTN	14	Emergent Care Reason: IV Catheter-related Infection Or Complication		Assertion Pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M2310_ECR_WND_INFCTN_DTRORTN	15	Emergent Care Reason: Wound Infection Or Deterioration		Assertion Pattern	271618001	impaired wound healing (finding)		
M2310_ECR_UNCNTLD_PAIN	16	Emergent Care Reason: Uncontrolled Pain		Assertion Pattern	39565009	pain crisis (finding)		
M2310_ECR_MENTL_BHVRL_PRBLM	17	Emergent Care Reason: Acute Mental/Behavioral Health Problem		Assertion Pattern	413307004	mental health problem (finding)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M2310_ECR_DVT_PULMNR	18	Emergent Care Reason: Deep Vein Thrombosis, Pulmonary Embolus		Assertion Pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M2310_ECR_OTHER	19	Emergent Care Reason: Other Than Above		Assertion Pattern	<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			
M2310_ECR_UNKNOWN	UK	Emergent Care Reason: Unknown		Assertion Pattern	<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			
DATA ITEMS COLLECTED AT INPATIENT FACILITY ADMISSION OR AGENCY DISCHARGE ONLY								
M2400_INTRVTN_SMRY_DBTS_FT	a	Intervention Synopsis: Diabetic Foot Care		ASSERTION PATTERN				
M2400_INTRVTN_SMRY_DBTS_FT	a-0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			
M2400_INTRVTN_SMRY_DBTS_FT	a-1	Yes		Assertion pattern	385957006	foot care management (procedure)		
M2400_INTRVTN_SMRY_DBTS_FT	a-NA	Patient is not diabetic or is bilateral amputee		Assertion pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M2400_INTRVTN_SMRY_FALL_PRVNT	b	Intervention Synopsis: Falls Prevention Intervention		ASSERTION PATTERN				
M2400_INTRVTN_SMRY_FALL_PRVNT	b-0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			
M2400_INTRVTN_SMRY_FALL_PRVNT	b-1	Yes		Assertion pattern	386296001	fall prevention (procedure)		
M2400_INTRVTN_SMRY_FALL_PRVNT	b-NA	Formal multi-factor Fall Risk Assessment indicates the patient was not at risk for falls since the last OASIS assessment		Assertion pattern	298345007	does not fall (finding)		
M2400_INTRVTN_SMRY_DPRSN	c	Intervention Synopsis: Depression Intervention		ASSERTION PATTERN				
M2400_INTRVTN_SMRY_DPRSN	c-0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M2400_INTRVTN_SMRY_DPRSN	c-1	Yes		Assertion pattern	401174001	depression management program (regime/therapy)		
M2400_INTRVTN_SMRY_DPRSN	c-NA	Formal assessment indicates patient did not meet criteria for depression AND patient did not have diagnosis of depression since the last OASIS assessment		Assertion pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M2400_INTRVTN_SMRY_PAIN_MNTR	d	Intervention Synopsis: Intervention To Monitor And Mitigate Pain		ASSERTION PATTERN				
M2400_INTRVTN_SMRY_PAIN_MNTR	d-0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			
M2400_INTRVTN_SMRY_PAIN_MNTR	d-1	Yes		Assertion pattern	278414003	pain management (procedure)		
M2400_INTRVTN_SMRY_PAIN_MNTR	d-NA	Formal assessment did not indicate pain since the last OASIS assessment		Assertion pattern	301379001	no present pain (finding)		
M2400_INTRVTN_SMRY_PRSULC_PRVN	e	Intervention Synopsis: Intervention To Prevent Pressure Ulcers		ASSERTION PATTERN				
M2400_INTRVTN_SMRY_PRSULC_PRVN	e-0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			
M2400_INTRVTN_SMRY_PRSULC_PRVN	e-1	Yes		Assertion pattern	225996006	pressure sore prevention (procedure)		
M2400_INTRVTN_SMRY_PRSULC_PRVN	e-NA	Formal assessment indicates the patient was not at risk of pressure ulcers since the last OASIS assessment		Assertion pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M2400_INTRVTN_SMRY_PRSULC_WET	f	Intervention Synopsis: Pressure Ulcer Treatment Based On Moist Wound Treatment		ASSERTION PATTERN				
M2400_INTRVTN_SMRY_PRSULC_WET	f-0	No		Assertion pattern	<i>Concept Not Mapped (Reason #4)</i> – Negated/ frequency/ qualifier data elements addressed through the vendor information model or in the CCD			
M2400_INTRVTN_SMRY_PRSULC_WET	f-1	Yes		Assertion pattern	225357008	pressure sore care (regime/therapy)		
M2400_INTRVTN_SMRY_PRSULC_WET	f-NA	Dressings that support the principles of moist wound healing not indicated for this patient's pressure ulcers OR patient has no pressure ulcers with need for moist wound healing		Assertion pattern	<i>Concept Not Mapped (Reason #2)</i> – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping			
M2410_INPAT_FACILITY		Inpatient Facility		QUESTION/ANSWER PATTERN	306101007	referral to establishment (procedure)		
M2410_INPAT_FACILITY	1	Hospital		Question/Answer pattern	32485007	hospital admission (procedure)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M2410_INPAT_FACILITY	2	Rehabilitation facility		Question/Answer pattern	305382000	admission to rehabilitation department (procedure)		
M2410_INPAT_FACILITY	3	Nursing home		Question/Answer pattern	304567001	admission for long-term care (procedure)		
M2410_INPAT_FACILITY	4	Hospice		Question/Answer pattern	305336008	admission to hospice (procedure)		
M2410_INPAT_FACILITY	NA	No inpatient facility admission		Question/Answer pattern	385432009	not applicable (qualifier value)		
M2420_DSCHRG_DISP		Discharge Disposition		QUESTION/ANSWER PATTERN	107726003	patient disposition (procedure)		
M2420_DSCHRG_DISP	1	Patient remained in the community (without formal assistive services)		Question/Answer pattern	31879006	lives in a community (finding)		
M2420_DSCHRG_DISP	2	Patient remained in the community (with formal assistive services)		Question/Answer pattern	160725005	lives alone - help available (finding)		
M2420_DSCHRG_DISP	3	Patient transferred to a non-institutional hospice		Question/Answer pattern	<i>Concept Not Mapped (Reason #2) – No comparable SNOMED CT concept is available for either 1:1 equivalent or most proximal parent mapping</i>			
M2420_DSCHRG_DISP	4	Unknown because patient moved to a geographic location not served by this agency		Question/Answer pattern	413328008	transfer out of area (finding)		
M2420_DSCHRG_DISP	UK	Other unknown		Question/Answer pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
M2430		Reason for hospitalization						
M2430_HOSP_MED	1	Hospitalized: Medication		Assertion Pattern	62014003	adverse reaction to drug (disorder)		
M2430_HOSP_INJRY_BY_FALL	2	Hospitalized: Injury Caused By Fall		Assertion Pattern	398117008	falling injury (disorder)		
M2430_HOSP_RSPRTRY_INFCTN	3	Hospitalized: Respiratory		Assertion Pattern	275498002	respiratory tract infection (disorder)		
M2430_HOSP_RSPRTRY_OTHR	4	Hospitalized: Other Respiratory		Assertion Pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
M2430_HOSP_HRT_FAILR	5	Hospitalized: Heart Failure		Assertion Pattern	84114007	heart failure (disorder)		
M2430_HOSP_CRDC_DSRTHM	6	Hospitalized: Cardiac Dysrhythmia		Assertion Pattern	44808001	conduction disorder of the heart (disorder)		
M2430_HOSP_MI_CHST_PAIN	7	Hospitalized: Myocardial Infarction Or Chest Pain		Assertion Pattern	<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			
M2430_HOSP_OTHR_HRT_DEASE	8	Hospitalized: Other Heart Disease		Assertion Pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M2430_HOSP_STROKE_TIA	9	Hospitalized: Stroke (CVA) Or TIA		Assertion Pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M2430_HOSP_HYPOGLYC	10	Hospitalized: Hypoglycemia		Assertion Pattern	302866003	hypoglycemia (disorder)		
M2430_HOSP_GI_PRBLM	11	Hospitalized: GI Bleeding, Obstruction, Constipation, Impaction		Assertion Pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M2430_HOSP_DHYDRTN_MALNTR	12	Hospitalized: Dehydration, Malnutrition		Assertion Pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M2430_HOSP_UR_TRACT	13	Hospitalized: Urinary Tract		Assertion Pattern	68566005	urinary tract infectious disease (disorder)		
M2430_HOSP_CTHTR_CMLPCTN	14	Hospitalized: IV Catheter Related Infection Or Complication		Assertion Pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M2430_HOSP_WND_INFCTN	15	Hospitalized: Wound Infection Or Deterioration		Assertion Pattern	271618001	impaired wound healing (finding)		
M2430_HOSP_PAIN	16	Hospitalized: Pain		Assertion Pattern	39565009	pain crisis (finding)		
M2430_HOSP_MENTL_BHVRL_PRBLM	17	Hospitalized: Acute Mental/Behavior Health Problem		Assertion Pattern	413307004	mental health problem (finding)		
M2430_HOSP_DVT_PULMNRY	18	Hospitalized: Deep vein thrombosis, Pulmonary embolus		Assertion Pattern	<i>Concept Not Mapped (Reason #3)</i> – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination			
M2430_HOSP_SCHLD_TRTMT	19	Hospitalized: Scheduled Treatment Or Procedure		Assertion Pattern	304566005	admission for treatment (procedure)		
M2430_HOSP_OTHER	20	Hospitalized: Other		Assertion Pattern	<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			
M2430_HOSP_UK	UK	Hospitalized: UK		Assertion Pattern	<i>Concept Not Mapped (Reason #5)</i> – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT			
M2440		<i>Reason for nursing home admission</i>	Question row/description added to facilitate message format.	QUESTION/ANSWER PATTERN	25675004	patient transfer to skilled nursing facility (SNF) (procedure)		
M2440_NH_THERAPY	1	Admitted to Nursing Home: Therapy		Question/Answer pattern	276239002	therapy (regime/therapy)		

CMS Question ID	Answer	CMS Description <i>Light Orange Shading Indicates Start of New Question per CMS Data Dictionary</i>	General Guidance	Mapping Based on the Following Pattern for Representation of Data Element	SNOMED CT Code	SNOMED CT Fully Specified Name	CDC Race & Ethnicity Codes*	Codes for Vaccines Administered (CVX)
M2440_NH_RESPITE	2	Admitted to Nursing Home: Respite		Question/Answer pattern	105386004	respite care of patient (regime/therapy)		
M2440_NH_HOSPICE	3	Admitted to Nursing Home: Hospice		Question/Answer pattern	385763009	hospice care (regime/therapy)		
M2440_NH_PERMANENT	4	Admitted to Nursing Home: Permanent Placement		Question/Answer pattern	304567001	admission for long-term care (procedure)		
M2440_NH_UNSAFE_HOME	5	Admitted to Nursing Home: Unsafe at Home		Question/Answer pattern	225861007	unsafe to be left alone (finding)		
M2440_NH_OTHER	6	Admitted to Nursing Home: Other		Question/Answer pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
M2440_NH_UNKNOWN	UK	Admitted to Nursing Home: Unknown		Question/Answer pattern	<i>Concept Not Mapped (Reason #5) – Ambiguous concepts such as "none", "other", "unknown", etc., cannot be mapped to SNOMED CT</i>			
M0903_LAST_HOME_VISIT		Date of Last Home Visit			406543005	date of visit (observable entity)		
M0906_DC_TRAN_DTH_DT		Discharge, Transfer, Death Date			<i>Concept Not Mapped (Reason #3) – Data element is a complex expression that is not mappable to a single SNOMED CT concept and requires post coordination</i>			

OPPORTUNITIES FOR ENGAGING LONG-TERM AND POST-ACUTE CARE PROVIDERS IN HEALTH INFORMATION EXCHANGE ACTIVITIES: EXCHANGING INTEROPERABLE PATIENT ASSESSMENT INFORMATION

Files Available for This Report

Main Report	[54 PDF pages] http://aspe.hhs.gov/daltcp/reports/2011/StratEng.htm http://aspe.hhs.gov/daltcp/reports/2011/StratEng.pdf
APPENDIX A: Stakeholder Interview Summary	[13 PDF pages] http://aspe.hhs.gov/daltcp/reports/2011/StratEng-A.htm http://aspe.hhs.gov/daltcp/reports/2011/StratEng-A.pdf
APPENDIX B: Background Report on Intellectual Property Issues and the Dissemination of Standardized Federally-Required Patient Assessments	[89 PDF pages] http://aspe.hhs.gov/daltcp/reports/2011/StratEng-B.htm http://aspe.hhs.gov/daltcp/reports/2011/StratEng-B.pdf
APPENDIX C: Rosetta Stone Mapping Guidelines and Heuristics	[19 PDF pages] http://aspe.hhs.gov/daltcp/reports/2011/StratEng-C.htm http://aspe.hhs.gov/daltcp/reports/2011/StratEng-C.pdf
APPENDIX D: Rosetta Stone MDS and OASIS and Value Sets for MDS Full Appendix	[518 PDF pages] http://aspe.hhs.gov/daltcp/reports/2011/StratEng-D.htm http://aspe.hhs.gov/daltcp/reports/2011/StratEng-D.pdf
Toolkit Overview, Model of Use, Model of Meaning, and Supporting EHR Observation [135 PDF pages]	http://aspe.hhs.gov/daltcp/reports/2011/StratEng-D1.htm http://aspe.hhs.gov/daltcp/reports/2011/StratEng-D1.pdf http://aspe.hhs.gov/daltcp/reports/2011/StratEng-D1.xlsx
MDS Value Sets (Separate Excel files accessible through links within HTMLs and PDFs) [381 PDF pages]	
<i>Alzheimer's Disease through Cirrhosis</i> [184 PDF pages]	http://aspe.hhs.gov/daltcp/reports/2011/StratEng-D2a.htm http://aspe.hhs.gov/daltcp/reports/2011/StratEng-D2a.pdf
<i>Coronary Artery Disease through Wound Infection</i> [197 PDF pages]	http://aspe.hhs.gov/daltcp/reports/2011/StratEng-D2b.htm http://aspe.hhs.gov/daltcp/reports/2011/StratEng-D2b.pdf
APPENDIX E: Rosetta Stone OASIS	[71 PDF pages] http://aspe.hhs.gov/daltcp/reports/2011/StratEng-E.htm http://aspe.hhs.gov/daltcp/reports/2011/StratEng-E.pdf http://aspe.hhs.gov/daltcp/reports/2011/StratEng-E.xlsx
APPENDIX F: Current Standards Landscape for Exchanging Interoperable Patient Assessment Information	[9 PDF pages] http://aspe.hhs.gov/daltcp/reports/2011/StratEng-F.htm http://aspe.hhs.gov/daltcp/reports/2011/StratEng-F.pdf

APPENDIX G: LTPAC Interoperability Toolkit for Exchanging Interoperable Patient Assessment Instruments [9 PDF pages]
Overview <http://aspe.hhs.gov/daltcp/reports/2011/StratEng-G.htm>
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-G.pdf>

Several attachments are listed separately at the end of this Appendix.

APPENDIX H: Standards Development and Adoption Recommendations [6 PDF pages]
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-H.htm>
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-H.pdf>

APPENDIX I: Functional Status Standardization Recommendations [13 PDF pages]
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-I.htm>
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-I.pdf>

APPENDIX J: Overview of Patient Assessment Summary [23 PDF pages]
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-J.htm>
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-J.pdf>

APPENDIX K: Rosetta Stone MDS Summary [162 PDF pages]
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-K.htm>
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-K.pdf>
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-K.xlsx>

APPENDIX L: Rosetta Stone OASIS Summary [127 PDF pages]
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-L.htm>
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-L.pdf>
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-L.xlsx>

APPENDIX M: Terms and Acronyms [6 PDF pages]
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-M.htm>
<http://aspe.hhs.gov/daltcp/reports/2011/StratEng-M.pdf>

To obtain a printed copy of this report, send the full report title and your mailing information to:

U.S. Department of Health and Human Services
Office of Disability, Aging and Long-Term Care Policy
Room 424E, H.H. Humphrey Building
200 Independence Avenue, S.W.
Washington, D.C. 20201
FAX: 202-401-7733
Email: webmaster.DALTCP@hhs.gov

NOTE: All requests must be in writing.

RETURN TO:

Office of Disability, Aging and Long-Term Care Policy (DALTCP) Home
http://aspe.hhs.gov/_office_specific/daltcp.cfm

Assistant Secretary for Planning and Evaluation (ASPE) Home
<http://aspe.hhs.gov>

U.S. Department of Health and Human Services (HHS) Home
<http://www.hhs.gov>